



# **sommerfeltia**

**1**

A. Hansen & P. Sunding

Flora of Macaronesia. Checklist of vascular plants.  
3. revised edition.

**1985**



is owned and edited by the Botanical Garden and Museum,  
University of Oslo.

SOMMERFELTIA is named in honour of the eminent Norwegian botanist and clergyman Søren Christian Sommerfelt (1794-1838). The generic name *Sommerfeltia* has been used in (1) the lichens by Flörke 1827, now *Solorina*, (2) Leguminosae by Schumacher 1827, now *Drepanocarpus*, and (3) Compositae by Lessing 1832, nom. cons.

SOMMERFELTIA is a series of monographs in plant taxonomy, phytogeography, phytosociology, plant ecology, plant morphology, and evolutionary botany. Papers are by Norwegian authors. They are in English or, less often, in Norwegian with an English summary. An article must be 32 printed pages or more to be accepted. Authors not on the staff of the Botanical Garden and Museum in Oslo pay a page charge of NOK 20.00.

SOMMERFELTIA appears at irregular intervals, one article per volume.

Editor: Dr. Anders Danielsen.

Editorial Board: Scientific staff of the Botanical Garden and Museum.

Address: SOMMERFELTIA, Botanical Garden and Museum, University of Oslo, Trondheimsveien 23B, N-0562 Oslo 5, Norway.

Order: On a standing order (payment on receipt of each volume) SOMMERFELTIA is supplied at 30% discount.

Separate volumes are supplied at the following regular rates (1985 prices):

Volumes of 32-42 pages NOK 0.80 per page

Volumes of 43-60 pages NOK 0.65 per page

Volumes of 61-120 pages NOK 0.45 per page

Volumes of more than 120 pages NOK 0.35 per page.



# sommerfeltia

1

A. Hansen & P. Sunding

Flora of Macaronesia. Checklist of vascular plants.  
3. revised edition.

1985

**ISBN 82-9905-276-8**

**ISSN 0800-6865**

Hansen, A. & Sunding, P. 1985. Flora of Macaronesia.  
Checklist of vascular plants. 3. revised edition. -  
Sommerfeltia 1:1-167. Oslo. ISBN 82-9905-276-8. ISSN  
0800-6865.

A complete and up-to-date checklist of the vascular plants of Macaronesia (the Azores, the Madeira archipelago, the Salvage Islands, the Canary Islands, and the Cape Verde Islands) is given. 3.125 species belonging to 1.041 genera are listed, as are also a number of intraspecific taxa down to variety level. New combinations are proposed within the genera *Cheilanthes*, *Pericallis* and *Pulicaria*. A second section lists 2.250 synonyms and their presumed identity.

**Keywords:** Macaronesia, Azores, Madeira, Salvage Islands, Canary Islands, Cape Verde Islands, Vascular plants.

Alfred Hansen, Botanical Museum, Gothersgade 130, DK-1123 Copenhagen K, Denmark. Per Sunding, Botanical Garden and Museum, Trondheimsveien 23 B, N-0562 Oslo 5, Norway.

## **CONTENTS**

INTRODUCTION	page	5
SYSTEMATIC LIST	page	8
INDEX TO SYNONYMS	page	103
INDEX TO GENERIC NAMES	page	158



## INTRODUCTION

The present paper aims at giving a complete list of the vascular plants of the five Macaronesian archipelagos (viz. the Azores, Madeira, the Salvage Islands, the Canary Islands, and the Cape Verde Islands), based on our present knowledge of the flora of these islands. The list is based on the first and second editions (1974 and 1979) of the checklist. The 1974 edition was compiled from four manuscript lists, viz. for the Azores by A. Hansen, for Madeira and the Salvage Islands by the same author, for the Canary Islands by O. Eriksson, Umeå, and for the Cape Verde Islands by P. Sunding. Taxonomic and floristic work have been actively performed in the archipelagos, and compared to the 1979 edition as much as 170 species have been added to the flora (representing more than 5%), as well as more than 1.200 new distribution data (i.e. new islands).

Within each of the four parts *Pteridophyta*, *Gymnospermae*, *Dicotyledoneae*, and *Monocotyledoneae*, the families, the genera (1.041) within each family, and the species (3.125) within each genus are arranged in alphabetical order. Only species stated to have been recorded as spontaneous plants within the archipelagos have been included in the list. As practise in floristical literature on the archipelagos, however, have been very different with regard to inclusion of cultivated plants, this has not always been easy to do consistently. Hybrids are normally listed under their respective parental names.

Endemics are especially marked in the list by a black dot. "Endemic" is here understood as endemic only to the particular islands with which we are concerned. Species occurring also in the so-called Macaronesian enclave in the African mainland or in single localities in the Iberian Peninsula are thus not regarded as Macaronesian endemics in this connection. The dots indicating endemism are used to mark whether a certain taxon - isolated seen - is endemic in this respect. As taxa of succeeding hierachic rank are often designed endemics independent of each other, the number of dots are somewhat higher than the number of true endemics.

A second section of the checklist brings a synonym index that lists about 2.250 synonyms much used in Macaronesian taxonomic and floristic literature. No attempt has been made to reach completeness in this list. It is mainly intended as a means to find the proper names - or the names used in the first section of this checklist - for taxa where orientation among alternative names has become difficult from the many nomenclatural changes induced by, among others, the "Flora Europaea" work.

Several persons, too many to be named, have given advice or in other ways contributed to the publication of this revised checklist of Macaronesian plants. Our thanks are especially due to C. Brochmann (Oslo), P. Delgada (Azores), D. Furtado (Azores), G. LeGrand (Azores), W. Lobin (Frankfurt), B. Nordenstam (Stockholm), B. Pettersson (Uppsala), Ø. H. Rustan

(Oslo), and D. O. Wijnands (Wageningen). Responsible for possible errors and insufficiencies are, however, the authors alone. We will be grateful for any information about improvements that may be done.

A. Hansen  
(Copenhagen)

P. Sunding  
(Oslo)

Nomenclatural changes found necessary during the compilation work:

Cheilanthes catanensis (Cos.) H. P. Fuchs ssp. bivalens (Reichst.) A. Hans. et Sund., comb. nov.  
Basionym: Notholaena lanuginosa (Desf.) Poir. ssp. bivalens Reichst. in Badré et Reichst., Willdenowia 13: 364 (1983).

Pericallis hansenii (Kunkel) Sund., comb. nov.  
Basionym: Senecio hansenii Kunkel, Cuad. Bot. Canar. 25: 28 (1975). Literature: Nordenstam (1978).

Pulicaria undulata L. ssp. fogensis (Gamal-Eldin) A. Hans. et Sund., comb. nov.  
Basionym: Pulicaria crispa (Forssk.) Benth. et Hook.fil. ssp. fogensis Gamal-Eldin, Rev. Gatt. Pulicaria, Phanerogam. Monogr. 14: 270 (1981).  
Literature: Gamal-Eldin (1981), Brummitt (1983).

Literature relevant to the nomenclatory remarks:

- Badré, F. & Reichstein, T. 1983: The two cytotypes of Notholaena lanuginosa (Sinopteridaceae, Pteridophyta). - Willdenowia 13: 361-367.
- Brummitt, R. K. 1983: Report of the Committee for Spermatophyta: 25. - Taxon 32: 279-305.
- Gamal-Eldin, E. 1981: Revision der Gattung Pulicaria (Compositae - Inuleae) für Afrika, Makaronesien und Arabien. - Phanerogam. Monogr. 14: 1-311.
- Kunkel, G. 1975: Novedades y taxones críticos en la flora de La Gomera. - Cuad. Bot. Canar. 25: 17-49.
- Nordenstam, B. 1978: Taxonomic studies in the tribe Senecioneae (Compositae). - Opera Bot. 44: 1-83.

## Codes for the islands:

Azores	S Santa Maria M São Miguel T Terceira G Graciosa J São Jorge P Pico F Faial L Flores C Corvo
Madeira	M Madeira D Desertas P Porto Santo
Salvage Islands	S Salvage Islands (Selvagem Grande, Selvagem Pequena and Ilhéu de Fora)
Canary Islands	L Lanzarote (incl. Graciosa and smaller islotes) F Fuerteventura (incl. Lobos) C Gran Canaria T Tenerife G Gomera H Hierro P La Palma
Cape Verde Islands	A Santo Antão V São Vicente L Santa Luzia (Incl. Ilhéu Branco and Ilhéu Raso) N São Nicolau S Sal B Boavista M Maio T Santiago F Fogo R Brava

Codes for the archipelagos (if locality citations are  
unprecise):

Az Azores  
 Mad Madeira  
 Sal Salvage Islands  
 Can Canary Islands  
 CV Cape Verde Islands











**ANGIOSPERMÆ (MAGNOLIOPHYTA)**  
**DICOTYLEDONEÆ (MAGNOLIATAE)**

### Acanthaceae

*Acanthus mollis* L.  
*Asystasia gangetica* (L.) T. Anders.  
*Blepharis maderaspatensis* (L.) Heyne ex Roth  
*Dicliptera verticillata* (Forssk.) C. Chr.  
*Hypoestes cancellata* Nees  
*Hypoestes forskaolei* (Vahl) Sol. ex Roem. et Schult.  
*Justicia hyssopifolia* L.  
*Peristrophe bicalyculata* (Retz.) Nees  
*Thunbergia alata* Bojer

## Aceraceae

*Acer campestre* L.  
*Acer pseudoplatanus* L.

## Aizoaceae

*Aizoon canariense* L.  
*Aizoon hispanicum* L.  
*Aptenia cordifolia* (L.fil.) Schwantes  
*Carpobrotus acinaciformis* (L.) Bolus  
*Carpobrotus edulis* (L.) L. Bolus  
*Cleretum gramineum* (Haw.) N. E. Br.  
*Disphyma crassifolium* (L.) L. Bolus  
*Drosanthemum candens* (Haw.) Schwantes  
*Drosanthemum floribundum* (Haw.) Schwantes  
*Lampranthus glaucus* (L.) N. E. Br.  
*Lampranthus multiradiatus* (Jacq.) N. E. Br.  
*Mesembryanthemum crystallinum* L.  
*Mesembryanthemum nodiflorum* L.  
*Mesembryanthemum teurkauffii* Maire  
*Sesuvium portulacastrum* (L.) L.  
*Sesuvium sesuvioides* (Penzl) Verdc.  
*Trianthemum portulacastrum* L.  
*Zaleya pentandra* (L.) Jeffrey

### Amaranthaceae

*Achyranthes aspera* L.  
*Aerva persica* (Burm.fil.) Merrill  
*Alternanthera caracasana* HBK.  
*Alternanthera sessilis* (L.) DC.  
*Amaranthus albus* L.  
*Amaranthus blitoides* S. Wats.





<i>Drusa glandulosa</i> (Poir.) Bornm.		M	L F C T G H P	D.gla.
● <i>Perula lancerottensis</i> Parl.			L	P.lan.
● <i>Perula linkii</i> Webb			F C T G H P	F.lin.
<i>Poeniculum vulgare</i> Mill.	S M T G J P F L C	M P	L F C T G H P	P.vul.
<i>Hydrocotyle microphylla</i> A. Cunn.			T	H.mic.
<i>Hydrocotyle vulgaris</i> L.	M T J P F L	M		H.vul.
● <i>Imperatoria lowei</i> Coss.	M T P F	M		I.low.
● <i>Melanoselinum decipiens</i> (Schrad. et Wendl.) Hoffm.	M D	S		M.dec.
● <i>Monizia edulis</i> Lowe	M			M.edu.
● <i>Oenanthe divaricata</i> (R. Br.) Mabb.	M T G J P L C	M P	L F C T G H P	O.div.
<i>Petroselinum crispum</i> (Mill.) A. W. Hill			T G	P.cri.
● <i>Pimpinella anagodendron</i> Bolle			T G P	P.an.
● <i>Pimpinella cumbrae</i> Link			T P	P.cum.
● <i>Pimpinella dendrotragium</i> Webb			G	P.den.
● <i>Pimpinella junoniae</i> Ceb. et Ort.	M	C	L C T	P.jun.
<i>Pimpinella villosa</i> Schousb.	S		L F	P.vil.
<i>Ridolfia segetum</i> (L.) Moris				R.seg.
● <i>Rutheopsis herbanica</i> (Bolle) A. Hans. et Kunk.	S M T J P F			R.her.
● <i>Sanicula azorica</i> Gutn. ex Seub.				S.azo.
<i>Scandix pecten-veneris</i> L.				S.spec.
ssp. <i>pecten-veneris</i>	P	M	L F C T G H P	
ssp. <i>brachycarpa</i> (Guss.) Thell.			T	
● <i>Seseli webbii</i> Coss.			C T G H	S.web.
<i>Smyrnium olusatrum</i> L.	M	F	T H	S.olu.
● <i>Tinguarra cervariaefolia</i> (DC.) Parl.		M	T G H P	T.cer.
● <i>Tinguarra montana</i> (Webb ex Christ) A. Hans. et Kunk.			C T G H P	T.mon.
● <i>Todarco suraea</i> Parl.			C T G H P	T.aur.
<i>Torilis arvensis</i> (Huds.) Link			F	T.arv.
ssp. <i>arvensis</i>				
ssp. <i>neglecta</i> (Schult.) Thell.	S M T G J P F C	M	L T P	
ssp. <i>purpurea</i> (Ten.) Hayek	P		C T G P	
<i>Torilis leptophylla</i> (L.) Rchb.fil.	M P		L F C T G H P	T.lep.
<i>Torilis nodosa</i> (L.) Gaertn.	M P		L F C T G H	T.nod.
● <i>Tornabenea annua</i> Béguin.				T.ann.
● <i>Tornabenea bischoffii</i> Schmidt			A V N	T.bis.
● <i>Tornabenea hirta</i> Schmidt			A V N	T.hir.
● <i>Tornabenea tenuissima</i> (Chev.) A. Hans. et Sund.			T	T.ten.
<u>Apocynaceae</u>				
<i>Catharanthus roseus</i> (L.) G. Don			L F C T	C.ros.
<i>Nerium oleander</i> L.	T P F		A N B T F R	N.ole.
<i>Plumeria lutea</i> Ruiz et Pav.	CV		A V N M T F	P.lut.





● <i>Argyranthemum broussonetii</i> (Pers.) Humphr.				A.bro.
● ssp. <i>broussonetii</i>		T	G	
● ssp. <i>gomerensis</i> Humphr.		T	G	
● <i>Argyranthemum broussonetii</i> x <i>frutescens</i>		T		
● <i>Argyranthemum callichrysum</i> (Svent.) Humphr.		T		A.cal.
● <i>Argyranthemum coronopifolium</i> (Willd.) Humphr.		T		A.cor.
● <i>Argyranthemum coronopifolium</i> x <i>frutescens</i>	M	T		
● <i>Argyranthemum dissectum</i> (Lowe) Lowe		C		A.dis.
● <i>Argyranthemum escarrei</i> (Svent.) Humphr.		C		A.esca.
● <i>Argyranthemum filifolium</i> (Sch. Bip.) Humphr.		T		A.fil.
● <i>Argyranthemum foeniculaceum</i> (Willd.) Webb ex Sch. Bip.		C T H P		A.foe.
● <i>Argyranthemum frutescens</i> (L.) Sch. Bip.		C		A.fru.
● ssp. <i>frutescens</i>		T		
● ssp. <i>canariæ</i> (Christ) Humphr.		G		
● ssp. <i>foeniculaceum</i> (Pit. et Pr.) Humphr.	M D	T		A.gra.
● ssp. <i>gracilescens</i> (Christ) Humphr.		T G		A.hae.
● ssp. <i>parviflorum</i> (Pit. et Pr.) Humphr.		C		A.hao.
● ssp. <i>pumilum</i> Humphr.		T		A.hie.
● ssp. <i>succulentum</i> Humphr.		T		A.lem.
● <i>Argyranthemum gracile</i> Sch. Bip.		C		A.lid.
● <i>Argyranthemum haematomma</i> (Lowe) Lowe		P		A.mad.
● <i>Argyranthemum haouarytheum</i> Humphr. et Bramw.		H		A.pin.
● <i>Argyranthemum hierrense</i> Humphr.		L		
● <i>Argyranthemum lemsii</i> Humphr.		T		
● <i>Argyranthemum lidi</i> Humphr.		C		
● <i>Argyranthemum maderense</i> (D. Don) Humphr.	M			
● <i>Argyranthemum pinnatifidum</i> (L.fil.) Lowe	M			
● ssp. <i>pinnatifidum</i>	M			
● ssp. <i>montanum</i> Rustan	M			
● ssp. <i>succulentum</i> (Lowe) Humphr.	M			
● <i>Argyranthemum sundingii</i> L. Borgen	S	T		A.sun.
● <i>Argyranthemum sventenii</i> Humphr. et Aldr.		H		A.sve.
● <i>Argyranthemum tenerifae</i> Humphr.		T		A.ten.
● <i>Argyranthemum thalaseophilum</i> (Svent.) Humphr.		P		A.tha.
● <i>Argyranthemum webbii</i> Sch. Bip.	M	F		A.web.
● <i>Argyranthemum winteri</i> (Svent.) Humphr.	M D P			A.win.
Artemisia absinthium L.		C T		A.abs.
● Artemisia argentea L'Hér.		P C T		A.arg.
● Artemisia gorgonum Webb		C T G H P		A.gor.
● Artemisia ramosa Chr. Sm. in Buch				A.ram.
Artemisia reptans Chr. Sm. in Buch				A.rep.
● Artemisia thuscula Cav.				A.thu.



- *Carduus baecephalus* Webb
- *Carduus bourgeau* Kazmi
- *Carduus clavulatus* Link
  - Carduus pycnocephalus* L.
- *Carduus squarrosus* (DC.) Lowe
  - Carduus tenuiflorus* Curt.
- *Carlina canariensis* Pit.
- *Carlina falcata* Svent.
- *Carlina salicifolia* (L.fil.) Cav.
  - var. *salicifolia*
  - var. *inermis* Lowe
- *Carlina xeranthemoides* L.fil.
  - Carthamus lanatus* L.
  - Carthamus tinctorius* L.
  - Centaurea aspera* L.
  - Centaurea calcitrapa* L.
- *Centaurea conocephala* Bolle
  - Centaurea diluta* Ait.
  - Centaurea eriophora* L.
  - Centaurea melitensis* L.
  - Centaurea sphaerocephala* L.
    - sep. *lusitanica* (Boiss. et Reut.) Nyman
  - Centratherum muticum* (HBK.) Less.
  - Chamaemelum mixtum* (L.) All.
  - Chamaemelum nobile* (L.) All.
    - var. *discoideum* (Boiss.) P. Silva
    - Chamomilla recutita* (L.) Rausch.
    - Chamomilla suaveolens* (Pursh) Rydb.
- *Cheirolophus arboreus* (Webb) Holub
- *Cheirolophus arbutifolius* (Svent.) Kunk.
- *Cheirolophus canariensis* (Brouss. ex Willd.) Holub
  - var. *canariensis*
  - var. *subexpinnatus* (Burch.) A. Hans. et Sund.
  - *Cheirolophus duranii* (Burch.) Holub
  - *Cheirolophus falcisectus* Montelongo et Moraleda
  - *Cheirolophus ghomerytus* (Svent.) Holub
    - var. *ghomerytus*
    - var. *integrifolius* (Svent.) Kunk.
    - *Cheirolophus junonianus* (Svent.) Holub
      - var. *junonianus*
      - var. *isoplexiphylloides* (Svent.) Kunk.
    - *Cheirolophus massonianus* (Lowe) A. Hans. et Sund.

S	M	T	G	J	P	F	L	C	M	D	P	S	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R		
					</																										



● <i>Crepis noronhaea</i> Babc.	P	C.nor.
<i>Crepis vesicaria</i> L.		C.ves.
●    ssp. <i>andryaloides</i> (Lowe) Babc.	M	
ssp. <i>haenseleri</i> (Boiss.) Sell	M	C T
<i>Cynara cardunculus</i> L.		
var. <i>ferocissima</i> Lowe	M D P	L F C T G H P
<i>Dittrichia viscosa</i> (L.) Greuter	S	L F C T G H P
<i>Eclipta alba</i> (L.) Hassk.	M	
<i>Eleutheranthera ruderalis</i> (Sw.) Sch. Bip.	M	
<i>Elvira biflora</i> (L.) DC.		A
<i>Emilia sagittata</i> (Vahl) DC.	M	H
● <i>Erigeron cabreræ</i> Dittrich		T F
<i>Erigeron karvinskianus</i> DC.	S M T G J P F C M	T
<i>Eva ex pygmaea</i> (L.) Brot.		L C T
<i>Pilago desertorum</i> Pömer		L F C T
<i>Pilago lutescens</i> Jord.		
ssp. <i>atlantica</i> Wagenitz	M T P F L C M	C T
<i>Pilago pyramidata</i> L.		
var. <i>pyramidalis</i>	M	M D P
var. <i>prostrata</i> (Poir.) Wagenitz		L F C T G H P A
<i>Pilago vulgaris</i> Lam.		L C
<i>Flaveria bidentis</i> (L.) O. Kuntze		L F C T G H P
<i>Flaveria repanda</i> Lag.		V
<i>Gaillardia aristata</i> Pursh	T G J P F	
<i>Gaillardia pulchella</i> Foug.		P
<i>Galactites tomentosa</i> Moench	S M T G J P F	M D P
<i>Galinsoga parviflora</i> Cav.	T G J P F L	M
<i>Galinsoga quadriradiata</i> Ruiz et Pav.	S M T J P	M
<i>Gasania rigens</i> (L.) Gaertn.		T
<i>Gnaphalium candidissimum</i> Lam.		N
var. <i>candidissimum</i>		R
●    var. <i>luteo-fuscum</i> (Webb.) Chev.		
<i>Gnaphalium filagineum</i> DC.	T P M	A N
<i>Gnaphalium gaudichaudianum</i> DC.	M	A V
<i>Gnaphalium luteo-album</i> L.	S M T G J P F L C	M D P
<i>Gnaphalium pensylvanicum</i> Willd.	M T G J P F	M
<i>Gnaphalium purpureum</i> L.	S M T J P F L	
● <i>Gnaphalium teydeum</i> Knapp		T
<i>Gongrothamnus bolleanus</i> Steetz ex Peters		N
● <i>Gonospermum canariense</i> Less.		P
● <i>Gonospermum elegans</i> (Cass.) DC.		H P
● <i>Gonospermum fruticosum</i> (Buch) Less.		T G H P

										G
● <i>Gonospermum gomerae</i> Bolle					M		C T			G.gom.
<i>Guizotia abyssinica</i> (L.fil.) Cass.					M	P	C T	H P		G.aby.
<i>Gymnostyles stolonifera</i> (Brot.) Tutin	S	M	T	G	J	P	L F C T G H P			G.sto.
<i>Hedypnois cretica</i> (L.) Dum.-Cours.										H.cre.
<i>Helianthus annuus</i> L.					M			T		H.ann.
<i>Helianthus debilis</i> Nutt.					P					H.deb.
<i>Helianthus tuberosus</i> L.					P					H.tub.
<i>Helichrysum bracteatum</i> (Vent.) Andrews								T		H.bra.
● <i>Helichrysum devium</i> Johnn.					M					H.dev.
<i>Helichrysum foetidum</i> (L.) Cass.					M					H.foe.
● <i>Helichrysum gossypinum</i> Webb							L			H.gos.
● <i>Helichrysum melaleucum</i> Rchb. ex Holl					M	D P				H.mel.
● <i>Helichrysum monisii</i> Lowe					M					H.mon.
● <i>Helichrysum monogynum</i> Burtt et Sund.							L			H.mon.
● <i>Helichrysum obconicum</i> DC.					M					H.obc.
<i>Helichrysum orbiculare</i> (Thunb.) Druce					P					H.orb.
<i>Helichrysum orientale</i> (L.) Gaertn.							L	C		H.ori.
<i>Helichrysum petiolare</i> Hill. et Burtt					M					H.pet.
<i>Helminthotheca echinoides</i> (L.) Lack	S	M	T	G	J	P	L F C T G H P	V		H.ech.
<i>Hyoseris radiata</i> L.							C			H.rad.
<i>Hypochoeris acchyrophorus</i> L.							T			H.ach.
<i>Hypochoeris glabra</i> L.	M	G	P	F	C	M D P	C T G H P			H.gla.
<i>Hypochoeris glabra</i> x <i>radicata</i>	M	G	P				C			
● <i>Hypochoeris oligocephala</i> (Svent. et Bramw.) Lack							T			H.olii.
<i>Hypochoeris radicata</i> L.	S	M	T	G	J	P	L F C T G H			H.rad.
<i>Ifloga spicata</i> (Forssk.) Sch. Bip.							L F	T		I.spi.
ssp. <i>spicata</i>									P	
ssp. <i>obovata</i> (Bolle) Kunk.									L F C T G H P	
<i>Kleinia aizoidea</i> DC.					F					K.aiz.
● <i>Kleinia neriifolia</i> Haw.										K.ner.
<i>Kleinia repens</i> (L.) Haw.					T					K.rep.
● <i>Lactuca herbacea</i> Burch.								P		L.her.
● <i>Lactuca palmensis</i> Bolle								P		L.pal.
<i>Lactuca saligna</i> L.	S								A	L.sal.
<i>Lactuca sativa</i> L.					M		L F	T		L.sat.
<i>Lactuca serriola</i> L.					G	P	L F C T G H P			L.ser.
<i>Lactuca viminea</i> (L.) J. et C. Presl					L		C	P		L.vim.
<i>Lactuca virosa</i> L.					M					L.vir.
● <i>Lactuca watsoniana</i> Trdl.	M	T	J	P	P					L.wat.
<i>Lapsana communis</i> L.	M						T	P		L.com.
<i>Launaea arborescens</i> (Batt.) Murb.	M						L F C T G	P	B	L.arb.
<i>Launaea capitata</i> (Spreng.) Dandy	M						L F			L.cap.







- *Sonchus brachylobus* Webb et Berth.
    - var. *brachylobus*
    - var. *canariense* (Pit.) Boulos
  - *Sonchus canariensis* (Sch. Bip.) Boulos
    - ssp. *canariensis*
    - ssp. *crotavensis* Boulos
  - *Sonchus congestus* Willd.
    - var. *congestus*
    - var. *gibbosus* (Svent.) Kunk.
  - *Sonchus congestus* x *fauces-orci*
  - *Sonchus congestus* x *Taeckholmia pinnata*
  - *Sonchus daltonii* Webb
  - *Sonchus fauces-orci* Knoche
  - *Sonchus fruticosus* L.fil.
  - *Sonchus gandogerii* Pit.
  - *Sonchus gomerensis* Boulos
  - *Sonchus gummosus* Link
  - *Sonchus hierrensis* (Pit.) Boulos
    - var. *hierrensis*
    - var. *benehoavensis* Svent.
  - *Sonchus lidi* Boulos
    - Sonchus oleraceus* L.
  - *Sonchus palmenis* (Sch. Bip.) Boulos
    - Sonchus pinnatifidus* Cav.
  - *Sonchus pinnatus* Ait.
  - *Sonchus pitardii* Boulos
  - *Sonchus radicatus* Ait.
  - *Sonchus tectifolius* Svent.
    - Sonchus tenerimus* L.
  - *Sonchus tuberifer* Svent.
    - var. *tuberifer*
    - var. *latisectus* Svent.
  - *Sonchus ustulatus* Lowe
    - ssp. *ustulatus*
    - ssp. *maderensis* Aldr.
  - *Stemmacantha cynaroides* (Chr. Sm. in Buch) Dittrich
  - *Sventenias bupleuroides* Font Quer
  - *Sventenias bupleuroides* x *Taeckholmia pinnata*
    - Synedrella nodiflora* (L.) Gaertn.
  - *Taeckholmia arborea* (DC.) Boulos
  - *Taeckholmia canariensis* Boulos
  - *Taeckholmia capillaris* (Svent.) Boulos







	S	M	T	G	J	P	F	L	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R	
● <i>Echium wildpretii</i> Pears. ex Hook.fil.										T														E.wil.
● ssp. <i>wildpretii</i>											P													
● ssp. <i>trichosiphon</i> (Svent.) Bramw.																								
<i>Eritrichium avvenenii</i> Sund.																								
<i>Heliotropium amplexicaule</i> Vahl																								
<i>Heliotropium curassavicum</i> L.																								
<i>Heliotropium europaeum</i> L.																								
<i>Heliotropium supinum</i> L.																								
<i>Heliotropium ramosissimum</i> (Lehm.) DC.																								
<i>Mairetia microperma</i> (Boiss.) I. M. Johnst.																								
<i>Myosotis arvensis</i> (L.) Hill																								
● <i>Myosotis azorica</i> Wats.																								
<i>Myosotis discolor</i> Pers.																								
ssp. <i>discolor</i>																								
● ssp. <i>canariensis</i> (Pit.) Grau																								
<i>Myosotis latifolia</i> Poir.																								
● <i>Myosotis maritima</i> Hochst. ex Seub.																								
<i>Myosotis ramosissima</i> Rochel																								
<i>Myosotis secunda</i> A. Murr.																								
<i>Myosotis stolonifera</i> (DC.) Gay																								
<i>Myosotis sylvatica</i> Hoffm.																								
<i>Meatostema apulum</i> (L.) I. M. Johnst.																								
<i>Symphtym asperum</i> Lepech. x <i>officinale</i> L.																								
<i>Trichodesma africanum</i> (L.) Lehm.																								
<u>Brassicaceae</u>																								
<i>Alyssum minus</i> (L.) Rothm.																								
<i>Arabidopsis thaliana</i> (L.) Heynh.																								
var. <i>thaliana</i>																								
var. <i>apetala</i> O. E. Schulz																								
<i>Arabis caucasica</i> Schlechtend.																								
<i>Arabis recta</i> Vill.																								
<i>Barbarea verna</i> (Mill.) Asch.																								
<i>Biscutella auriculata</i> L.																								
● <i>Brassica bourgeaui</i> (Webb ex Christ) O. Kuntze																								
<i>Brassica napus</i> L.																								
<i>Brassica nigra</i> (L.) Koch																								
<i>Brassica oleracea</i> L.																								
<i>Cakile edentula</i> (Bigel.) Hook.																								
ssp. <i>edentula</i>																								
<i>Cakile maritima</i> Scop.																								
<i>Capsella bursa-pastoris</i> (L.) Med.																								
<i>Capsella rubella</i> Reut.																								
	S	M	T	G	J	P	F	L	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R	
	S	M	T	G	J	P	F	L	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R	





<i>Raphanus raphanistrum</i>	S	M	T	G	P	F	C	M	P	L	F	C	T	G	H		R.rap.			
ssp. <i>raphanistrum</i>						T														
ssp. <i>landra</i> (Moretti ex DC.) Bonn. et Lay.							P	L												
ssp. <i>microcarpus</i> (Lange) Thell.								M	G J	P				L	C	G				
<i>Raphanus sativus</i> L.														M	P	L	P C T G H P	R.sat.		
<i>Rapistrum rugosum</i> (L.) All. sens. lat.														M	D P	L	P C T H P	R.rug.		
● <i>Sinapidendron angustifolium</i> (DC.) Lowe																		S.ang.		
● <i>Sinapidendron frutescens</i> (Ait.) Lowe																		S.fru.		
● var. <i>frutescens</i>														M						
● var. <i>succulentum</i> Lowe														M						
● <i>Sinapidendron rupestre</i> Lowe														M				S.rup.		
● var. <i>rupestre</i>														M						
● var. <i>gymnocalyx</i> Lowe														M						
● <i>Sinapidendron sempervivifolium</i> Mnss.														D				S.sem.		
<i>Sinapis alba</i> L.														F	M	L	P C T G H P	S.alb.		
<i>Sinapis arvensis</i> L.	S													F	M D P	L	P C T G	S.arv.		
<i>Sinapis flexuosa</i> Poir.																	T G	S.flex.		
<i>Sinapis pubescens</i> L.																	P	S.pub.		
<i>Sisymbrella aspera</i> (L.) Spach														F				S.asp.		
ssp. <i>aspera</i>														T	F	L	P C T G H	S.ery.		
<i>Sisymbrium erysimoides</i> Desf.														T	F	M	P	S.ery.		
<i>Sisymbrium irio</i> L.														T	F	P	L P C T G P	S.irid.		
<i>Sisymbrium officinale</i> (L.) Scop.	S	M	T	G	J	P	F	L	C	M	P	S		L	F C T G H P	L F C T G H P	S.off.			
<i>Sisymbrium orientale</i> L.														M			T	S.or.		
<i>Succowia balearica</i> (L.) Med.																	T	S.bal.		
<i>Teesdalia coronopifolia</i> (J. P. Bergeret) Thell.																P		T.cor.		
<i>Teesdalia nudicaulis</i> (L.) R. Br.														M				T.nud.		
<i>Thlaspi arvense</i> L.														T				T.arv.		
<u>Buxaceae</u>																				
<i>Buxus sempervirens</i> L.	M													F	L			B.sem.		
<u>Cactaceae</u>																				
<i>Austrocylindropuntia cylindrica</i> (Lam.) Backeb.																L	P C	P	A.cyl.	
<i>Austrocylindropuntia exaltata</i> (Berg) Backeb.																L	P C T G	P	A.exa.	
<i>Hylocereus undatus</i> (Haw.) Britt. et Rose																C T G	P	A	H.und.	
<i>Opuntia dillenii</i> (Ker-Gawl.) Haw.																L	P C T G H P		O.dil.	
<i>Opuntia ficus-harbarica</i> A. Berger														M	D P	L	P C T G H P	A	O.fic.	
<i>Opuntia robusta</i> Wendl.																C T	P		O.rob.	
<i>Opuntia tomentosa</i> Salm-Dyck																L	P C T G	P	O.tom.	
<i>Opuntia tuna</i> (L.) Mill.														M	P	C	P	O.tun.		
<i>Opuntia vulgaris</i> Mill.																L	P C	G	O.vul.	
<u>Caesalpiniaceae</u>																				
<i>Caesalpinia bonduc</i> (L.) Roxb.																	A	N	T P	C.bon.









	S M T G J P P L C	M D P	S	L F C T G H P	A V L N S B M T F R	
● <i>Spergularia azorica</i> (Kindb.) Lebel	S M T G J P P L C					S.azor.
<i>Spergularia bocconei</i> (Scheele) A. et Gr.	S M T G J P P L C	M D P		L F C T G H P		S.boc.
● <i>Spergularia bourgeaui</i> Lebel						S.bou.
<i>Spergularia diandra</i> (Guss.) Boiss.				L F C		S.dia.
<i>Spergularia fallax</i> Lowe		M D P	S	L F C T G H		S.fal.
<i>Spergularia fimbriata</i> Boiss. et Reut. var. <i>fimbriata</i>				L F C T		S.fim.
● var. <i>interclusa</i> Svent.				L		
<i>Spergularia marina</i> (L.) Griseb.	S M T G J P	C	M P	C T		S.mar.
<i>Spergularia media</i> (L.) C. Presl				L F C T G		S.med.
<i>Stellaria alsine</i> Grimm.		M				S.als.
<i>Stellaria media</i> (L.) Cyr.	S M T G J P P L C	M	P	L F C T G H P	A	S.med.
<i>Stellaria pallida</i> (Dumort.) Piré				L		S.pal.
<i>Vaccaria pyramidata</i> Med.		M		L F		V.pyrr.
<u>Casuarinaceae</u>				C		
<i>Casuarina equisetifolia</i> L.						C.equi.
<u>Celastraceae</u>				L		
<i>Gymnoeporia</i> cf. <i>senegalensis</i> (Lam.) Loes.						G.sen.
● <i>Maytenus canariensis</i> (Loes.) Kunk. et Sund.		M	P	P C T G H P		M.can.
● <i>Maytenus umbellata</i> (R. Br.) Mabb.						M.umb.
<u>Ceratophyllaceae</u>	M	P	L			
<i>Ceratophyllum demersum</i> L.						C.dem.
<u>Chenopodiaceae</u>						
<i>Arthrocnemum glaucum</i> (Delarb.) Ung.-Sternb.				L		A.gla.
<i>Atriplex glauca</i> L. var. <i>ifniensis</i> (Cab.) Maire		M	P	L F C T H		A.gla.
<i>Atriplex halimus</i> L.			P	L F C		A.hal.
<i>Atriplex patula</i> L.	S	P P				A.pat.
<i>Atriplex prostrata</i> Bouch. ex DC.	S M T G J P P L C	M		L		A.pro.
<i>Atriplex semibaccata</i> R. Br.				L F C T P		A.sem.
<i>Atriplex suberecta</i> Verd.				F C		A.sub.
<i>Bassia hirsuta</i> (L.) Asch.				C		B.hir.
<i>Bassia hyssopifolia</i> (Pall.) Volk.				C		B.hys.
<i>Beta macrocarpa</i> Guss.				L F C T P		B.mac.
<i>Beta maritima</i> L.	S M T G J P P	M	P	L F C T G H P		B.mar.
● <i>Beta patula</i> Ait.		M D				B.pat.
<i>Beta vulgaris</i> L.		M				B.vul.
<i>Chenolelea tomentosa</i> (Lowe) Botsch.		M D P	S	L F C T H P		C.tom.
<i>Chenopodium album</i> L.	M T G J P P L C	M	P	L F C T G P A		C.alb.
<i>Chenopodium ambrosioides</i> L.	S M T G J P P L C	M	P	L F C T G H	A V N B T F R	C.amb.
● <i>Chenopodium coronopus</i> Moq. in DC.				C T H		C.cor.

	S M T G J P F L C	M D P	S	L P C T G H P	A V L N S B M T F R	
<i>Chenopodium giganteum</i> D. Don	Can			P C T		C.gig.
<i>Chenopodium glaucum</i> L.				L C T		C.gla.
<i>Chenopodium multifidum</i> L.						C.mul.
<i>Chenopodium murale</i> L.		S M T G J P F L C	M D P	S L P C T G H P	A V L N S B M T F R	C.mur.
<i>Chenopodium opulifolium</i> Schrad.		S M	C M P			C.opu.
<i>Chenopodium rubrum</i> L.				C T		C.rub.
<i>Chenopodium urbicum</i> L.				T H		C.urb.
<i>Chenopodium vulvaria</i> L.				T P		C.vul.
<i>Einadia nutans</i> (R. Br.) A. J. Scott				L C		E.nut.
<i>Halimione portulacoides</i> (L.) Aell.				P C T		H.por.
<i>Kochia scoparia</i> (L.) Schrad.	Az			M P S L P C T G H	A V	K.scop.
<i>Patellifolia patellaris</i> (Moq.) S., P.-L. et W.				M P S L P C T G H P	A V L N B T	P.pat.
● <i>Patellifolia procumbens</i> (Chr. Sm. ex Hornem.) S., P.-L. et W.						P.pro.
● <i>Patellifolia webbiana</i> (Moq.) S., P.-L. et W.				L F C T G		P.web.
<i>Salsola kali</i> L.		M T	P F	P C T		S.kal.
<i>Salsola oppositifolia</i> Desf.				L F C T G P		S opp.
<i>Salsola tetrandra</i> Forssk.				L		S.tet.
<i>Salsola vermiculata</i> L.				L F C T		S.ver.
<i>Sarcocornia fruticosa</i> (L.) A. J. Scott				L F C		S.fru.
<i>Sarcocornia perennis</i> (Mill.) A. J. Scott				L		S.per.
<i>Spinacia olaracea</i> L.	M D P			C T		S.ole.
<i>Suaeda maritima</i> (L.) Dum.				L F C T	A	S.mar.
<i>Suaeda vera</i> Forssk. ex J. F. Gmel.				L F C T G	S	S.ver.
<i>Suaeda vermiculata</i> Forssk. ex J. F. Gmel.				L F C T	V S B	S.ver.
<i>Tragianum moquinii</i> Webb ex Moq. in DC.				L F C T G	S	T.moq.
<u>Cistaceae</u>						
<i>Cistus ladanifer</i> L.				C		C.lad.
var. <i>ladanifer</i>				C		
var. <i>maculatus</i> Dun. ex DC.				C T G H P		C.mon.
<i>Cistus monspeliensis</i> L.		M P		T		C.osb.
● <i>Cistus osbaeckiaefolius</i> Webb ex Christ	M P					C.psi.
<i>Cistus psilosepalus</i> Sweet						C.ss1.
<i>Cistus salviifolius</i> L.		M				C.sym.
● <i>Cistus symphytifolius</i> Lam.				C T G H P		
● var. <i>symphytifolius</i>				C		
● var. <i>leucophyllum</i> (Spach) Dans.				T P		H.bro.
<i>Helianthemum broussoneti</i> Dun. ex DC.				C		H.bys.
● <i>Helianthemum bystropogophyllum</i> Svent.				L F C T G H P		H.can.
<i>Helianthemum canariense</i> (Jacq.) Pers.				L F C T		H.con.
● <i>Helianthemum confertum</i> Dun.					A	H.gor.
● <i>Helianthemum gorgoneum</i> Webb	L F				F R	H.led.
<i>Helianthemum ledifolium</i> (L.) Mill.						

<i>Helianthemum salicifolium</i> (L.) Mill.			C	H.sal.
● <i>Helianthemum teneriffae</i> Coss.			T	H.ten.
● <i>Helianthemum tholiforme</i> Bramw., Ort. et Nav.			C	H.tho.
● <i>Helianthemum thymiphyllosum</i> Svent.			L P	H.thy.
<i>Helianthemum villosum</i> Thib. in Pers.			P	H.vill.
<i>Tuberaria guttata</i> (L.) Fourr.			P C T G H P	T.gut.
<i>Tuberaria lignosa</i> (Sweet) Samp.			T P	T.lig.
<u>Clethraceae</u>				
● <i>Clethra arborea</i> Ait.	M	M		C.arb.
<u>Cneoraceae</u>				
● <i>Neochamaelea pulverulenta</i> (Vent.) Erdtm.			C T G H P	N.pul.
<u>Combretaceae</u>				
<i>Terminalia catappa</i> L.			V S B T	T.cat.
<u>Convolvulaceae</u>				
<i>Bonamia suffruticosa</i> (Schinz) Burtt-Davy				B.suf.
● <i>Calystegia sepium</i> (L.) R. Br.	M T	L C M		C.sep.
sep. <i>sepium</i>	T J P P L C			
sep. <i>americana</i> (Sims) Brumm.	P			
sep. <i>spectabilis</i> Brumm.	P P	P		
● <i>Calystegia soldanella</i> (L.) R. Br.			M P	C.sol.
<i>Convolvulus althaeoides</i> L.	S M T G J P P L C	M P	L F C T G H P	C.alth.
<i>Convolvulus arvensis</i> L.			L F C T G H P	C.arv.
● <i>Convolvulus canariensis</i> L.			C T G H P	C.can.
● <i>Convolvulus caput-medusae</i> Lowe			L F C	C.cap.
<i>Convolvulus farinosus</i> L.			T	C.far.
● <i>Convolvulus floridus</i> L.fil.			L F C T G H P	C.flo.
● var. <i>floridus</i>			C T G P	
● var. <i>angustifolius</i> Pit.			T G	
● var. <i>densiflorus</i> Car.			C T	
● var. <i>virgatus</i> (Webb et Berth.) Mend.-Heu.			T P	
● <i>Convolvulus fruticosus</i> Desr.			C	C.fru.
● <i>Convolvulus glandulosus</i> (Webb) Hallier			L C	C.gla.
● <i>Convolvulus lopezsocasi</i> Svent.			T	C.lop.
● <i>Convolvulus massonii</i> Dietr.	M D	C T	C mas.	
● <i>Convolvulus perraudieri</i> Coss.			L F C T G P	C.per.
<i>Convolvulus prostratus</i> Forsk.				C.pro.
● <i>Convolvulus scoparius</i> L.fil.			L F C T G H P	C.sco.
<i>Convolvulus siculus</i> L.	M P			C.sic.
sep. <i>siculus</i>			C	
sep. <i>agrestis</i> (Hochst. ex Schweinf.) Verdc.				
var. <i>elongatus</i> (Willd.) Batt. et Trab.				







● <i>Aichryson palmense</i> Webb ex Bolle			P	A.pal.
● <i>Aichryson parlatorei</i> Bolle			C T G H P	A.par.
● <i>Aichryson porphyrogennetos</i> Bolle			C T	A.por.
● <i>Aichryson porphyrogennetos</i> x <i>punctatum</i>			C	
● <i>Aichryson punctatum</i> (Chr. Sm. ex Buch) Webb et Berth.			F C T G H P	A.pun.
● <i>Aichryson tortuosum</i> (Ait.) Webb et Berth.	S	M D P	L F	A.tor.
● <i>Aichryson villosum</i> (Ait.) Webb et Berth.			C	A.vil.
<i>Bryophyllum daigremontianum</i> (Ham. et Perr.) Bgr.		M		B.dai.
<i>Bryophyllum fedtschenkoi</i> (Ham. et Perr.) Lauzac-Marchal		M		B.fed.
<i>Bryophyllum pinnatum</i> (Lam.) Oken	M	M	C	B.pin.
<i>Bryophyllum proliferum</i> Bowie ex Curt.		M	C	B.pro.
<i>Bryophyllum tubiflorum</i> Harv.		M	C	B.tub.
<i>Crassula campestris</i> (Eckl. et Zeyh.) Endl. ex Walp.	S	T	C T G H P	C.cam.
<i>Crassula lactea</i> Ait.			C T G	C.lac.
<i>Crassula lycopodioides</i> Lam.				C.lyc.
<i>Crassula multicava</i> Lem.	S M	G J P F L	M	C.mul.
<i>Crassula spathulata</i> Thunb.		M		C.spa.
<i>Crassula tetragona</i> L.		M		C.tet.
<i>Crassula tillae</i> Lester-Garland	S M T G J P F L C	M	P S	C.till.
● <i>Greenovia aizoon</i> Bolle			L F C T G H P	G.aiz.
● <i>Greenovia aizoon</i> x <i>aurea</i>			T	
● <i>Greenovia aurea</i> (Chr. Sm. ex Hornem.) Webb et Berth.			T	G.aur.
● <i>Greenovia diplocycla</i> Webb ex Bolle			C T G H P	G.dip.
● <i>Greenovia dodrentalis</i> (Willd.) Webb et Berth.			G H P	G.dod.
● <i>Monanthes adenosecipes</i> Svent.			T	M.aden.
● <i>Monanthes amydrost</i> Svent.			T	M.amy.
● <i>Monanthes anagensis</i> Praeger			G	M.anag.
● <i>Monanthes anagensis</i> x <i>laxiflora</i>			T	
● <i>Monanthes brachycaulon</i> (Webb et Berth.) Lowe			T	M.bra.
● var. <i>brachycaulon</i>			C T G	
● var. <i>adenopetala</i> Svent.			T	
● var. <i>nivata</i> Svent.			T	
● <i>Monanthes brachycaulon</i> x <i>laxiflora</i>			C T	
● <i>Monanthes brachycaulon</i> x <i>pallens</i>			T	
● <i>Monanthes brachycaulon</i> x <i>polyphylla</i>			T	
● <i>Monanthes brachycaulon</i> x <i>silensis</i>			T	
● <i>Monanthes dasypylla</i> Svent.			T	M.das.
● <i>Monanthes icterica</i> (Webb ex Bolle) Praeger			T G	M.ict.
● <i>Monanthes laxiflora</i> (DC.) Bolle			C T G H P	M.lax.
● var. <i>laxiflora</i>			T	
● var. <i>chlorotica</i> (Bornm.) Kunk.			T	
● var. <i>microbotrys</i> (Bolle et Webb) Burch.			L F C	
● <i>Monanthes laxiflora</i> x <i>pallens</i>			T G	

● <i>Monanthes laxiflora</i> x <i>silensis</i>			T		
● <i>Monanthes lowei</i> Pérez et Acebes		S	T		M.low.
● <i>Monanthes minima</i> (Bolle) Christ			G H P		M.min.
● <i>Monanthes muralis</i> (Webb ex Bolle) Christ			C T		M.mur.
● <i>Monanthes niphophila</i> Svent.			T G H		M.nip.
● <i>Monanthes pallens</i> (Webb ex Christ) Christ			C T G P		M.pal.
● <i>Monanthes polyphylla</i> Haw.			T		M.pol.
● <i>Monanthes polyphylla</i> x <i>silensis</i>			G		
● <i>Monanthes polyphylla</i> x <i>subcrassicaulis</i>			T		M.pra.
● <i>Monanthes praegeri</i> Bramw.			C		M.pur.
● <i>Monanthes purpurea</i> (Bolle et Webb) Christ			T G		M.sil.
● <i>Monanthes silensis</i> (Praeger) Svent.			T G P		M.sub.
● <i>Monanthes subcrassicaulis</i> (Kuntze) Praeger		M	C T G P		S.bri.
● <i>Sedum briissimum</i> Raym.-Hamet					S.den.
<i>Sedum dendroideum</i> Moq. et Sesse ex DC.					S.far.
● <i>Sedum farinosum</i> Lowe		M			S.for.
<i>Sedum forsterianum</i> Sm.					S.fus.
● <i>Sedum fusiforme</i> Lowe					S.nud.
● <i>Sedum nudum</i> Ait.		M D P			
● ssp. <i>nudum</i>			L		
● ssp. <i>lancerottense</i> (Murr.) A. Hans. et Sund.					
<i>Sedum praealtum</i> A. DC.		M			S.pra.
<i>Sedum reflexum</i> L.			L C T G H P		S.ref.
<i>Sedum rubens</i> L.			C P		S.rub.
<i>Umbilicus heylandianus</i> Webb et Berth.		S M T J P F L C	M P S		U.hey.
<i>Umbilicus horizontalis</i> (Guss.) DC.			L F C T G H P		U.hor.
<i>Umbilicus rupestris</i> (Salisb.) Dandy		S M T G J P F L C	M D P		U.rup.
● <i>Umbilicus schmidii</i> Bolle				A N T F	U.sch.
<u>Cucurbitaceae</u>					
● <i>Bryonia verrucosa</i> Dryand.			C T H P		B.ver.
<i>Citrullus colocynthis</i> (L.) Schrad.			L F C T P	A V L N S B M T F R	C.col.
<i>Citrullus lanatus</i> (L.) Schrad.	M T				C.lan.
<i>Cucumis anguria</i> L.				A T F	C.ang.
<i>Cucumis pustulatus</i> Hook.fil.				V M F	C.pus.
<i>Cucurbita maxima</i> Donc.					C.max.
<i>Cucurbita pepo</i> L.				T	C.pep.
<i>Ecballium elaterium</i> (L.) A. Rich.	S M T G J P		T	N	E.el.
<i>Momordica charantia</i> L.				A V N B M T F R	M.cha.
<i>Sechium edule</i> (Jacq.) Sw.			C		S.edu.
<u>Dipsacaceae</u>		P		T	
<i>Dipsacus ferox</i> Loisel.					D.fer.
<i>Dipsacus fullonum</i> L.					D.ful.







	S M T G J P F L C	M D P	S	L P C T G H P	A V L N S B M T F R	
<i>Aspalathium bituminosum</i> (L.) Fourr.		M P		L F C T G H P		A.bit.
<i>Astragalus boeticus</i> L.		M P		C		A.boe.
<i>Astragalus edulis</i> Dur. ex Bunge				F		A.edu.
<i>Astragalus hamosus</i> L.			P	L F C T G H		A.ham.
<i>Astragalus mareoticus</i> Delarb.				P		A.mer.
● var. <i>handiensis</i> Bolle				P		
<i>Astragalus polystictus</i> Boiss.				P		A.pol.
<i>Astragalus sinicus</i> Boiss.				L P		A.sin.
<i>Astragalus solandri</i> Lowe	Can	M P			A V L S	A.sol.
<i>Astragalus vogelii</i> (Webb) Hutch. et Dalz.		M D P	P C T H			A.vog.
<i>Biserrula pelecinus</i> L.	CV				A N B T F R	B.pel.
<i>Bryaspis lupulina</i> (Planch. ex Benth.) Duvign.						B.lup.
<i>Cajanus cajan</i> (L.) Millsp.						C.caj.
● <i>Chamaecytisus proliferus</i> (L.fil.) Link				C T G H		C.pro.
● var. <i>proliferus</i>				C T		
● var. <i>canariæ</i> (Christ) Kunk.				T P		
● var. <i>palmensis</i> (Christ) A. Hans. et Sund.				C		
● var. <i>perezii</i> (Hutch.) Kunk.		M P	L T			
<i>Cicer arietinum</i> L.						C.ari.
<i>Clitoria ternatea</i> L.		M			A N B M T	C.ter.
<i>Coronilla valentina</i> L. ssp. <i>glaucia</i> (L.) Batt.						C.gla.
<i>Crotalaria goreensis</i> Guill. et Perr.						C.gor.
var. <i>macrostipula</i> (Steud.) Bak.fil.					T	
<i>Crotalaria lupulina</i> HBK.					M	C.lup.
<i>Crotalaria microphylla</i> Vahl					A V S	C.mic.
<i>Crotalaria retusa</i> L.					A N B T F R	C.ret.
<i>Crotalaria senegalensis</i> (Pers.) Bacle ex DC.					A V N B M T F R	C.sen.
<i>Cytisus multiflorus</i> (L'Hér.) Sw. x <i>purgans</i> (L.) Boiss.	S M T G J P F L C	M	T G			
<i>Cytisus scoparius</i> (L.) Link		M D P				C.sco.
● <i>Cytisus spachianus</i> Chr. Sm.			T			C.spa.
<i>Cytisus striatus</i> (Hill) Rothm.					F	C.str.
● <i>Cytisus virgatus</i> Link			T			C.vir.
<i>Desmodium hirtum</i> Guill. et Perr.					M F	D.hir.
<i>Desmodium ospriostreblum</i> Steud. ex Chiov.					A V N M T F R	D.osp.
<i>Desmodium tortuosum</i> (Swartz) DC.					A N M T F R	D.tor.
<i>Dolichos lablab</i> L.		M			A N T F R	D.lab.
● <i>Genista benehovensis</i> (Bolle ex Svent.) Arco				P		G.ben.
● <i>Genista tenera</i> (Jacq. ex Murr.) O. Kuntze		M				G.ten.
<i>Glycine max</i> (L.) Merrill		M		C	V B	G.max
<i>Hippocrepis constricta</i> Kunse				L F C G		H.con.
<i>Hippocrepis multisiliquosa</i> L.		M P		L F		H.mul.
<i>Hippocrepis salzmanni</i> Boiss. et Reut.						H.sal.









S	M	T	G	J	P	F	L	C	M	D	P	S	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R	
M	G	P	L												C															T.mic.
																T														T.mon.
																T														T.ner.
																T														T.osy.
																C														T.ros.
																C														T.ssal.
																C														T.spl.
																T														T.ste.
																G	P													
																T	P	A												F
																G	H													
																G														
																P														
																T														









Hypericum undulatum Schousb. ex Willd.

Icacinaceae

Icaina senegalensis A. Juss.

Juglandaceae

Juglans regia L.

Lamiaceae

Ajuga iva (L.) Schreb.  
var. pseudiva (DC.) Benth.

Ballote nigra L.  
sep. uncinata (Fiori et Beg.) Patzak

- Bystropogon canariensis (L.) L'Hér.
- var. canariensis
- var. smithianus Christ
- Bystropogon maderensis Webb
- Bystropogon odoratissimus Bolle
- Bystropogon origanifolius L'Hér.  
var. origanifolius
- var. canariae La Serna
- var. ferrensis (Ceb. et Ort.) La Serna
- var. palmensis Bornm.
- Bystropogon plumosus (L.fil.) L'Hér.
- Bystropogon punctatus L'Hér.
- Bystropogon wildpretii La Serna  
Calamintha sylvatica Bromf.  
ssp. ascendens (Jord.) P. W. Ball
- Cedronella canariensis (L.) Webb et Berth.  
Clinopodium vulgare L.  
ssp. arundinatum (Boiss.) Nym.
- Dracocephalum thymiflorum L.
- Glechoma hederacea L.
- Hyptis pectinata (L.) Poit.
- Lamium amplexicaule L.
- Lamium hybridum Vill.
- Lamium purpureum L.
- Lavandula dentata L.  
var. dentata  
var. rendalliana Bolle
- Lavandula minutolii Bolle  
var. minutolii  
var. tenuipinna Svent.
- Lavandula minutolii x multifida ssp. canariensis



		A	N	T	P	R	M.
● <i>Micromeria forbesii</i> Benth.							
● var. <i>forbesii</i>							
● var. <i>altitudinum</i> Bolle							
● var. <i>inodora</i> Schmidt							
● <i>Micromeria glomerata</i> Pérez				T			
● <i>Micromeria glomerata</i> x <i>varia</i>				T			
● <i>Micromeria helianthemifolia</i> Webb et Berth.							
● var. <i>helianthemifolia</i>							
● var. <i>mary-annae</i> Pérez et Kunk.			C				
● <i>Micromeria helianthemifolia</i> var. <i>mary-annae</i> x <i>lanata</i>			C				
● <i>Micromeria herpyllomorpha</i> Webb et Berth.			C				
● <i>Micromeria hyssopifolia</i> Webb et Berth.					P		
● var. <i>hyssopifolia</i>							
● var. <i>glabrescens</i> Pérez				T	H		
● var. <i>kuegleri</i> (Bornm.) Pérez				T			
● <i>Micromeria hyssopifolia</i> x <i>teneriffae</i>				T			
● <i>Micromeria lachnophylla</i> Webb et Berth.				T			
● <i>Micromeria lanata</i> (Chr. Sm. ex Link) Benth.				T			
● <i>Micromeria lanata</i> x <i>varia</i> ssp. <i>canariensis</i>			C				
● <i>Micromeria lasiophylla</i> Webb et Berth.			C				
● ssp. <i>lasiophylla</i>							
● ssp. <i>palmensis</i> (Bolle) Pérez				T		P	
● <i>Micromeria lepida</i> Webb et Berth.							
● ssp. <i>lempida</i>							
● var. <i>lempida</i>					G		
● var. <i>argagae</i> Pérez					G		
● ssp. <i>bolleana</i> Pérez							
● var. <i>bolleana</i>					G		
● var. <i>fernandezii</i> Pérez					G		
● <i>Micromeria leucantha</i> Svent. ex Pérez							
● <i>Micromeria pineolens</i> Svent.			C				
● <i>Micromeria rivas-martinezii</i> Wildpret			C				
● <i>Micromeria rivas-martinezii</i> x <i>varia</i>				T			
● <i>Micromeria teneriffae</i> (Poir.) Benth.				T			
● var. <i>teneriffae</i>				T			
● var. <i>cordifolia</i> Pérez				T			
● <i>Micromeria teneriffae</i> x <i>varia</i>				T			
● <i>Micromeria tenuis</i> (Link) Webb et Berth.				T			
● ssp. <i>tenuis</i>				T			
● var. <i>tenuis</i>				T			
● var. <i>soriae</i> Pérez				T			
● ssp. <i>linkii</i> (Webb et Berth.) Pérez			C				
		C					
		C					
		C					

- *Micromeria tenuis* ssp. *linkii* x *varia* ssp. *canariensis*
  - *Micromeria varia* Benth.
  - ssp. *varia*
  - ssp. *canariensis* Pérez
  - ssp. *gomerensis* Pérez
  - ssp. *hierrensis* Pérez
  - ssp. *meridialis* Pérez
  - ssp. *rupestris* Webb et Berth.
  - ssp. *thymoides* (Sol. ex Lowe) Pérez
  - var. *thymoides*
  - var. *cacuminicolae* Pérez
  - *Nepeta teydea* Webb et Berth.
  - var. *teydea*
  - var. *albiflora* Svent.
  - Ocimum americanum* L.
  - Ocimum basilicum* L.
  - Ocimum gratissimum* L.
  - Ocimum micranthum* Willd.
  - Origanum majorana* L.
  - Origanum vulgare* L.
    - sep. *vulgare*
    - sep. *virens* (Hoffm. et Link) Ietswaart
  - Phlomis fruticosa* L.
  - Plectranthus fruticosus* L'Hér.
  - Prasium majus* L.
  - Prunella vulgaris* L.
  - Rosmarinus officinalis* L.
  - Salvia aegyptiaca* L.
  - Salvia africana* L.
  - *Salvia broussonetii* Benth.
  - *Salvia canariensis* L.
  - Salvia coccinea* L.
  - Salvia leucantha* Cav.
  - Salvia officinalis* L.
  - Salvia triloba* L.fil.
  - Salvia verbenaca* L.
  - Scutellaria minor* Huds.
  - *Sideritis argophylacea* (Webb et Berth.) Clos
  - var. *argophylacea*
  - var. *spicata* (Pit.) Bornm.
  - *Sideritis barbellata* Mend.-Heu.
  - *Sideritis bolleana* Bornm.

- *Sideritis brevicaulis* Mend.-Heu.
- *Sideritis cabreræ* Cab. et Ort.
- *Sideritis canariensis* L.
- var. *canariensis*
- var. *pannosa* (Christ) Bornm.
- *Sideritis candicans* Ait.
- var. *candicans*
- var. *crassifolia* Lowe
- var. *multiflora* (Bornm.) Mend.-Heu.
- Sideritis cretica* L.
- var. *anagae* (Christ) Mend.-Heu.
- var. *eriocephala* (Clos) Mend.-Heu.
- var. *stricta* (Webb) Mend.-Heu.
- *Sideritis cystosiphon* Svent.
- *Sideritis dasynaphala* (Webb et Berth.) Clos
- *Sideritis dendro-chahorra* Bolle
- var. *dendro-chahorra*
- var. *albida* (Pit.) Svent.
- var. *soluta* (Webb ex Clos) Svent.
- *Sideritis discolor* (Webb ex De Noé) Bolle
- *Sideritis gomeraea* De Noé ex Bolle
- *Sideritis infernalis* Bolle
- *Sideritis kuegleriana* Bornm.
- *Sideritis lotayi* (Pit.) Bornm.
- var. *lotayi*
- var. *grandiflora* Mend.-Heu.
- var. *mascaënsis* Svent.
- *Sideritis macrostachya* Poir.
- *Sideritis marmorea* Bolle
- *Sideritis nervosa* (Christ) Lind.
- *Sideritis nutans* Svent.
- *Sideritis penzigii* (Pit.) Bornm.
- *Sideritis pumila* (Christ) Mend.-Heu.
- *Sideritis aeventenii* (Kunk.) Mend.-Heu.
- Stachys arvensis* (L.) L.
- Stachys germanica* L.
- var. *canariensis* Font Quer et Svent.
- Stachys ocytmastrum* (L.) Briq.
- Stachys sylvatica* L.
- *Teucrium abutiloides* L'Hér.
- *Teucrium betonicum* L'Hér.
- *Teucrium heterophyllum* L'Hér.

S	M	T	G	J	P	F	L	C	M	D	P	S	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R		
																T		G													S.bre.
																	T	H	P												S.cab.
																T															S.can.
																															S.can.
																															S.cre.
																	T														S.cys.
																	T														S.das.
																	C														S.den.
																	C	T	G	H	P									S.dis.	
																	T		H												S.gom.
																	G														S.inf.
																	T														S.kue.
																	T														S.lot.
																	G														S.mac.
																	G														S.mar.
																	T														S.ner.
																	G														S.nut.
																	T														S.pen.
																	G														S.pum.
																	T														S.sve.
																	L	F													S.arv.
																	C														S.ger.
																	T														S.oct.
																	M	D	P	L	F	C	T	G	H	P	A		F	R	S.yyl.
																	M	P													T.abu.
																	M														T.bet.
																	M														T.het.
																	M	D													
				</td																											





	S M T G J P F L C	M D P	S	L F C T G H P	A V L N S B M T F R	
● <i>Sida coutinhoi</i> Paiva et Nogueira					N B M T F R	S.cou.
<i>Sida rhombifolia</i> L.	S M T G J P F L	M		C T G P	A V N M T F R	S.rhom.
<i>Sida urens</i> L.				T	A V N M T F R	S.ure.
<i>Sidastrum paniculatum</i> (L.) Fryxell						S.pan.
<i>Urena lobata</i> L.						U.lob.
<i>Wissadula amplissima</i> (L.) R. E. Fr.						W.amp.
var. <i>rostrata</i> (Schum. et Thonn.) R. E. Fr.					A N T	
<u>Meliaceae</u>						
<i>Melia azedarach</i> L.				C H	A V N S B T F	M.aze.
<u>Melianthaceae</u>				P		
<i>Melianthus comosus</i> Vahl						M.com.
<u>Menispermaceae</u>						
<i>Cocculus pendulus</i> (Forst.fil.) Diels					B M T	C.pen.
<u>Mimosaceae</u>						
<i>Acacia albida</i> Del.					A V S T F	A.alb.
<i>Acacia cyanophylla</i> Lindl.				C T G P		A.cya.
<i>Acacia cyclope</i> A. Cunn. ex G. Don fil.				L F C		A.cyc.
<i>Acacia dealbata</i> Link	M					A.dea.
<i>Acacia farnesiana</i> (L.) Willd.		M P		L F C T G	A V N S B M T F R	A.far.
<i>Acacia mearnsii</i> Willd.		M			A	A.mea.
<i>Acacia melanoxylon</i> R. Br.						A.mel.
<i>Acacia nilotica</i> (L.) Willd. ex Del.						A.nil.
ssp. <i>indica</i> (Benth.) Brenan					S B M T F	
<i>Albizia diastachya</i> (Vant.) Macbr.		M		C T G		A.diis.
<i>Calliandra tweedii</i> Benth.				G		C.twe.
<i>Desmanthus virgatus</i> (L.) Willd.				F C	A V N B M T R	D.vir.
<i>Dichrostachys glomerata</i> (Forssk.) Chiov.					A N M T F R	D.glo.
<i>Leucaena leucocephala</i> (Lam.) De Wit		M		C	A V N S B T F R	L.leu.
<i>Prosopis limensis</i> Benth.					S B M T	P.lim.
<u>Molluginaceae</u>						
<i>Glinus lotoides</i> L.	Can				V	G.lot.
<i>Mollugo cerviana</i> (L.) Ser.					A V B	M.cer.
<i>Mollugo nudicaulis</i> Lam.					A V L N S B M T F P	M.nud.
<i>Mollugo verticillata</i> L.	L				M T	M.ver.
<u>Moraceae</u>						
<i>Ficus capensis</i> Thunb.					A V N T F	F.cap.
<i>Ficus carica</i> L.	S M T G J P F L C	M D P		L F C T G H P	A B T F R	F.car.
<i>Ficus pumila</i> L.	M	P P	M	C		F.pum.
<i>Ficus radicans</i> Desf.		P	M			F.rad.
<i>Ficus sycomorus</i> L.						F.syc.
ssp. <i>gnaphalocarpa</i> (Miq.) C. C. Berg					A V S B M T F P	



















	S	M	T	G	J	P	F	L	C	M	D	P	S	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R			
<i>Pyrus communis</i> L.																																	
<i>Rosa bracteata</i> Wendl.																																	
<i>Rosa canina</i> L.																																	
<i>Rosa laevigata</i> Michx.																																	
● <i>Rosa mandonii</i> Desegl.																																	
<i>Rosa multiflora</i> Thunb.																																	
● <i>Rubus bollei</i> Focke																																	
● <i>Rubus bollei</i> x <i>inermis</i>																																	
<i>Rubus caesius</i> L.																																	
● <i>Rubus canariensis</i> Focke																																	
● <i>Rubus concolor</i> Lowe																																	
<i>Rubus divaricatus</i> P. J. Muell.																																	
● <i>Rubus grandifolius</i> Lowe																																	
● <i>Rubus hochstetterorum</i> Seub.																																	
<i>Rubus inermis</i> Pourr.																																	
● <i>Rubus palmensis</i> A. Hans.																																	
<i>Rubus pinnatus</i> Willd.																																	
● <i>Rubus vahlii</i> K. Frid.																																	
<i>Sanguisorba minor</i> Scop. sep. <i>magnolii</i> (Spach) Briq.																																	
<i>Sorbus aria</i> (L.) Crantz																																	
● <i>Sorbus maderensis</i> (Lowe) Dode																																	
<u>Rubiaceae</u>																																	
<i>Borreria verticillata</i> (L.) G. P. Meyer																																	
<i>Coffea arabica</i> L.																																	
<i>Galium aparine</i> L.																																	
<i>Galium elongatum</i> C. Presl																																	
● <i>Galium geminiflorum</i> Lowe																																	
<i>Galium murale</i> (L.) All.																																	
<i>Galium palustre</i> L.																																	
<i>Galium parisense</i> L.																																	
● <i>Galium productum</i> Lowe																																	
<i>Galium rotundifolium</i> L.																																	
<i>Galium saxatile</i> L.																																	
<i>Galium scabrum</i> L.																																	
<i>Galium setaceum</i> Lam.																																	
<i>Galium spurium</i> L.																																	
<i>Galium tricornutum</i> Dandy																																	
<i>Galium verrucosum</i> Huds.																																	
<i>Kohautia aspera</i> (Heyne ex Roth) Bremek.																																	
<i>Kohautia tenuis</i> (S. Bowd.) Mabbey																																	
<i>Kohautia virgata</i> (Willd.) Bremek.																																	
CV																																	

P.com.  
R.bra.  
R.can.  
R.lae.  
R.man.  
R.mul.  
R.bol.  
R.cae.  
R.can.  
R.con.  
R.div.  
R.gra.  
R.hoc.  
R.ine.  
R.pal.  
R.pin.  
R.vah.  
S.min.  
S.ari.  
S.mad.  
B.ver.  
C.ara.  
G.apa.  
G.elo.  
G.gem.  
G.mur.  
G.pal.  
G.par.  
G.pro.  
G.rot.  
G.sax.  
G.sca.  
G.set.  
G.spu.  
G.tri.  
G.ver.  
K.asp.  
K.ten.  
K.vir.





● <i>Kickxia brunneri</i> (Benth.) Janchen					A V L N	R	K.bru.
● var. <i>glaberrima</i> (Schmidt) Sund.					A		
● var. <i>parietariifolia</i> (Webb) A. Hans. et Sund.							K.cir.
<i>Kickxia cirrhosa</i> (L.) Fritsch	T	J P F		C T			K.com.
<i>Kickxia commutata</i> (Bernh. ex Rohb.) Fritsch					A V	N	T P
ssp. <i>graece</i> (Bory) R. Fern.							K.dic.
● <i>Kickxia dichondrifolia</i> (Benth.) Janchen	M T	J P	M	C T	P		K.elia.
<i>Kickxia elatine</i> (L.) Dum.	M T		M	C			
ssp. <i>elatine</i>				L F C			K.pen.
ssp. <i>crinita</i> (Mab.) Greuter				L F			K.sag.
● <i>Kickxia pendula</i> (Kunk.) Kunk.				L F C T			
<i>Kickxia sagittata</i> (Poir.) Rothm.				C T G	P		K.sco.
var. <i>sagittata</i>							K.spu.
● var. <i>subsucculenta</i> (Kunk.) A. Hans. et Sund.	S M T G J P F L C	M	S		P		
● var. <i>urbanii</i> (Pit.) Sund.	S M T					A	B
● <i>Kickxia scoparia</i> (Brouss. ex Spreng.) Kunk. et Sund.				F C			K.web.
<i>Kickxia spuria</i> (L.) Dum.				C T			L.arv.
ssp. <i>spuria</i>				T			L.mar.
ssp. <i>integrifolia</i> (Brot.) R. Fern.							L.sim.
● <i>Kickxia webbiana</i> (Schmidt) Sund.							L.spa.
<i>Linaria arvensis</i> (L.) Desf.							M.jap.
<i>Linaria maroccana</i> Hock.fil.							M.mos.
<i>Linaria simplex</i> (Willd.) DC.							M.oroc.
<i>Linaria spartea</i> (L.) Willd.							
<i>Mazus japonicus</i> (Thunb.) O. Kuntze	T						
<i>Mimulus moschatus</i> Dougl. ex Lindl.	M T	M					
<i>Misopates orontium</i> (L.) Raf.							
var. <i>orontium</i>	S M T G J P F L C	M	P	L F C T G H P	A	N	
● var. <i>foliosum</i> (Schmidt) Ormonde					A		
<i>Neisonia brunelloides</i> (Lam.) O. Kuntze					A	N	
● <i>Odontites holiana</i> (Lowe) Benth.							N.bru.
<i>Parentucellia latifolia</i> (L.) Caruel				T			O.hol.
<i>Parentucellia viscosa</i> (L.) Caruel	S M T G J P F C	M		C T H P			P.lat.
<i>Scrophularia arguta</i> Sol. ex Ait.				S L F C T G H P	A V	N	P.vis.
<i>Scrophularia auriculata</i> L.	M	F L					S.arg.
● <i>Scrophularia calliantha</i> Webb et Berth.				C			S.aur.
● <i>Scrophularia glabrata</i> Ait.				C			S.cal.
● <i>Scrophularia hirta</i> Lowe	M			T	P		S.gla.
● <i>Scrophularia hirta</i> x <i>scorodonia</i>	M						S.hir.
● <i>Scrophularia lowei</i> Dalg.	M D P						S.low.
● <i>Scrophularia racemosa</i> Lowe	M						S.rac.
● <i>Scrophularia racemosa</i> x <i>scorodonia</i>	M						
<i>Scrophularia scorodonia</i> L.	S M T J P	M					S.sco.

- *Serophularia smithii* Hornem.
- ssp. *smithii*
- ssp. *langeana* (Bolle) Dalg.
- ssp. *hierrensis* Dalg.
- Sibthorpia europaea* L.
- *Sibthorpia peregrina* L.
- Striga gesnerioides* (Willd.) Vahl
- *Sutera canariensis* (Webb et Berth)
- *Verbascum capitatum-viridissimum* Hub.
- Verbascum creticum* (L.) Cav.
- *Verbascum cystolithicum* (B. Pers.)
- Verbascum pulverulentum* Vill.
- Verbascum sinuatum* L.
- Verbascum thapsiforme* L.
- Verbascum thapsus* L.
- Verbascum virgatum* Stokes
- Veronica agrestis* L.
- Veronica anagallis-aquatica* L.
- Veronica arvensis* L.
- Veronica beccabunga* L.
- Veronica catenata* Penn.
- *Veronica dabneyi* Hochst.
- Veronica hederifolia* L.
- Veronica officinalis* L.
- Veronica peregrina* L.
- Veronica persica* Poir.
- Veronica polita* Fr.
- Veronica serpyllifolia* L.
  
- Simarubaceae*
- Ailanthus altissima* (Mill.) Swartz
  
- Solanaceae*
- Capsicum baccatum* L.
- Capsicum frutescens* L.
- Cyphomandra betacea* Sendt.
- Datura fastuosa* L.
- Datura ferox* L.
- Datura innoxia* Mill.
- Datura stramonium* L.
- Datura suaveolens* HBK. ex Willd.
- Hyoscyamus albus* L.
- Lycium europaeum* L.
- Lycium intricatum* Boiss.

	S	M	T	G	J	P	F	L	C	S	L	F	C	T	G	H	P	A	V	N	B	M	T	F	R	
<i>Lycopersicon esculentum</i> Mill. var. <i>esculentum</i> var. <i>leptophyllum</i> (Dun.) D'Arcy			T					M	D	P	S	L	F	C	T	G	P	A	V	N			T	F	R	
<i>Nicandra physalodes</i> (L.) Gaertn.																	G		A	V	N		M	T		L.esc.
<i>Nicotiana alata</i> Link et Otto	M	T						M				L	C	T		P		V	N				T	F	R	N.phy.
<i>Nicotiana glauca</i> Grah.																	T									N.alा.
<i>Nicotiana paniculata</i> L.																	T									N.gla.
<i>Nicotiana rustica</i> L.																	T									N.pan.
<i>Nicotiana tabacum</i> L.								P		M	S	L	C	T	G	H		A		N				F	R	N.rus.
<i>Nicotiana wigandoides</i> Koch et Pint.												P														N.tab.
<i>Petunia axillaris</i> (Lam.) BSP.																										N.wig.
<i>Petunia x hybrida</i> Vilm.																										P.axi.
<i>Petunia parviflora</i> Juss.																										P.hyb.
<i>Physalis alkekengi</i> L.																										P.par.
<i>Physalis angulata</i> L.																										P.ang.
<i>Physalis lagascae</i> Roem. et Schult.																										P.lag.
<i>Physalis peruviana</i> L.								S	M	T	G	J	P	F	L	C	M	P		T	H	P	A		F R	P.per.
<i>Salpichoëa origanifolia</i> (Lam.) Baill.								S	M	T									C	T						S.orig.
<i>Sclerophylax spinescens</i> Miers																			C							S.spi.
<i>Solanum aculeatissimum</i> Jacq.																						A				S.acu.
<i>Solanum alatum</i> Moench																				C						S.alat.
<i>Solanum albidum</i> Dun.																										S.alb.
<i>Solanum bonariense</i> L.																				C	T					S.bon.
<i>Solanum dulcamara</i> L.																										S.dul.
<i>Solanum fastigiatum</i> Willd.																				T						S.fas.
<i>Solanum fuscatum</i> Jacq.																										S.fus.
<i>Solanum giganteum</i> Jacq.																					T					S.gig.
<i>Solanum gracile</i> Otto																					T	G				S.gra.
<i>Solanum hispidum</i> Pers.																										S.his.
<i>Solanum jasminoides</i> Pers.																				C	T					S.jas.
● <i>Solanum lidei</i> Sund.																				C	T					S.lid.
<i>Solanum luteum</i> Mill.																				C						S.lut.
<i>Solanum marginatum</i> L.fil.																				C	T					S.mar.
<i>Solanum mauritianum</i> Scop.																				T						S.mau.
<i>Solanum melongena</i> L.																						A				S.mel.
<i>Solanum microcarpum</i> (Pers.) Vahl																				T						S.mic.
● <i>Solanum nava</i> Webb et Berth.																				C	T					S.nav.
<i>Solanum nigrum</i> L.																				C						S.nig.
<i>Solanum nodiflorum</i> Jacq.																										S.nod.
<i>Solanum paniculatum</i> L.																										S.pan.
● <i>Solanum patens</i> Lowe																										S.pat.
<i>Solanum pseudocapsicum</i> L.																				C	T	G	H	P		S.pes.
<i>Solanum robustum</i> Wendl.																				C	T					S.rob.



<i>Ulmus minor</i> Mill.			C T		U.min.
<i>Ulmus procera</i> Salisb.	S M		L F C T G H P		U.pro.
<u>Urticaceae</u>			A V L N S M T P R		F.ang.
● <i>Forsskaolea angustifolia</i> Retz.			A V S F		F.pro.
● <i>Forsskaolea procridifolia</i> Webb			C T G H P		G.arb.
● var. <i>procridifolia</i>			N T P		L.aes.
● var. <i>microphylla</i> Schmidt			T G P		P.deb.
● <i>Gesnouinia arborea</i> (L.fil.) Gaud.	M J P F L C	M D P	L F C T G H P A	N N T	P.fil.
<i>Laportea aestuans</i> (L.) Chev.			T G P		P.jud.
<i>Parietaria debilis</i> Forst.fil.	S M T G J P F L C	M D P	L C T G H P		P.mau.
● <i>Parietaria filamentosa</i> Webb et Berth.			T H		P.pun.
<i>Parietaria judaica</i> L.				A	S.sol.
<i>Parietaria mauritanica</i> Dur.					U.mem.
<i>Parietaria punctata</i> Willd.			C		U.mor.
<i>Soleirolia soleirolii</i> (Reg.) Dandy	T F	M	F C T G H P		U.sta.
<i>Urtica membranacea</i> Poir.	S M T G J P F L C	M D P S	C T G H P		U.sub.
● <i>Urtica morifolia</i> Poir.	M T	M	C T H P		U.ure.
● <i>Urtica stachyoides</i> Webb et Berth.		D P	L F C T G H P		
<i>Urtica subincisa</i> Benth.					
<i>Urtica urens</i> L.	T				
<u>Valerianaceae</u>	J P	M	C T G H P		C.cal.
<i>Centranthus calcitrapae</i> (L.) Dufr.	S M T G J P F L	M	L F C T H P		C.rub.
<i>Centranthus ruber</i> (L.) DC.			T		V.car.
<i>Valerianella carinata</i> Lois.			C		V.cor.
<i>Valerianella coronata</i> (L.) DC.	T P	M		P	V.den.
<i>Valerianella dentata</i> (L.) Poll.			F		V.dis.
<i>Valerianella discoidea</i> (L.) Loisel.			C T		V.erl.
<i>Valerianella eriocarpa</i> Desv.			C T		V.loc.
<i>Valerianella locusta</i> (L.) Lat.	M				V.mic.
<i>Valerianella microcarpa</i> Loisel.	M				V.mur.
<i>Valerianella muricata</i> (Stev. ex Bieb.) Loud.			T		
<u>Verbenaceae</u>				A	C.spe.
<i>Clerodendron speciosissimum</i> van Geert	S M T G J P F L	M	L C T G P A V N B T P R		L.cam.
<i>Lantana camara</i> L.			T		L.cam.
<i>Lippia canescens</i> HBK.			C T G		L.can.
<i>Lippia nodiflora</i> (L.) Michx.					L.nod.
<i>Stachytarpheta dichotoma</i> (Baill.) Chev.	CV?	S M T G J F L	M	C T G P	S.dic.
<i>Verbena bonariensis</i> L.		S M T G J P F L C	M P	L F C T G P A	V.bon.
<i>Verbena officinalis</i> L.		S M T G J P F L C	M P		V.off.
<i>Verbena rigida</i> Spreng.	S M T	F	M	L F C T	V.rig.
<i>Verbena supina</i> L.					V.sup.





	S	M	D	P	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R
<i>Tradescantia virginiana</i> L.			M																	T.vir.	
<i>Tripogandra multiflora</i> (Sw.) Rafin.	M	T	P	F	L															T.mul.	
<i>Zezrina pendula</i> Schinzl.			M				C			P	A									Z.pen.	
<u><i>Cyperaceae</i></u>																					
<i>Bulbostylis barbata</i> (Rottb.) C. B. Clarke																		B	P	B.bar.	
● <i>Carex antoniensis</i> Chev.																		A		C.ant.	
<i>Carex bohemica</i> Schreb.	M	T																		C.boh.	
● <i>Carex calderae</i> A. Hans.																		T		C.cal.	
● <i>Carex canariensis</i> Kük.																		T G H P		C.can.	
<i>Carex curta</i> Good.	M	T	J																	C.cur.	
<i>Carex debilis</i> Michx.				F														C.deb.		C.deb.	
<i>Carex aff. distachya</i> Desf.																		C.dis.		C.dis.	
<i>Carex distans</i> L.	M		L															C.div.		C.div.	
<i>Carex divisa</i> Huds.					M													C.div.		C.div.	
<i>Carex divulsa</i> Stokes ssp. <i>divulsa</i>	S	M	T	G	J	P	F	L	C	M	P		L	F	C	T	G	P			
<i>Carex eschinate</i> Murr.		M	T	J	P	F	L	C												C.esch.	
<i>Carex extensa</i> Good.				T					M											C.ext.	
● <i>Carex hochstetteriana</i> Gay ex Seub.	M	T	J	P	F	L	C													C.hoc.	
● <i>Carex lowei</i> Becherer					M															C.low.	
● <i>Carex malato-belizii</i> Raymond						M														C.mal.	
<i>Carex oederi</i> Rets. ssp. <i>pulchella</i> Lönnr.	M																			C.oed.	
<i>Carex otrubae</i> Podp.						L	C								C	T	G			C.otr.	
<i>Carex ovalis</i> Good.			M																	C.ov.	
<i>Carex paireae</i> F. W. Schultz	S	M	G	J	L	C	M	P					C	T	G					C.pai.	
<i>Carex panicea</i> L.				G	J	P														C.pan.	
<i>Carex pendula</i> Huds.	M			P	F	L	M													C.pen.	
<i>Carex peregrina</i> Link	M	T	G	J	P	F	L	C												C.per.	
● <i>Carex perraudieriiana</i> Gay ex Bornm.																	T			C.per.	
<i>Carex pilulifera</i> L.	M	T	J	P	P	L	M													C.pil.	
<i>Carex punctata</i> Gaud.																				C.pun.	
● var. <i>laevicaulis</i> (Hochst.) Boott	S	M	T	J	P	F	L	M												C.spi.	
<i>Carex spicata</i> Huds.							M													C.spi.	
<i>Carex tumidicarpa</i> Ands. ssp. <i>cedercreutzii</i> Fagerstr.	M	T	J	P	F	L	M													C.tum.	
● <i>Carex vulcani</i> Hochst. in Seub.	M	T	J	P	F	L														C.vul.	
<i>Cladium mariscus</i> (L.) Pohl ssp. <i>mariscus</i>	M		L						C											C.mar.	
ssp. <i>jamaicense</i> (Cr.) Kük.																A V					
<i>Cyperus alpestris</i> L.									C T	P								T		C.alo.	
<i>Cyperus alternifolius</i> L.	M	T			M			C T G	P	A V	N							T	R	C.alt.	















	S	M	T	G	J	P	F	L	C	M	D	P	S	L	F	C	T	G	H	P	A	V	L	N	S	B	M	T	F	R		
<i>Bromus tectorum</i> L.																C	T		P													B.tec.
<i>Bromus willdenowii</i> Kunth																	P	C	T	G	P	A										B.wil.
<i>Castellia tuberculosa</i> (Moris) Bor																	L	F	C	T												C.tub.
<i>Catapodium marinum</i> (L.) C. E. Hubb.																S	M	T	G	P											C.mar.	
<i>Catapodium rigidum</i> (L.) C. E. Hubb.																M	T		D	P											C.rig.	
<i>Catapodium tenellum</i> (L.) Batt. et Trab.																M															C.ten.	
<i>Cenchrus biflorus</i> Roxb.																															C.bif.	
<i>Cenchrus ciliaris</i> L.																M															C.cili.	
<i>Cenchrus echinatus</i> L.																															C.ech.	
<i>Cenchrus incertus</i> Curtis																	F														C.inc.	
<i>Chloris gayana</i> Kunth																M	P			T		A								C.gay.		
<i>Chloris humilis</i> Kunth																						A V								C.hum.		
<i>Chloris pilosa</i> Schum.																						A V	S	T						C.pil.		
<i>Chloris prieuri</i> Kunth																						A	S	M						C.pri.		
<i>Chloris pycnothrix</i> Trin.																						A			T					C.pyc.		
<i>Chloris truncata</i> R. Br.																						T								C.tru.		
<i>Chloris virgata</i> Sw.																															C.vir.	
<i>Coix lacryma-jobi</i> L.																M															C.lac.	
<i>Cortaderia selliana</i> (Schult. et Schult.fil.) A. et Gr.																M															C.sel.	
<i>Cutandia maritima</i> (L.) Benth.																						L P								C.mar.		
<i>Cutandia memphitica</i> (Spreng.) Benth.																						L P	T							C.mem.		
<i>Cymbosetaria sagittifolia</i> (A. Rich.) Schweik.																															C.sag.	
<i>Cynodon dactylon</i> (L.) Pers.																S	M	T	G	H	P	A	V	L	N	S	B	M	T	R		
<i>Cynoherus cristatus</i> L.																S	M	T	J	P										C.dac.		
<i>Cynoherus echinatus</i> L.																S	M	T	J	P	F									C.cri.		
<i>Cynoherus elegans</i> Desf.																						M	P	S						C.ech.		
<i>Dactylis glomerata</i> L.																						T								D.glo.		
sep. <i>glomerata</i>																S	M	T	J	F		M	P									
<i>Dactylis smithii</i> Link																						C T								D.smithii		
● <i>sep. smithii</i>																																
● <i>sep. hylodes</i> Parker																						M										
<i>sep. marina</i> (Borr.) Parker																						M D P										
<i>Dactyloctenium aegyptium</i> (L.) PB.																						M								D.aeg.		
<i>Danthonia decumbens</i> (L.) DC.																M	T		P			M								D.dec.		
● <i>Deschampsia argentea</i> (L.) Lowe																M	T		J	P	F	L	C	T	G	P	A	N		D.arg.		
● <i>Deschampsia foliosa</i> Hack.																M	T		J	P	F	L	C	T	G	P	A	N		D.fol.		
● <i>Deschampsia maderensis</i> (Hack. et Bornm.) Buschm.																M	T		J	P	F	L	C	T	G	P	A	N		D.mad.		
<i>Dichanthium annulatum</i> (Poir.) Stapf																M	T		J	P	F	L	C	T	G	P	A	N		D.ann.		
<i>Digitaria ciliaris</i> (Retz.) Koel.																S	M	T	G	H	P	A	V	S	B	M	T	P	F	D.cil.		
<i>Digitaria eriantha</i> Steud.																S	M	T	G	H	P	A	V	S	B	M	T	P	F	D.eran.		
<i>Digitaria horizontalis</i> Willd.																S	M	T	G	H	P	A	V	S	B	M	T	P	F	D.hor.		
<i>Digitaria nodosa</i> Parl.																S	M	T	G	H	P	A	V	S	B	M	T	P	F	D.nod.		
<i>Digitaria sanguinalis</i> (L.) Scop.																M						L	C	T	G	A				D.san.		





*Parapholis incurva* (L.) C. E. Hubb.  
*Parapholis pycnantha* (Hack.) C. E. Hubb.  
*Paspalidium geminatum* (Forssk.) Stapf  
*Paspalum dilatatum* Poir.  
*Paspalum distichum* L.  
*Paspalum notatum* Flügge  
*Paspalum orbiculare* Forst.  
*Paspalum paspaloides* (Michx.) Scribn.  
*Paspalum urvillei* Steud.  
*Pennisetum atrichum* Stapf ex. Hubb.  
*Pennisetum clandestinum* Hochst. ex Chiov.  
*Pennisetum glabrum* Steud.  
*Pennisetum pedicellatum* Trin.  
*Pennisetum polystachyon* (L.) Schult.  
*Pennisetum purpureum* Schum.  
*Pennisetum setaceum* (Forssk.) Chiov.  
 ssp. *orientale* (Rich.) Maire  
*Pennisetum villosum* R. Br. ex Fresen.  
*Phalaris arundinacea* L.  
 var. *picta* L.  
*Phalaris aquatica* L.  
*Phalaris brachystachys* Link  
*Phalaris caerulescens* Desf.  
*Phalaris canariensis* L.  
● *Phalaris maderensis* (Mnzs.) Mnzs.  
*Phalaris minor* Retz.  
*Phalaris paradoxa* L.  
*Phleum pratense* L.  
*Phragmites australis* (Cav.) Trin.  
*Piptatherum caerulescens* (Desf.) PB.  
*Piptatherum miliaceum* (L.) Coss.  
*Poa angustifolia* L.  
*Poa annua* L.  
*Poa bulbosa* L.  
*Poa infirma* HBK.  
● *Poa pitardiana* H. Scholz  
*Poa pratensis* L.  
*Poa trivialis* L.  
*Poa supina* Schrad.  
*Polypogon fugax* Nees ex Steud.  
*Polypogon maritimus* Willd.  
*Polypogon monspeliensis* (L.) Desf.  
*Polypogon monspeliensis* x *viridis*

	S	M	T	P	F	L	C	G	H	P	A	V	N	T	P.vir.
<i>Polypogon viridis</i> (Gouan) Breistr.															P.mar.
<i>Puccinellia maritima</i> (Huds.) Parl.															R.bre.
<i>Rhynchospora brevipilum</i> (Hack.) Chiiov.															R.rep.
<i>Rhynchospora repens</i> (Willd.) C. E. Hubb.															R.vil.
<i>Rhynchospora villosa</i> (Parl.) Chiiov.															R.exa.
<i>Rottboellia exaltata</i> L.fil.															R.ten.
<i>Rytidosperma tenuius</i> (Steud.) A. Hans. et Sund.															S.off.
<i>Saccharum officinarum</i> L.															S.ara.
<i>Schismus arabicus</i> Nees															S.bar.
<i>Schismus barbatus</i> (L.) Thell.															S.pap.
<i>Schmidia pappophoroides</i> J. A. Schmidt															S.gra.
<i>Schoenfeldia gracilis</i> Kunth															S.cer.
<i>Secale cereale</i> L.															S.isc.
<i>Sehima ischaemoides</i> Foresk.															S.adh.
<i>Setaria adhaerens</i> (Foresk.) Chiiov.	S	M	T	P	F	C	T	G	P	A	V	L	B	M	S.bar.
<i>Setaria barbata</i> (Lam.) Kunth															S.che.
<i>Setaria chevalieri</i> Stapf															S.fab.
<i>Setaria faberi</i> Herrm.															S.gen.
<i>Setaria geniculata</i> (Lam.) PB.															S.gla.
<i>Setaria glauca</i> (L.) PB.	S	M	N	T	G	J	P	F	L	C	T	G	P	A	S.pal.
<i>Setaria palmifolia</i> (Koenig) Stapf															S.pan.
<i>Setaria paniculifera</i> (Steud.) Pourn.															S.pum.
<i>Setaria pumila</i> (Poir.) Roem. et Schult.															S.vir.
<i>Setaria viridis</i> (L.) PB.															S.aru.
<i>Sorghum arundinaceum</i> (Desv.) Stapf															S.bic.
<i>Sorghum bicolor</i> (L.) Moench															S.cau.
<i>Sorghum caudatum</i> Stapf															S.hal.
<i>Sorghum halepense</i> (L.) Pers.	M	T	F	M	L	C	T	G	P	A	N				S.mar.
<i>Spartina maritima</i> (Curt.) Fern.															S.ver.
<i>Spartina versicolor</i> Fabre	S	M	T	P											S.div.
<i>Sphenopus divaricatus</i> (Gouan) Rchb.															S.con.
<i>Sporobolus confertus</i> Schmidt															S.dia.
<i>Sporobolus diander</i> (Retz.) PB.															S.hel.
<i>Sporobolus helvolus</i> (Trin.) Dur. et Sch.															S.ind.
<i>Sporobolus indicus</i> (L.) R. Br.	S	M	T	J	P	F									S.min.
<i>Sporobolus minutus</i> Link															S.mol.
<i>Sporobolus molleri</i> Hack.															S.pil.
<i>Sporobolus piliferus</i> (Trin.) Kunth															S.rob.
<i>Sporobolus robustus</i> Kunth															S.spi.
<i>Sporobolus spicatus</i> (Vahl) Kunth															S.vir.
<i>Sporobolus virginicus</i> (L.) Kunth															S.sec.
<i>Stenotaphrum secundatum</i> (Walt.) O. Kuntze	S	M	T	P	F	C	M	P	L	F	C	T		T F	





# INDEX TO SYNONYMS

## A

*Abutilon albidum* (Willd.) Webb et Berth.  
*Abutilon glaucum* (Cav.) Sweet  
*Abutilon mollissimum* auct.  
*Abutilon muticum* (Del.) Webb  
*Abutilon permollis* Mnzs., non Sweet  
*Acacia arabica* (L.) Willd.  
*Acacia scorpioides* (L.) Chev.  
*Aceras densiflora* Boiss.  
*Acetosa lunaria* (L.) Mill.  
*Acetosa maderensis* (Lowe) Löve et Kapoor  
*Acetosa simpliciflora* (Murb.) Löve et Kapoor  
*Acetosella angiocarpa* (Murb.) A. et D. Löve  
*Achyranthes nivea* Link in Buch  
*Achyranthes sicula* (L.) All.  
*Acrostichum aureum* Cav.  
*Acrostichum hirtum* auct., non Sw.  
*Actiniopteris australis* auct., non (L.fil.) Link  
*Adhatoda hyssopifolia* (L.) Nees  
*Adiantum capillus-gorgonis* Webb  
*Adiantum caudatum* auct., non L.  
*Adiantum cuneatum* Langed. et Fisch.  
*Adiantum lunulatum* Burm.  
*Adiantum raddianum* C. Presl  
*Adonis autumnalis* Webb, non L.  
*Adonis cupaniana* Guss.  
*Adonis intermedia* Webb  
*Adonis parviflora* Webb  
*Aeluropus smithii* (Link) Steud.  
*xAeoniogreenovia* Vogg.  
*xAeoniogreenovia lambii* Vogg.  
*Aeonium x amagensis* Bramw. et Rowl.  
*Aeonium barbatum* Chr. Sm. ex Link in Buch  
*Aeonium barbatum* Webb et Berth.  
*Aeonium bentejui* Webb ex Christ  
*Aeonium berthelotianum* Bolle  
*Aeonium bethencourtianum* Webb ex Bolle  
*Aeonium x bollei* Kunk.  
*Aeonium x bramwellii* Rowl.  
*Aeonium x bravoanum* Bramw. et Rowl.  
*Aeonium caespitosum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
*Aeonium x castelloplanum* Bramw. et Rowl.  
*Aeonium cruentum* Webb et Berth.

*Abutilon grandifolium* (Willd.) Sweet  
*Abutilon pannosum* (Forst.fil.) Schlecht.  
*Abutilon grandifolium* (Willd.) Sweet  
*Abutilon pannosum* (Forst.fil.) Schlecht.  
*Abutilon grandifolium* (Willd.) Sweet  
*Acacia nilotica* (L.) Willd. ex Del. ssp. *indica* (Benth.) Brenan  
*Acacia nilotica* (L.) Willd. ex Del. ssp. *indica* (Benth.) Brenan  
*Neotinea maculata* (Desf.) Stearn  
*Rumex lunaria* L.  
*Rumex maderensis* Lowe  
*Rumex simpliciflorus* Murb.  
*Rumex acetosella* L. ssp. *angiocarpus* (Murb.) Murb.  
*Alternanthera caracasana* HBK.  
*Achyranthes aspera* L.  
*Ceterach aureum* (Cav.) Buch  
*Elaphoglossum semicylindricum* (Burm.) Benl  
*Actiniopteris radiata* (Sw.) Link  
*Justicia hyssopifolia* L.  
*Adiantum incisum* Foresk.  
*Adiantum incisum* Foresk.  
*Adiantum cuneipinnatum* Nair et Ghosh  
*Adiantum philippense* L.  
*Adiantum cuneipinnatum* Nair et Ghosh  
*Adonis microcarpa* DC.  
*Adonis microcarpa* DC.  
*Adonis microcarpa* DC.  
*Adonis microcarpa* DC.  
*Dactylis smithii* Link  
*xGreenonium* Rowl.  
*Aeonium spathulatum* x *Greenovia aures*  
*Aeonium lindleyi* x *tabulaeforme*  
*Aeonium spathulatum* (Hornem.) Praeger  
*Aeonium simsii* x *spathulatum*  
*Aeonium spathulatum* (Hornem.) Praeger  
*Aeonium tabulaeforme* (Haw.) Webb et Berth.  
*Aichryson bethencourtianum* Bolle  
*Aeonium percarneum* x *undulatum*  
*Aeonium canariense* x *cuneatum*  
*Aeonium castello-paivae* x *viscatum*  
*Aeonium simsii* (Sw.) Stearn  
*Aeonium castello-paivae* x *subplanum*  
*Aeonium spathulatum* (Hornem.) Praeger var. *cruentum*  
*(Webb et Berth.) Praeger*

- Aeonium decorum* Webb et Berth. var. *mascañense* Kunk., nom. inval.  
*Aeonium doramae* Webb ex Christ  
*Aeonium gomeraeum* Webb ex Christ  
*Aeonium giganteum* Webb ex Christ  
*Aeonium x hawbicum* Bramw. et Rowl.  
*Aeonium x hybridum* (Haw.) Rowl.  
*Aeonium x jacobaeum* Bramw. et Rowl.  
*Aeonium x junoniae* ("junoniae") Bramw. et Rowl.  
*Aeonium x kunkelii* Bramw. et Rowl.  
*Aeonium x lambii* Bramw. et Rowl.  
*Aeonium x lemsii* Kunk.  
*Aeonium x lidii* Sund. et Kunk.  
*Aeonium longithyrum* (Burch.) Svent.  
*Aeonium x lowei* Bramw. et Rowl.  
*Aeonium macrolepum* Webb ex Christ  
*Aeonium x meyerheimii* Bolle  
*Aeonium x ombricosum* Bramw. et Rowl.  
*Aeonium paivae* (Lowe) Lem.  
*Aeonium x praegeri* Kunk.  
*Aeonium x rowleyi* Bramw.  
*Aeonium x sanctisbastiani* Bramw. et Rowl.  
*Aeonium x santosianum* Bramw. et Rowl.  
*Aeonium x splendens* Bramw. et Rowl.  
*Aeonium strepsicladum* Webb et Berth.  
*Aeonium x sventenii* Kunk.  
*Aeonium x tabulicium* Bramw. et Rowl.  
*Aeonium x tenensis* Bramw. et Rowl.  
*Aeonium x teneriffae* Bramw. et Rowl.  
*Aeonium tortuosum* Pit. et Pr.  
*Aeonium x vegamorei* Bramw. et Rowl.  
*Aeonium youngianum* Webb et Berth.  
*Aerva javanica* (Burm. fil.) Juss.  
*Agapanthus africanus* (L.) Hoffm.  
*Agapanthus umbellatus* L'Hér.  
*Ageratum mexicanum* Sims  
*Agropyron junceiforme* (A. et D. Löve) A. et D. Löve  
*Agropyron littorale* (Host) Dum.  
*Agropyron repens* (L.) PB.  
*Agropyropsis gracile* (Parl.) A. Camus in Chev.  
*Agrostis acutiglumis* Tutin et Warb.  
*Agrostis azorica* (Hochst.) Tutin et Warb.  
*Agrostis canariensis* Parl.  
*Agrostis capillaris* Desf., non L.  
*Agrostis obtuseissima* Hack.  
*Aeonium mascañense* Bramw.  
*Aeonium manriqueorum* Bolle  
*Aeonium castello-paivae* Bolle  
*Aeonium canariense* (L.) Webb et Berth.  
*Aeonium haworthii* x *urbicum*  
*Aeonium simsii* x *spatulatum*  
*Aeonium hierrense* x *palmense*  
*Aeonium ciliatum* x *palmense*  
*Aeonium ciliatum* x *holochrysum*  
*Aeonium palmense* x *valverdense*  
*Aeonium percarneum* x *virginicum*  
*Aeonium percarneum* x *simsii*  
*Aeonium palmense* Webb ex Christ  
*Aeonium glandulosum* x *glutinosum*  
*Aeonium tabulaeforme* (Haw.) Webb et Berth.  
*Aeonium glandulosum* x *glutinosum*  
*Aeonium hierrense* x *valverdense*  
*Aeonium castello-paivae* Bolle  
*Aeonium simsii* x *undulatum*  
*Aeonium smithii* x *spatulatum*  
*Aeonium saundersii* x *subplanum*  
*Aeonium goochiae* x *palmense*  
*Aeonium ciliatum* x *nobile*  
*Aeonium spatulatum* (Hornem.) Praeger  
*Aeonium manriqueorum* x *simsii*  
*Aeonium tabulaeforme* x *urbicum*  
*Aeonium ciliatum* x *haworthii*  
*Aeonium ciliatum* x *urbicum*  
*Aeonium lindleyi* Webb et Berth.  
*Aeonium subplanum* x *viscatum*  
*Aeonium undulatum* Webb et Berth.  
*Aerva persica* (Burm. fil.) Merrill  
*Agapanthus praecox* Willd. ssp. *orientalis* (Leighton) Leighton  
*Agapanthus praecox* Willd. ssp. *orientalis* (Leighton) Leighton  
*Ageratum conyzoides* L.  
*Elytrigia junceiforme* A. et D. Löve  
*Elytrigia littoralis* (Host) Hyl.  
*Elytrigia repens* (L.) Nevski  
*Lolium canariense* Steud.  
*Agrostis castellana* Boiss. et Reut.  
*Agrostis castellana* Boiss. et Reut. & *Agrostis graciliflora* Franco  
*Agrostis castellana* Boiss. et Reut.  
*Agrostis reuteri* Boiss.  
*Agrostis reuteri* Boiss.

- Agrostis olivetorum* Gren. et Godr.  
*Agrostis pallida* DC.  
*Agrostis salmantica* (Lag.) Kunth  
*Agrostis semiverticillata* (Forssk.) C. Chr.  
*Agrostis stolonifera* aust. caboverd., non L.  
*Agrostis truncatula* Mnzs.  
*Agrostis verticillata* Vill.  
*Aichryson x bramwellii* Kunk.  
*Aichryson dichotomum* (DC.) Webb et Berth.  
*Aichryson gonzalezherandezii* Kunk.  
*Aichryson immaculatum* Webb ex Christ  
*Aichryson x intermedium* Bramw. et Rowl.  
*Aichryson mollii* Pit.  
*Aichryson parviflorum* Bolle  
*Aichryson x praegeri* Kunk.  
*Aichryson pulvinatum* Burch.  
*Aichryson punctatum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
 var. *pachycaulon* (Bolle) Praeger  
*Aichryson punctatum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
 var. *subvillosum* (Lowe) Pit. et Pr.  
*Aichryson pygmaeum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
*Aichryson radicescens* Webb et Berth.  
*Aichryson sedifolium* Webb ex Bolle  
*Ailanthus glandulosa* Desf.  
*Aira elegans* Willd. ex Gaud.  
*Aithales rubens* (L.) Webb et Berth.  
*Alchemilla microcarpa* Boiss. et Reut.  
*Alisma plantago-aquatica* L. var. *lanceolatum* (With.) Lej.  
*Allium babingtonii* Borrer  
*Allium intermedium* DC.  
*Allium odoratissimum* Desf.  
*Allium pallens* L.  
*Allium trifoliatum* Cyr.  
*Allium trifoliatum* Cyr. ssp. *obtusitepalum* Svent.  
*Aloë barbadensis* Mill.  
*Aloë vulgaris* Lam.  
*Alsine gayana* Webb ex Christ  
*Aleine platyphylla* Gay ex Christ  
*Alesophila cooperi* F. v. Muell.  
*Alternanthera peploides* (Humb. et Bonpl.) Urb.  
*Alyssum maritimum* (L.) Lam.  
*Alyssum maritimum* (L.) Lam. var. *intermedium* (Webb) Chev.  
*Alyssum maritimum* (L.) Lam. var. *spathulatum* (Schmidt) Chev.  
*Amaranthus angustifolius* Lam.  
*Agrostis castellana* Boiss. et Reut.  
*Agrostis pourretii* Willd.  
*Agrostis pourretii* Willd.  
*Polypogon viridis* (Gouan) Breistr.  
*Polypogon viridis* (Gouan) Breistr.  
*Agrostis reuteri* Boiss.  
*Polypogon viridis* (Gouan) Breistr.  
*Aichryson porphyrogennetos* x *punctatum*  
*Aichryson laxum* (Haw.) Bramw.  
*Aichryson pachycaulon* Bolle ssp. *gonzalezherandezii* (Kunk.) Bramw.  
*Aichryson pachycaulon* Bolle ssp. *immaculatum* (Webb ex Christ) Bramw.  
*Aichryson laxum* x *punctatum*  
*Monanthes icterica* (Webb ex Bolle) Praeger  
*Aichryson pachycaulon* Bolle ssp. *parviflorum* (Bolle) Bramw.  
*Aichryson laxum* x *porphyrogennetos*  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Aichryson pachycaulon* Bolle ssp. *pachycaulon*  
*Aichryson parlatorei* Bolle  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Aeonium sedifolium* (Webb ex Bolle) Pit. et Pr.  
*Ailanthus altissima* (Mill.) Swingle  
*Aira elegantissima* Schur  
*Sedum rubens* L.  
*Aphanes microcarpa* (Boiss. et Reut.) Rothm.  
*Alisma lanceolatum* With.  
*Allium ampeloprasum* L.  
*Allium paniculatum* L.  
*Allium roseum* L.  
*Allium paniculatum* L.  
*Allium subhirsutum* L.  
*Allium subhirsutum* L. ssp. *obtusitepalum* (Svent.) Kunk.  
*Aloë vera* (L.) Burm.fil.  
*Aloë vera* (L.) Burm.fil.  
*Minuartia webbii* McNeill et Bramw.  
*Minuartia platyphylla* (Gay ex Christ) McNeill  
*Sphaeropteris cooperi* (F. v. Muell.) Tryon  
*Alternanthera caracasana* HBK.  
*Lobularia maritima* (L.) Desv.  
*Lobularia intermedia* Webb  
*Lobularia intermedia* Webb ssp. *spathulata* (Schmidt) B. Petters.  
*Amaranthus graecizans* L.

- Amaranthus blitum* L.  
*Amaranthus gracilis* Desf.  
*Amaranthus paniculatus* L.  
*Amaranthus patulus* Bertol.  
*Amaryllis belladonna* auct. macar., non L.  
*Amberboa bolleana* Sch. Bip.  
*Amberboa lippiae* (L.) DC.  
*Ammania senegalensis* Lam. var. *auriculata* (Willd.) Hiern.  
*Ammi majus* L. ssp. *procerum* (Lowe) Mnss.  
*Ammi seubertianum* (Wats.) Trel.  
*Amygdalus communis* L.  
*Amygdalus persica* L.  
*Anagallis arvensis* L. ssp. *cocerulea* (Schreb.) Batt.  
*Anchusa azurea* auct.  
*Androcymbium fuerteventurae* Kunk. et Sund.  
*Androcymbium psammophilum* Svent.  
*Andropogon foveolatus* Del.  
*Andropogon hirtus* L.  
*Androsaemum webbianum* Spach  
*Andryala bourgeaui* Sch. Bip. in Webb et Berth.  
*Andryala canariensis* Lowe  
*Andryala cheiranthifolia* L'Hér.  
*Andryala coronopifolia* Link in Buch  
*Andryala integrifolia* L. ssp. *webbii* (Sch. Bip. ex Christ) Kunk.  
*Andryala varia* Lowe ex DC.  
*Anisantha madritensis* (L.) Nevski  
*Anisantha rigida* (Roth) Hyl.  
*Anisantha rubens* (L.) Nevski  
*Anisantha sterilis* (L.) Nevski  
*Anomatheca cruenta* Lindl.  
*Anthemis mixta* L.  
*Anthemis nobilis* L.  
*Anthemis revoluta* Chr. Sm. in Buch  
*Antholyza aethiopica* L.  
*Anthoxanthum odoratum* Webb et Berth., non L.  
*Anthoxanthum puelii* Leu. et Lamotte  
*Anthriscus vulgaris* Pers.  
*Antirrhinum orontium* L.  
*Apianes arvensis* auct. macar., non L.  
*Apium tenuifolium* (Moench) Thell.  
*Apollonia barbujana* (Cav.) Bornm. var. *ceballosi* (Svent.) Bramw., nom. inval.  
*Apollonia canariensis* (Willd.) Nees  
*Apollonia ceballosi* Svent.  
*Amaranthus lividus* L.  
*Amaranthus viridis* L.  
*Amaranthus hybridus* L.  
*Amaranthus hybridus* L.  
*Brunevigia rosea* (Lam.) Hannibal  
*Volutaria bollei* (Sch. Bip. ex Bolle) A. Hans. et Kunk.  
*Volutaria lippiae* (L.) Cass.  
*Ammania auriculata* Willd.  
*Ammi procerum* Lowe  
*Ammi trifoliatum* (Wats.) Trel.  
*Prunus dulcis* (Mill.) D. A. Webb  
*Prunus persica* (L.) Batsch.  
*Anagallis arvensis* L. f. *azurea* Hyl.  
*Anchusa italicica* Retz.  
*Androcymbium gramineum* (Cav.) Mcbr. ssp. *psammophilum* (Svent.) Kunk.  
*Androcymbium gramineum* (Cav.) Mcbr. ssp. *psammophilum* (Svent.) Kunk.  
*Eremopogon foveolatus* (Del.) Stapf  
*Hyparrhenia hirta* (L.) Stapf  
*Hypericum inodorum* Mill.  
*Andryala pinnatifida* Ait.  
*Andryala pinnatifida* Ait.  
*Andryala glandulosa* Lam. ssp. *varia* (Lowe ex DC.) R. Fern.  
*Andryala pinnatifida* Ait.  
*Andryala webbii* Sch. Bip. ex Christ  
*Andryala glandulosa* Lam. ssp. *varia* (Lowe ex DC.) R. Fern.  
*Bromus madritensis* L.  
*Bromus rigidus* Roth  
*Bromus rubens* L.  
*Bromus sterilis* L.  
*Lapeirousia laxa* (Thunb.) N. E. Br.  
*Chamaemelum mixtum* (L.) All.  
*Chamaemelum nobile* (L.) All.  
*Lugoa revoluta* (Chr. Sm. in Buch) DC.  
*Chasmanthe aethiopica* (L.) N. E. Br.  
*Anthoxanthum aristatum* Boiss.  
*Anthoxanthum aristatum* Boiss.  
*Anthriscus caucalis* Bieb.  
*Micropates orontium* (L.) Raf.  
*Apianes microcarpa* (Boiss. et Reut.) Rothm.  
*Apium leptophyllum* (Pers.) Muell. ex Benth.  
*Apollonia barbujana* (Cav. Bornm. ssp. *ceballosi* (Svent.) Kunk.  
*Apollonia barbujana* (Cav.) Bornm.  
*Apollonia barbujana* (Cav.) Bornm. ssp. *ceballosi* (Svent.) Kunk.

- Arabis albida* Stev.  
*Arbutus callicarpa* Brouss. ex Buch  
*Arbutus proceria* Ait.  
*Arceuthobium oxycedri* auct. azor., non (DC.) Bieb.  
*Arctotis grandis* Thunb.  
*Ardisia bahamensis* (Gaertn.) DC.  
*Arenaria gorgonea* Schmidt  
*Arenaria serpyllifolia* L. ssp. *leptoclados* (Rchb.) Oborny  
*Arenaria serpyllifolia* L. ssp. *tenuior* (Mert. et Koch) Arcang.  
*Argemone ochroleuca* Sweet  
*Argyranthemum anethifolium* Webb  
*Argyranthemum frutescens* (L.) Sch. Bip. var. *crithmifolium* Pit. et Pr.  
*Argyranthemum jacobaeifolium* Sch. Bip.  
*Argyranthemum ochroleucum* Webb ex Sch. Bip.  
*Argyranthemum pinnatifidum* Webb, non Lowe  
*Argyranthemum pumilum* (Humphr.) Kunk.  
*Argyranthemum webbii* Pit. et Pr., non Sch. Bip.  
*Arisarum azoricum* Schott  
*Arisarum subexsertum* Webb et Berth.  
*Aristida caerulescens* Desf.  
*Aristida concinna* Sonder ex Schmidt  
*Aristida papposa* Trin. et Rupr.  
*Aristida paradoxa* Steud. ex Schmidt  
*Armeria maritima* (Mill.) Willd. ssp. *maderensis* (Lowe) Bern.  
*Arnebia cornuta* (Led.) Fisch. et Mey.  
*Arcoides aethiopicum* (L.) O. Kuntze  
*Artemesia canariensis* (Bess.) Less.  
*Artemesia hispanica* Lam. var. *reptans* (Chr. Sm. in Buch) Sch. Bip.  
*Arthraxon schmidtii* Hochst.  
*Arthrochortus loliaceus* Lowe  
*Arthrocneum fruticosum* (L.) Moq.  
*Arthrocneum perenne* (Mill.) Moes.  
*Arthrobium ebracteatum* (Brot.) DC.  
*Arthrostachya coarctata* Link  
*Arum canariense* Webb et Berth.  
*Asparagus albus* auct. canar., non L.  
*Asparagus draco* L.  
*Asparagus equisetifolius* Ledru  
*Asparagus exaltatus* Chr. Sm. ex Link in Buch  
*Asparagus horridus* L. fil.  
*Asparagus lowei* Kunth  
*Asparagus medeoloides* Thunb.
- Arabis caucasica* Schlechtend.  
*Arbutus canariensis* Veill.  
*Arbutus canariensis* Veill.  
*Arceuthobium azoricum* Hawksworth et Wiens  
*Arctotis stoechadifolia* Berg.  
*Heberdenia excelsa* (Ait.) Banks ex DC.  
*Arenaria leptoclados* (Rchb.) Guss.  
*Arenaria leptoclados* (Rchb.) Guss.  
*Arenaria leptoclados* (Rchb.) Guss.  
*Argemone mexicana* L. var. *ochroleuca* (Sweet) Lindl.  
*Argyranthemum tenerifae* Humphr.  
*Argyranthemum frutescens* (L.) Sch. Bip. ssp. *succulentum* Humphr.  
*Argyranthemum adauctum* (Link) Humphr. ssp. *jacobaeifolium* (Sch. Bip.) Humphr.  
*Argyranthemum maderense* (D. Don) Humphr.  
*Argyranthemum dissectum* (Lowe) Lowe & *Argyranthemum webbii* Sch. Bip.  
*Argyranthemum frutescens* (L.) Sch. Bip. ssp. *pumilum* Humphr.  
*Argyranthemum haouarytheum* Humphr. et Bramw.  
*Arisarum vulgare* Targ.-Tozz.  
*Arisarum vulgare* Targ.-Tozz. ssp. *subexsertum* (Webb et Berth.) Kunk.  
*Aristida adscensionis* L.  
*Stipagrostis uniplumis* (Licht.) de Winter  
*Stipagrostis uniplumis* (Licht.) de Winter  
*Aristida funiculata* Trin. et Rupr.  
*Armeria maderensis* Lowe  
*Arnebia decumbens* (Vent.) Coss. et Kralik  
*Zantedeschia aethiopica* (L.) Spreng.  
*Artemesia thuscula* Cav.  
*Artemesia reptans* Chr. Sm. in Buch  
*Arthraxon lancifolius* (Trin.) Hochst.  
*Lolium lowei* Mnzs.  
*Sarcocornia fruticosa* (L.) A. J. Scott  
*Sarcocornia perennis* (Mill.) A. J. Scott  
*Ornithopus pinnatus* (Mill.) Druce  
*Gaudinia coarctata* (Link) Dur. et Schinz  
*Arum italicum* Mill.  
*Asparagus arborescens* Webb et Berth.  
*Dracaena draco* (L.) L.  
*Asparagus arborescens* Willd.  
*Asperagus scoparius* Lowe  
*Asparagus stipularis* Forssk.  
*Asparagus umbellatus* Link  
*Asparagus asparagoides* (L.) W. F. Wight

- Asparagus retrofractus* Chr. Sm.  
*Asparagus scaber* Lowe  
*Asparagus scoparius* Lowe var. *plocamoides* (Webb) Bolle  
*Asparagus stipularis* Brunner, non Forssk.  
*Asparagus vicentinus* Welw. ex Cout.  
*Asphodelus intermedius* Hornem.  
*Asphodelus microcarpus* Salm. et Viv.  
*Asphodelus ramosus* Desf.  
*Aspidium aculeatum* Sw. p.p.  
*Aspidium affine* Lowe  
*Aspidium angulare* Kit. ex Willd.  
*Aspidium canariense* A. Br.  
*Aspidium elongatum* (Ait.) Sw.  
*Aspidium frondosum* Lowe  
*Aspidium frondosum* Lowe var. *subbipinnatum* Moore ex Milde  
*Aspidium molle* auct.  
*Aspidium webbianum* A. Br.  
*Asplenium acutum* Bory  
*Asplenium adiantoides* Lam.  
*Asplenium adiantum-nigrum* L. var. *acutum* (Borg) Mnzs.  
*Asplenium adiantum-nigrum* L. ssp. *onopteris* (L.) C. Chr.  
*Asplenium axillare* J. E. Sm.  
*Asplenium canariense* Willd.  
*Asplenium furcatum* Thunb.  
*Asplenium × juncinoides* D. E. Meyer  
*Asplenium lanceolatum* Huds. s.str., non Forssk.  
*Asplenium lanceolatum* Huds. var. *obovatum* (Viv.) Cout.  
*Asplenium monanthes* L. fil. ex Murr.  
*Asplenium × newmanii* Bolle  
*Asplenium obovatum* Viv. ssp. *lanceolatum* P. Silva  
*Asplenium palmatum* Lam.  
*Asplenium praemorsum* Sw.  
*Asplenium productum* Lowe  
*Asplenium scolopendrium* L.  
*Asplenium trichomanes* L. var. *anceps* (Buch) Romariz  
*Asplenium trichomanes* L. f. *atlantidis* Bolle  
*xAsplenoceterach newmanii* (Bolle) D. E. Meyer  
*Asteriscus spinosus* (L.) Sch. Bip.  
*Asterolinon serpyllifolium* Ball  
*Asterolinon stellatum* (L.) Hoffm. et Link  
*Astragalus cruciatus* auct. canar., non Link  
*Astragalus prolixus* (Sieb.) Cout.  
*Astydamia canariensis* DC.  
*Asystasia coromandeliana* Nees  
*Asparagus arborescens* Willd.  
*Asparagus umbellatus* Link  
*Asparagus plocamoides* Webb ex Svent.  
*Asparagus scoparius* Lowe  
*Asparagus scoparius* Lowe  
*Asphodelus fistulosus* L.  
*Asphodelus aestivus* Brot.  
*Asphodelus aestivus* Brot.  
*Polystichum setiferum* (Forssk.) Woynar  
*Dryopteris affinis* (Lowe) Fr.-Jenk.  
*Polystichum setiferum* (Forssk.) Woynar  
*Dryopteris oligodonta* (Desv.) Pic.-Serm.  
*Dryopteris aitoniana* Pic.-Serm.  
*Polystichum webbianum* (A. Br.) C. Chr.  
*Polystichum falcatum* x *setiferum*  
*Christella dentata* (Forssk.) Brownsey et Jeremy  
*Polystichum webbianum* (A. Br.) C. Chr.  
*Asplenium onopteris* L.  
*Asplenium aethiopicum* (Burm. fil.) Becherer  
*Asplenium onopteris* L.  
*Asplenium onopteris* L.  
*Diplazium caudatum* (Cav.) Jeremy  
*Asplenium aethiopicum* (Burm. fil.) Becherer  
*Asplenium aethiopicum* (Burm. fil.) Becherer  
*Asplenium obovatum* x *onopteris*  
*Asplenium billotii* F. W. Schultz  
*Asplenium obovatum* Viv.  
*Asplenium monanthes* L.  
*Asplenium anceps* x *Ceterach aureum*  
*Asplenium billotii* F. W. Schultz  
*Asplenium hemionitis* L.  
*Asplenium aethiopicum* (Burm. fil.) Becherer  
*Asplenium onopteris* L.  
*Phyllitis scolopendrium* (L.) Newm.  
*Asplenium anceps* Lowe  
*Asplenium anceps* Lowe  
*Asplenium anceps* x *Ceterach aureum*  
*Pallenis spinosa* (L.) Cass.  
*Asterolinon linum-stellatum* (L.) Duby  
*Asterolinon linum-stellatum* (L.) Duby  
*Astragalus polyactinus* Boiss.  
*Astragalus vogelii* (Webb) Hutch. et Dalz.  
*Astydamia latifolia* (L. fil.) Baill.  
*Asystasia gangetica* (L.) T. Anders.

*Atalanthus pinnatus* (L.fil.) D. Don  
*Athalum spinosum* (L.) O. Kuntze  
*Athamantha cervariaefolia* (DC.) DC.  
*Athamantha maxima* Choisy  
*Athyrium azoricum* Féé  
*Athyrium umbrosum* (Ait.) C. Presl  
*Atriplex hastata* auct., et L.p.p.  
*Atriplex laciniata* auct. canar., non L.  
*Atriplex parvifolia* Lowe  
*Atriplex triangularis* Willd.  
*Atropa aristata* (Ait.) Poir.  
*Atropa frutescens* L.  
*Avena alba* Vahl  
*Avena fatua* auct. macar., non L.  
*Avena geminiflora* Kunth  
*Avena ludoviciana* Dur.  
*Avena marginata* Lowe  
*Avenochloa sulcata* (Gay) Holub

## B

*Balatium culcita* (L'Hér.) Kauffm.  
*Barbarea praecox* (Sm.) R. Br.  
*Barkhausia comata* Lowe  
*Barkhausia divaricata* Lowe  
*Barkhausia divaricata* Lowe var. *pumila* Lowe  
*Barlia longebracteata* auct. canar., non (Biv.) Schlecht.  
*Barlia robertiana* auct. canar., non (Loisel.) Greuter  
*Bartlingia scoparia* Rchb.  
*Bartsia trixago* L.  
*Bartsia viscosa* L.  
*Basella cordifolia* Lam.  
*Bassia tomentosa* (Lowe) Maire et Weill.  
*Batatas edulis* Choisy  
*Bellardia viscosa* (L.) Fisch. et Mey.  
*Bencomia maderensis* Bornm.  
*Bencomia moquiniana* Webb et Berth.  
*Berberis lycioides* Lowe, non Staff  
*Beta bourgeaui* Coss.  
*Beta hastata* Link in Buch  
*Beta patellaris* Moq.  
*Beta procumbens* Chr. Sm. ex Hornem.  
*Beta pumila* Link in Buch

*Taeckholmia pinnata* (L.fil.) Boulos  
*Pallenis spinosa* (L.) Cass.  
*Tinguarra cervariaefolia* (DC.) Parl.  
*Tinguarra cervariaefolia* (DC.) Parl.  
*Diplazium caudatum* (Cav.) Jermy  
*Diplazium caudatum* (Cav.) Jermy  
*Atriplex prostrata* Bouch. ex DC.  
*Atriplex glauca* L. var. *ifniensis* (Cav.) Maire  
*Atriplex glauca* L. var. *ifniensis* (Cav.) Maire  
*Atriplex prostrata* Bouch. ex DC.  
*Withania aristata* (Ait.) Pauq.  
*Withania frutescens* (L.) Pauq.  
*Avena barbata* Pott ex Link  
*Avena occidentalis* Dur.  
*Gaudinia coarctata* (Link) Dur. et Schinz  
*Avena trichophylla* C. Koch  
*Avenula marginata* (Lowe) Holub  
*Avenula marginata* (Lowe) Holub

*Culcita macrocarpa* C. Presl  
*Barbarea verna* (Mill.) Asch.  
*Crepis vesicaria* L. sep. *andryaloides* (Lowe) Babc.  
*Crepis divaricata* (Lowe) F. W. Schultz  
*Crepis noronhaea* Babc.  
*Barlia mettlesicsiana* Teschner  
*Barlia mettlesicsiana* Teschner  
*Flocama pendula* Ait.  
*Bellardia trixago* (L.) All.  
*Parentucellia viscosa* (L.) Caruel  
*Basella alba* L.  
*Chenopodium tomentosa* (Lowe) Botsch.  
*Ipomoea batatas* (L.) Lam.  
*Parentucellia viscosa* (L.) Caruel  
*Marcetella maderensis* (Bornm.) Svent.  
*Marcetella moquiniana* (Webb et Berth.) Svent.  
*Berberis maderensis* Lowe  
*Beta macrocarpa* Guss.  
*Patellifolia webbiana* (Moq.) S., F.-L. et W.  
*Patellifolia patellaris* (Moq.) S., F.-L. et W.  
*Patellifolia procumbens* (Chr. Sm. ex Hornem.) S., F.-L. et W.  
*Patellifolia webbiana* (Moq.) S., F.-L. et W.

- Beta vulgaris* L. ssp. *maritima* (L.) Arcang.  
*Beta webbiana* Moq.  
*Bethencourtia palmensis* (Chr. Sm.) Choisy  
*Bifora dicoccia* Hoffm.  
*Bignonia unguis-cati* L.  
*Blechnum boreale* Sw.  
*Boerhavia adscendens* Willd.  
*Boerhavia paniculata* Webb  
*Boerhavia viscosa* Lag. et Rodr.  
*Bolboschoenus grandispicus* (Steud.) Lewej. et Lobin  
*Bolboschoenus maritimus* (L.) Palla  
*Borreria kohautiana* Cham. et Schl.  
*Bosseaceae*  
*Botriochloa intermedia* (R. Br.) A. Camus  
 var. *acidula* (Stapf) C. E. Hubb.  
*Boussingaultia baselloides* auct., non HBK.  
*Boussingaultia cordifolia* Ten.  
*Bowlesia glandulosa* (Poir.) O. Kuntze  
*Bowlesia oppositifolia* Buch  
*Brachypodium distachy whole* (Hasselq. ex L.) PB.  
*Brassica palmensis* O. Kuntze  
*Brevipodium sylvaticum* (Huds.) A. et D. Löve  
*Breweria scoparia* (L.fil.) Lindl.  
*Breweria suffruticosa* Schinz  
*Bromus catharticus* Vahl  
*Bromus gussonei* Parl.  
*Bromus maximus* Desf.  
*Bromus molliformis* Lloyd  
*Bromus mollis* L.  
*Bromus mollis* auct. mad.  
*Bromus unioloides* (Willd.) Raepail, non HBK.  
*Brunella*  
*Bryonia hederifolia* Jacq.  
*Bryonia latebrosa* Webb et Berth.  
*Bryophyllum calycinum* Salisb.  
*Bucephalophora aculeata* (L.) Pau  
*Bufonia paniculata* Dub. ssp. *teneriffae* (Christ) Kunk.  
*Bufonia teneriffae* (Christ) Kunk.  
*Buphthalmum sericeum* L.fil.  
*Buphthalmum spinosum* L.  
*Buphthalmum stemophyllum* Link in Buch  
*Bupleurum aciphyllum* Webb ex Parl.  
*Bupleurum canescens* auct. canar., non Schousb.  
*Beta maritima* L.  
*Patellifolia webbiana* (Moq.) S., F.-L. et W.  
*Senecio palmensis* (Chr. Sm.) Link  
*Bifora testiculata* (L.) Roth  
*Macfadyena unguis-cati* (L.) A. Gentry  
*Blechnum spicant* (L.) Roth  
*Boerhavia diffusa* L.  
*Boerhavia diffusa* L.  
*Boerhavia caribaea* Jacq.  
*Scirpus grandispicus* (Steud.) Berh.  
*Scirpus maritimus* L.  
*Borreria verticillata* (L.) G. F. Mey.  
*Amaranthaceae*  
*Botriochloa bladhii* (Retz.) S. T. Blake  
*Anredera cordifolia* (Ten.) Steenis  
*Anredera cordifolia* (Ten.) Steenis  
*Drusa glandulosa* (Poir.) Bornm.  
*Drusa glandulosa* (Poir.) Bornm.  
*Trachynia distachya* (Hasselq. ex L.) Link  
*Sinapis pubescens* L.  
*Brachypodium sylvaticum* (Huds.) PB.  
*Convolvulus scoparius* L.fil.  
*Bonamia suffruticosa* (Schinz) Burtt-Davy  
*Bromus willdenowii* Kunth  
*Bromus diandrus* Roth  
*Bromus rigidus* Roth  
*Bromus hordeaceus* L. ssp. *molliformis* (Lloyd) Maire  
*Bromus hordeaceus* L.  
*Bromus hordeaceus* L. ssp. *molliformis* (Lloyd) Maire  
*Bromus willdenowii* Kunth  
*Prunella*  
*Bryonia verrucosa* Dryand.  
*Bryonia verrucosa* Dryand.  
*Bryophyllum pinnatum* (Lam.) Oken  
*Rumex bucephalophorus* L.  
*Bufonia paniculata* Dub.  
*Bufonia paniculata* Dub.  
*Asteriscus sericeus* (L.fil.) DC.  
*Pallenia spinosa* (L.) Cass.  
*Asteriscus stemophyllum* (Link in Buch) O. Kuntze  
*Bupleurum salicifolium* R. Br. in Buch ssp. *aciphyllum*  
 (Webb ex Parl.) Sund. et Kunk.  
*Bupleurum handense* (Bolle) Kunk.

<i>Bupleurum canescens</i> Schousb. var. <i>handiense</i> (Bolle) Lens, nom. inval.	<i>Bupleurum handiense</i> (Bolle) Kunk.
<i>Bupleurum glaucum</i> Rob. et Cast. ex DC.	<i>Bupleurum semicompositum</i> L.
<i>Bupleurum protractum</i> Hoffm. et Link	<i>Bupleurum lancifolium</i> Hornem.
<i>Bupleurum subobovatum</i> Link ex Spreng.	<i>Bupleurum lancifolium</i> Hornem.
<i>Bystropogon meridiani</i> Bolle	<i>Bystropogon canariensis</i> (L.) L'Hér.
<i>Bystropogon piperitus</i> Lowe	<i>Bystropogon maderensis</i> Webb
<i>Bystropogon plumosus</i> (L.fil.) L'Hér. var. <i>ferrensis</i> Ceb. et Ort.	<i>Bystropogon organifolius</i> L'Hér. var. <i>ferrensis</i> (Ceb. et Ort.) La Serna
<i>Bystropogon serrulatus</i> Webb et Berth.	<i>Bystropogon canariensis</i> (L.) L'Hér.
<i>Bystropogon smithii</i> Webb	<i>Bystropogon canariensis</i> (L.) L'Hér. var. <i>smithianus</i> Christ

## C

<i>Cacalia appendiculata</i> L.fil.	<i>Pericallis appendiculata</i> (L.fil.) B. Nord.
<i>Cacalia echinata</i> L.fil.	<i>Pericallis echinata</i> (L.fil.) B. Nord.
<i>Cacalia kleinia</i> L.	<i>Kleinia nerifolia</i> Haw.
<i>Caesalpinia crista</i> L.	<i>Caesalpinia bonduc</i> (L.) Roxb.
<i>Cailliea glomerata</i> (Forssk.) Macbride	<i>Dichrostachys glomerata</i> (Forssk.) Chiov.
<i>Callianassa canariensis</i> (L.) Webb et Berth.	<i>Isoplexis canariensis</i> (L.) Loud.
<i>Callianassa isabelliana</i> Webb et Berth.	<i>Isoplexis isabelliana</i> (Webb et Berth.) Masf.
<i>Callianassa sceptrum</i> (L.fil.) Webb	<i>Isoplexis sceptrum</i> (L.fil.) Loud.
<i>Callitricha brutia</i> Pet.	<i>Callitricha deflexa</i> A. Br.
<i>Calodonta azorica</i> Nutt.	<i>Tolpis azorica</i> (Nutt.) P. Silva
<i>Calonyction muricatum</i> (L.) G. Don	<i>Ipomoea muricata</i> (L.) Cav.
<i>Camara aculeata</i> (L.) O. Kuntze	<i>Lantana camara</i> L.
<i>Campanopsis lobelioides</i> (L.fil.) O. Kuntze	<i>Wahlenbergia lobelioides</i> (L.fil.) A. DC.
<i>Campanula aurea</i> L.fil.	<i>Musschia aurea</i> (L.fil.) Dumort.
<i>Campanula bravensis</i> (Bolle) Chev.	<i>Campanula jacobaea</i> Chr. Sm. ex Webb in Hook.
<i>Campanula jacobaea</i> Chr. Sm. ex Webb in Hook. var. <i>bravensis</i> Bolle	<i>Campanula jacobaea</i> Chr. Sm. ex Webb in Hook.
<i>Campanula vidalii</i> Wats.	<i>Azorina vidalii</i> (Wats.) Peer
<i>Campe verna</i> (Mill.) Heller	<i>Barbarea verna</i> (Mill.) Asch.
<i>Campylanthus benthami</i> Webb	<i>Campylanthus glaber</i> Benth. in DC.
<i>Campylanthus salsoloides</i> auct. <i>cabooverd.</i> , non (L.fil.) Roth	<i>Campylanthus glaber</i> Benth. in DC.
<i>Canarina campanula</i> L.	<i>Canarina canariensis</i> (L.) Vatke
<i>Capsella procumbens</i> (L.) Fr.	<i>Hymenolobus procumbens</i> (L.) Nutt. ex Torr. et Gray
<i>Capsicum microcarpum</i> DC.	<i>Capsicum baccatum</i> L.
<i>Cardiospermum microcarpum</i> Kunth	<i>Cardiospermum halicacabum</i> L. var. <i>microcarpum</i> (Kunth) Blume
<i>Carduus baeticus</i> Webb var. <i>bourgeauanus</i> Bolle	<i>Carduus bourgeaui</i> Kazmi
<i>Carduus bourgeauanus</i> (Bolle) Sch. Bip.	<i>Carduus bourgeaui</i> Kazmi
<i>Carduus corsicus</i> Sch. Bip. in Webb et Berth.	<i>Carduus clavulatus</i> Link
<i>Carex azorica</i> Gay	<i>Carex pilulifera</i> L.
<i>Carex bullockiana</i> Nelmes	<i>Carex divulsa</i> Stokes
<i>Carex decipiens</i> auct., non Gay	<i>Carex peregrina</i> Link

- Carex diandra* auct. canar., non Schrank  
*Carex elata* Lowe, non All.  
*Carex guthnickiana* Gay  
*Carex laevicaulis* Hochst. ex Kunze  
*Carex leporina* L. p.p. emend. Leers  
*Carex moniziana* Lowe  
*Carex muricata* auct. macar.  
*Carex myosuroides* Lowe  
*Carex polyphylla* Kar. et Kir.  
*Carex pulchella* (Lönnr.) Lindm.  
*Carex rigidifolia* Hochst. ex Seub.  
*Carex sagittifera* Lowe  
*Carex scandinavica* E. W. Davies  
*Carex teretiuscula* auct. canar., non Good.  
*Carlina salicifolia* (L.fil.) Cav. ssp. *lancerottensis* Kunk.  
*Carlowitzia salicifolia* (L.fil.) Moench  
*Carrichtera vellaea* DC.  
*Carthamus caeruleus* L.  
*Cassia obovata* Coll.  
*Cassia tora* L.  
*Catapodium tubulosum* Moris  
*Catha cassinoidea* (L'Hér.) Webb et Berth.  
*Catha dryandri* Lowe  
*Caylusea canescens* (L.) St.-Hil.  
*Cedronella triphylla* Moench  
*Celastrus cassinoidea* L'Hér.  
*Celastrus senegalensis* Lam.  
*Celastrus umbellatus* R. Br. in Buch  
*Celsia betonicifolia* Webb, non Desf.  
*Celsia cretica* L.  
*Celsia cystolithica* B. Petters.  
*Celsia insularis* Murb.  
*Cenchrus tribuloides* L.  
*Centaurea arborea* Webb  
*Centaurea arbutilolia* Svent.  
*Centaurea arguta* Nees  
*Centaurea bolleana* (Sch. Bip.) Lind.  
*Centaurea bollei* Sch. Bip. ex Bolle  
*Centaurea canariensis* Brouss. ex Willd.  
*Centaurea canariensis* Brouss. ex Willd.  
 var. *subexpinnata* Burch.  
*Centaurea cynaroidea* Chr. Sm. in Buch  
*Centaurea duranii* Burch.  
*Centaurea falcisecta* Svent., pro syn.  
*Carex divulsa* Stokes  
*Carex lowei* Becherer  
*Carex peregrina* Link  
*Carex punctata* Gaud. var. *laevicaulis* (Hochst.) Boott  
*Carex ovalis* Good.  
*Carex divisa* Huds.  
*Carex pairae* F. W. Schultz  
*Carex pendula* Huds.  
*Carex pairae* F. W. Schultz  
*Carex cederi* Retz. ssp. *pulchella* Lönnr.  
*Carex hochstetterana* Gay ex Seub.  
*Carex peregrina* Link  
*Carex cederi* Retz. ssp. *pulchella* Lönnr.  
*Carex divulsa* Stokes  
*Carlina salicifolia* (L.fil.) Cav. var. *inermis* Lowe  
*Carlina salicifolia* (L.fil.) Cav.  
*Carrichtera annua* (L.) DC.  
*Carduncellus caeruleus* (L.) C. Presl  
*Cassia italicica* (Mill.) Lam.  
*Cassia obtusifolia* L.  
*Castellia tuberculosa* (Moris) Bor  
*Maytenus canariensis* (Loes.) Kunk. et Sund.  
*Maytenus umbellata* (R. Br.) Mabb.  
*Caylusea hexagyna* (Forssk.) M. L. Green  
*Cedronella canariensis* (L.) Webb et Berth.  
*Maytenus canariensis* (Loes.) Kunk. et Sund.  
*Gymnosporia senegalensis* (Lam.) Loes.  
*Maytenus umbellata* (R. Br.) Mabb.  
*Verbascum capitis-viridis* Hub.-Mor.  
*Verbascum creticum* (L.) Cav.  
*Verbascum cystolithicum* (B. Petters.) Hub.-Mor.  
*Verbascum capitis-viridis* Hub.-Mor.  
*Cenchrus incertus* Curtis  
*Cheirolophus arboreus* (Webb) Holub  
*Cheirolophus arbutilolius* (Svent.) Kunk.  
*Cheirolophus teydis* (Chr. Sm. in Buch) G. López  
*Voluntaria bollei* (Sch. Bip. ex Bolle) A. Hans. et Kunk.  
*Voluntaria bollei* (Sch. Bip. ex Bolle) A. Hans. et Kunk.  
*Cheirolophus canariensis* (Brouss. ex Willd.) Holub  
*Cheirolophus canariensis* (Brouss. ex Willd.) Holub  
 var. *subexpinnatus* (Burch.) A. Hans. et Sund.  
*Stemmacantha cynaroidea* (Chr. Sm. in Buch) Dittrich  
*Cheirolophus duranii* (Burch.) Holub  
*Cheirolophus falcisectus* Svent. ex Montelongo et Moraleda

- Centaurea ghomeryta* Svent.  
*Centaurea ghomeryta* Svent. var. *integrifolia* Svent.  
  
*Centaurea junoniana* Svent.  
*Centaurea junoniana* Svent. var. *isoplexisphylla* Svent.  
  
*Centaurea lippii* L.  
*Centaurea massonica* Lowe  
*Centaurea salmantica* L.  
*Centaurea sataratensis* Svent.  
*Centaurea sataratensis* Svent. sep. *dariasi* Svent.  
*Centaurea sventenii* Santos  
*Centaurea tagananensis* Svent.  
*Centaurea teydis* Chr. Sm. in Buch  
*Centaurea webbiana* Sch. Bip.  
*Centaurium pulchellum* (Sw.) Druce ssp. *viridense* (Bolle) Chev.  
  
*Centeurium scilloides* (L.fil.) Samp. ssp. *massonii* (Sw.) Palh.  
*Centranthus sibthorpii* auct. azor.  
*Cerastium caespitoseum* Gilib.  
*Cerastium holostecoides* Fr.  
*Cerastium tetrandrūm* Curtis  
*Cerastium viscosum* auct., non L.  
*Cerastium vulgatum* L.  
*Cerasus lusitanica* (L.) Lois.  
*Ceratochloa unioloides* (Willd.) PB.  
*Ceterach officinarum* auct. macar., non DC.  
*Ceterach officinarum* DC. var. *aureum* (Cav.) Mnzs.  
*Chaenostoma canariense* (Webb et Berth.) Wettst.  
*Chamaecytisus palmensis* (Christ) Bramw.  
  
*Chamaedryfolia angustifolia* (Retz.) O. Kuntze  
*Chamaesyce hirta* (L.) Millsp.  
*Chamaesyce hypericifolia* (L.) Millsp.  
*Chamaesyce hyssopifolia* (L.) Small  
*Cheilanthes corsica* Reichst. et Vida  
*Cheilanthes fragrans* (L.fil.) Sw. var. *gennarii* Fiori  
*Cheilanthes fragrans* (L.fil.) Sw. ssp. *maderensis* (Lowe) Benl  
*Cheilanthes x insularis* Rasb. et Reichst.  
*Cheilanthes pteridoides* (Reich.) C. Chr. p.p.  
*Cheilanthes sventenii* Benl  
*Cheilanthes x teneriffae* Rasb. et Reichst.  
*Cheilanthes velutina* (Ait.) Copel.  
*Cheiranthes arbusculus* Lowe  
*Cheiranthes bicolor* Hornem.
- Cheirolophus ghomerytus* (Svent.) Holub  
*Cheirolophus ghomerytus* (Svent.) Holub var. *integrifolius* (Svent.) Kunk.  
  
*Cheirolophus junonianus* (Svent.) Holub  
*Cheirolophus junonianus* (Svent.) Holub var. *isoplexisphyllus* (Svent.) Kunk.  
  
*Volutaria lippii* (L.) Cass.  
*Cheirolophus massonianus* (Lowe) A. Hans. et Sund.  
*Mantisalca salmantica* (L.) Briq. et Cavill.  
*Cheirolophus sataratensis* (Svent.) Holub  
*Cheirolophus sataratensis* (Svent.) Holub ssp. *dariasi* (Svent.) Kunk.  
*Cheirolophus sventenii* (Santos) Kunk.  
*Cheirolophus tagananensis* (Svent.) Holub  
*Cheirolophus teydis* (Chr. Sm. in Buch) G. López  
*Cheirolophus webbianus* (Sch. Bip.) Holub  
*Centaurium tenuiflorum* (Hoffm. et Link) Fritsch ssp. *viridense* (Bolle) A. Hans. et Sund.  
  
*Centaurium scilloides* (L.fil.) Samp.  
*Centranthus ruber* (L.) DC.  
*Cerastium fontanum* Baumg. ssp. *vulgare* (Hartm.) Greuter et Burd.  
*Cerastium fontanum* Baumg. ssp. *vulgare* (Hartm.) Greuter et Burd.  
*Cerastium diffusum* Pers.  
*Cerastium glomeratum* Thuill.  
*Cerastium fontanum* Baumg. ssp. *vulgare* (Hartm.) Greuter et Burd.  
*Prunus lusitanica* L.  
*Bromus willdenowii* Kunth  
*Ceterach aureum* (Cav.) Buch var. *parvifelium* Benl et Kunk.  
*Ceterach aureum* (Cav.) Buch  
*Sutera canariensis* (Webb et Berth.) Sund. et Kunk.  
*Chamaecytisus proliferus* (L.fil.) Link var. *palmensis* (Christ) A. Hans. et Sund.  
  
*Forskaea angustifolia* Retz.  
*Euphorbia hirta* L.  
*Euphorbia hypericifolia* L.  
*Euphorbia hyssopifolia* L.  
*Cheilanthes tinaei* Todaro  
*Cheilanthes guanchica* Bolle  
*Cheilanthes maderensis* Lowe  
*Cheilanthes guanchica* x *tinaei*  
*Cheilanthes maderensis* Lowe  
*Cheilanthes guanchica* Bolle  
*Cheilanthes maderensis* x *pulchella*  
*Cheilanthes catanensis* (Cos.) H. P. Fuchs  
*Erysimum arbucula* (Lowe) Snog.  
*Erysimum bicolor* (Hornem.) DC.

- Cheiranthes caboverdeanus* (Chev.) Fern.  
*Cheiranthes cinereus* (Poir.) Webb et Berth.  
*Cheiranthes dentatus* Lowe  
*Cheiranthes mutabilis* L'Hér.  
*Cheiranthes scoparius* Brouss. ex Willd.  
*Cheiranthes tenuifolius* L'Hér.  
*Cheiranthes virescens* Webb ex Christ  
*Cheirolophus argutus* (Nees) Holub  
*Chenolea canariensis* Moq.  
*Chenolea lanata* (Masson) Moq. in DC.  
*Chenolea tomentosa* (Lowe) Maire  
*Chlora imperfoliata* L.fil.  
*Chloris barbata* (L.) Sw. var. *meccana* (Hochst.) Asch. et Schweinf.  
*Chloris multiradiata* Hochst.  
*Chloris nigra* Hack.  
*Chondrilla nudicaulis* L.  
*Chrysanthemum anethifolium* (Webb) Masf.  
*Chrysanthemum barretti* Costa  
*Chrysanthemum broussonetii* Pers.  
*Chrysanthemum callichrysum* Svent.  
*Chrysanthemum canariense* (Sch. Bip.) Christ  
*Chrysanthemum coronopifolium* (Willd.) Masf.  
*Chrysanthemum dissectum* Lowe  
*Chrysanthemum dugourii* (Bolle) Christ  
*Chrysanthemum dugourii* (Bolle) Christ ssp. *erythrocarpon* Svent.  
*Chrysanthemum escarrei* Svent.  
*Chrysanthemum ferulaceum* (Webb) Sund.  
*Chrysanthemum ferulaceum* (Webb) Sund. var. *latipinnum* (Svent.) Kunk.  
*Chrysanthemum filifolium* (Sch. Bip.) Christ  
*Chrysanthemum foeniculaceum* (Willd.) Desf.  
*Chrysanthemum frutescens* L.  
*Chrysanthemum frutescens* L. var. *canariae* Christ  
*Chrysanthemum frutescens* L. var. *gracilescens* Christ  
*Chrysanthemum frutescens* L. var. *parviflorum* (Pit. et Pr.) Ceb. et Ort.  
*Chrysanthemum gracile* (Sch. Bip.) Masf.  
*Chrysanthemum grandiflorum* Lep. var. *adauctum* (Link) DC.  
*Chrysanthemum grandiflorum* Lep. var. *coronopifolium* (Willd.) Steud.  
*Chrysanthemum haematomma* Lowe  
*Chrysanthemum jacobaeifolium* (Sch. Bip.) Christ
- Erysimum caboverdeanum* (Chev.) Sund.  
*Erysimum bicolor* (Hornem.) DC.  
*Erysimum bicolor* (Hornem.) DC.  
*Erysimum bicolor* (Hornem.) DC.  
*Erysimum scoparium* (Brouss. ex Willd.) Wettst.  
*Erysimum maderense* Polatschek  
*Erysimum bicolor* (Hornem.) DC.  
*Cheirolophus teydis* (Chr. Sm. in Buch) G. López  
*Chenoleoides tomentosa* (Lowe) Botsch.  
*Chenoleoides tomentosa* (Lowe) Botsch.  
*Chenoleoides tomentosa* (Lowe) Botsch.  
*Blackstonia imperfoliata* (L.fil.) Samp.  
*Chloris virgata* Sw.  
*Chloris pilosa* Schum.  
*Launaea nudicaulis* (L.) Hook.fil.  
*Argyranthemum tenerifae* Humphr.  
*Argyranthemum haematomma* (Lowe) Lowe  
*Argyranthemum broussonetii* (Pers.) Humphr.  
*Argyranthemum callichrysum* (Svent.) Humphr.  
*Argyranthemum adauctum* (Link) Humphr. ssp. *canariense* (Sch. Bip.) Humphr.  
*Argyranthemum coronopifolium* (Willd.) Humphr.  
*Argyranthemum dissectum* (Lowe) Lowe  
*Argyranthemum adauctum* (Link) Humphr. ssp. *dugourii* (Bolle) Humphr.  
*Argyranthemum adauctum* (Link) Humphr. ssp. *erythrocarpon* (Svent.) Humphr.  
*Argyranthemum escarrei* (Svent.) Humphr.  
*Tanacetum ferulaceum* (Webb) Sch. Bip.  
*Tanacetum ferulaceum* (Webb) Sch. Bip. var. *latipinnum* (Svent.) Kunk.  
*Argyranthemum filifolium* (Sch. Bip.) Humphr.  
*Argyranthemum foeniculaceum* (Willd.) Webb ex Sch. Bip.  
*Argyranthemum frutescens* (L.) Sch. Bip.  
*Argyranthemum frutescens* (L.) Sch. Bip. ssp. *canariae* (Christ) Humphr.  
*Argyranthemum frutescens* (L.) Sch. Bip. ssp. *gracilescens* (Christ) Humphr.  
*Argyranthemum frutescens* (L.) Sch. Bip. ssp. *parviflorum* (Pit. et Pr.) Humphr.  
*Argyranthemum gracile* Sch. Bip.  
*Argyranthemum adauctum* (Link) Humphr. ssp. *adauctum*  
*Argyranthemum coronopifolium* (Willd.) Humphr.  
*Argyranthemum haematomma* (Lowe) Lowe  
*Argyranthemum adauctum* (Link) Humphr. ssp. *jacobaeifolium* (Sch. Bip.) Humphr.

- Chrysanthemum lacerum* Desr.  
*Chrysanthemum lacustre* Brot.  
*Chrysanthemum leucanthemum* L.  
*Chrysanthemum maderense* (D. Don) Maf.  
*Chrysanthemum mandonianum* Coss.  
  
*Chrysanthemum myconis* L.  
*Chrysanthemum parthenium* (L.) Bernh.  
*Chrysanthemum perralderi* Christ  
*Chrysanthemum pinnatifidum* L.fil.  
*Chrysanthemum pinnatifidum* L.fil. var. *thalassophilum* Svent.  
*Chrysanthemum ptarmiciflorum* (Webb) Brenan  
*Chrysanthemum thunbergii* Harv.  
*Chrysanthemum webbii* (Sch. Bip.) Maf.  
*Chrysanthemum winteri* Svent.  
*Cichorium divaricatum* Schousb.  
*Cichorium endivia* L. esp. *pumilum* (Jacq.) Hegi  
*Cineraria appendiculata* (L.fil.) Poir.  
*Cineraria aurita* L'Hér.  
*Cineraria bracteata* Chr. Sm. ex Link in Buch  
*Cineraria cruenta* L'Hér.  
*Cineraria lanata* L'Hér.  
*Cineraria malvifolia* L'Hér.  
*Cineraria maritima* L.  
*Cineraria multiflora* L'Hér.  
*Cineraria populifolia* L'Hér.  
*Cineraria ramentosa* L'Hér.  
*Cineraria tussilaginiae* L'Hér.  
*Cirsium syriacum* (L.) Gaertn.  
*Cistanche lutea* (Desf.) Hoffm. et Link  
*Cistus candidissimus* Dunal ex DC.  
*Cistus hirsutus* Lam.  
*Cistus insularis* Willd.  
*Cistus ochreatus* Chr. Sm. ex Link in Buch  
*Cistus vaginatus* Dryand. in Ait.  
*Cistus vaginatus* Dryand. in Ait. var. *hirsutissimus* Willd.  
*Clavena canariensis* DC.  
*Clavena squarrosa* DC.  
*Cleome arabica* L.  
*Cleome gynandra* L.  
*Cleome pentaphylla* L.  
*Clerodendron fallax* Lindl.  
*Cneorum pulverulentum* Vent.  
*Cnicus syriacus* (L.) Roth  
  
*Argyranthemum dissectum* (Lowe) Lowe  
*Leucanthemum lacustre* (Brot.) Samp.  
*Leucanthemum vulgare* Lam.  
*Argyranthemum maderense* (D. Don) Humphr.  
*Argyranthemum pinnatifidum* (L.fil.) Lowe esp. *succulentum*  
(Lowe) Humphr.  
*Coleostephus myconis* (L.) Rchb.fil.  
*Tanacetum parthenium* (L.) Sch. Bip.  
*Argyranthemum adauctum* (Link) Humphr. esp. *adauctum*  
*Argyranthemum pinnatifidum* (L.fil.) Lowe  
*Argyranthemum thalassophilum* (Svent.) Humphr.  
*Tanacetum ptarmiciflorum* (Webb) Sch. Bip.  
*Argyranthemum frutescens* (L.) Sch. Bip.  
*Argyranthemum webbii* Sch. Bip.  
*Argyranthemum winteri* (Svent.) Humphr.  
*Cichorium endivia* L. esp. *divaricatum* (Schousb.) Sell  
*Cichorium endivia* L. esp. *divaricatum* (Schousb.) Sell  
*Pericallis appendiculata* (L.fil.) B. Nord.  
*Pericallis aurita* (L'Hér.) B. Nord.  
*Pericallis echinata* (L.fil.) B. Nord.  
*Pericallis cruenta* (L'Hér.) Bolle  
*Pericallis lanata* (L'Hér.) B. Nord.  
*Pericallis malvifolia* (L'Hér.) B. Nord.  
*Senecio cineraria* DC.  
*Pericallis multiflora* (L'Hér.) B. Nord.  
*Pericallis appendiculata* (L.fil.) B. Nord.  
*Pericallis echinata* (L.fil.) B. Nord.  
*Pericallis tussilaginis* (L'Hér.) D. Don in Sweet  
*Notobasis syriaca* (L.) Cass.  
*Cistanche phelipaeas* (L.) Cout.  
*Cistus symphytifolius* Lam. var. *leucophyllus* (Spach) Dans.  
*Cistus psilosepalus* Sweet  
*Helianthemum canariense* (Jacq.) Pers.  
*Cistus symphytifolius* Lam. var. *leucophyllus* (Spach) Dans.  
*Cistus symphytifolius* Lam.  
*Cistus symphytifolius* Lam. var. *leucophyllus* (Spach) Dans.  
*Carduus clavulatus* Link  
*Carduus squarrosus* (DC.) Lowe  
*Cleome viscosa* L.  
*Gynandropsis gynandra* (L.) Briq.  
*Gynandropsis gynandra* (L.) Briq.  
*Clerodendron speciosissimum* van Geert  
*Neochamaelea pulvraulenta* (Vent.) Erdtm.  
*Notobasis syriaca* (L.) Cass.

- Cocculus leaeba* DC.  
*Colocasia antiquorum* Schott  
*Coccyglochia vulgaris* Schrad.  
*Commelinia agraria* Kunth  
*Commelinia canariensis* Chr. Sm. ex Link in Buch  
*Commelinia canescens* Vahl  
*Commicarpus stellatus* (Wight et Arn.) Berh.  
**Compositae**  
*Consolida ajacis* auct.  
*Convolvulus benehoavensis* Bolle  
*Convolvulus canariensis* L. var. *massonii* (Dietr.) Sa'ad  
*Convolvulus diversifolius* Mend.-Heu.  
*Convolvulus fruticosus* Dear. var. *glandulosus* (Webb) Sa'ad  
*Convolvulus hystrix* auct. canar., non Vahl  
*Convolvulus pannifolius* Ait.  
*Convolvulus rupestris* Buch  
*Convolvulus saxatilis* Salisb. non Vahl  
*Convolvulus sepium* L.  
*Convolvulus solanifolius* Lowe  
*Convolvulus soldanella* L.  
*Convolvulus suffruticosus* Ait.  
*Convolvulus virgatus* (Webb et Berth.) Boiss.  
*Conyza ambigua* DC.  
*Conyza canariensis* Willd.  
*Conyza crispa* (Pourr.) Rupr.  
*Conyza dichotoma* L.fil.  
*Corchorus antichorus* Roensch.  
*Corchorus burmanni* DC.  
*Corchorus quadrangularis* Schmidt  
*Coronilla glauca* L.  
*Courrantia chamomilloides* Sch. Bip. in Webb et Berth.  
*Crambe esculenta* Lam.  
*Crambe vieraiana* Webb  
*Crassula muscosa* (L.) Roth  
*Crepis andryaloides* Lowe  
*Crepis bulbosa* (L.) Tausch  
*Crepis laciniata* Lowe  
*Crepis lowei* Sch. Bip.  
*Crepis lowei* Sch. Bip. var. *canariensis* Sch. Bip.  
*Crepis pectinata* Lowe  
*Crepis taraxacifolia* Thuill.  
*Crepis vesicaria* L. ssp. *taraxacifolia* (Thuill.) Thell.  
*Crithmum latifolium* L.fil.  
*Cocculus pendulus* (Forst.fil.) Diels  
*Colocasia esculenta* (L.) Schott  
*Citrullus colocynthis* (L.) Schrad.  
*Commelina diffusa* Burm.fil.  
*Commelina benghalensis* L.  
*Commelina benghalensis* L.  
*Commicarpus heleneae* (J. A. Schult.) Meikle  
**Asteraceae**  
*Consolida ambigua* (L.) P. W. Bell et Heyw.  
*Genista benehoavensis* (Bolle ex Svent.) Arco  
*Convolvulus massonii* Dietr.  
*Convolvulus volubilis* Link in Buch  
*Convolvulus glandulosus* (Webb) Hallier  
*Convolvulus caput-medusae* Lowe  
*Convolvulus canariensis* L.  
*Convolvulus massonii* Dietr.  
*Convolvulus massonii* Dietr.  
*Calystegia sepium* (L.) R. Br.  
*Convolvulus massonii* Dietr.  
*Calystegia soldanella* (L.) R. Br.  
*Convolvulus massonii* Dietr.  
*Convolvulus floridus* L.fil. var. *virgatus* (Webb et Berth.) Mend.-Heu.  
*Conyza bonariensis* (L.) Cronq.  
*Allagopappus dichotomus* (L.fil.) Cass.  
*Conyza bonariensis* (L.) Cronq.  
*Allagopappus dichotomus* (L.fil.) Cass.  
*Corchorus depressus* (L.) Stocks  
*Corchorus tridens* L.  
*Corchorus trilocularis* L.  
*Coronilla valentina* L. ssp. *glauca* (L.) Batt.  
*Chamomilla recutita* (L.) Rausch.  
*Crambe strigosa* L'Hér.  
*Crambe pritzelii* Bolle  
*Crassula tillaea* Lester-Garland  
*Crepis vesicaria* L. ssp. *andryaloides* (Lowe) Babc.  
*Aethorhiza bulbosa* (L.) Cass.  
*Crepis vesicaria* L. ssp. *haenseleri* (Boiss.) Sell  
*Crepis canariensis* (Sch. Bip.) Babc. & C. *vesicaria* L.  
 ssp. *andryaloides* (Lowe) Babc.  
*Crepis canariensis* (Sch. Bip.) Babc.  
*Tolpis succulenta* (Dryand. in Ait.) Lowe  
*Crepis vesicaria* L. ssp. *haenseleri* (Boiss.) Sell  
*Crepis vesicaria* L. ssp. *haenseleri* (Boiss.) Sell  
*Astydamia latifolia* (L.fil.) Baill.

- Crocosmia x crocosmiflora* (Lem.) N. E. Br.  
*Cruciferae*  
*Cryophytum crystallinum* (L.) N. E. Br.  
*Cryophytum nodiflorum* (L.) Bolus  
*Ctenium rupestre* Schmidt  
*Cucumis ficifolius* A. Rich.  
*Cupularia viscosa* (L.) Gren. et Godr.  
*Cuscuta approximata* Bab. var. *episonchum* (Webb et Berth.)  
    Yuncker  
*Cuscuta calycina* Webb et Berth.  
*Cuscuta epiplocamum* Webb  
*Cuscuta episonchum* Webb  
*Cuscuta notchlaena* Chev., nom. dub.  
*Cutandia dichotoma* (Forssk.) Trab.  
*Cyathea cooperi* (F. v. Muell.) Domin  
*Cyclosorus dentatus* (Forssk.) R. C. Ching  
*Cymodocea preauxiana* Webb et Berth.  
*Cymodocea webbiana* Juss.  
*Cymodoceaceae*  
*Cynara cardunculus* L. var. *horrida* (Ait.) Rouy  
*Cynara horrida* Ait.  
*Cynocrambaceae*  
*Cynocrambe cynocrambe* (L.) Lindinger  
*Cynocrambe prostrata* Gaertn.  
*Cynodon glabratus* Steud.  
*Cynoglossum pictum* Ait.  
*Cynomoriaceae*  
*Cynosurus brizoides* Lowe  
*Cyperus aegyptiacus* Glor.  
*Cyperus aristatus* Rottb.  
*Cyperus badius* Desf.  
*Cyperus cyperoides* (L.) O. Kuntze  
*Cyperus glomeratus* Chr. Sm. ex Link in Buch  
*Cyperus kalli* (Forssk.) Murb.  
*Cyperus ligularis* L.  
*Cyperus longus* L. ssp. *badius* (Desf.) Asch. et Graebn.  
*Cyperus mucronatus* (L.) Mab.  
*Cyperus mundtii* (Nees) Kunth  
*Cyperus paethue* Schmidt, non Kit.  
*Cyperus polystachyus* R. Br.  
*Cyperus rubicundus* Vahl  
*Cyperus sonderi* Schmidt  
*Cyperus subcapitatus* C. B. Clarke  
*Cyperus umbellatus* (Rottb.) C. B. Clarke  
  
*Tritonia x crocosmiflora* (Lem.) Nichols.  
*Brassicaceae*  
*Mesembryanthemum crystallinum* L.  
*Mesembryanthemum nodiflorum* L.  
*Enteropogon rupestris* (Schmidt) Chev.  
*Cucumis anguria* L.  
*Dittrichia viscosa* (L.) Greuter  
*Cuscuta approximata* Bab.  
  
*Cuscuta approximata* Bab.  
*Cuscuta approximata* Bab.  
*Cuscuta approximata* Bab.  
*?Cuscuta approximata* Bab.  
*Cutandia memphitica* (Spreng.) K. Richt.  
*Sphaeropteris cooperi* (F. v. Muell.) Tryon  
*Christella dentata* (Forssk.) Brownsey et Jeremy  
*Cymodocea nodosa* (Ucria) Asch.  
*Cymodocea nodosa* (Ucria) Asch.  
*Zannichelliaceae*  
*Cynara cardunculus* L. var. *ferociissima* Lowe  
*Cynara cardunculus* L. var. *ferociissima* Lowe  
*Theligonaceae*  
*Theligonum cynocrambe* L.  
*Theligonum cynocrambe* L.  
*Cynodon dactylon* (L.) Pers.  
*Cynoglossum creticum* Mill.  
*Balanophoraceae*  
*Cynosurus elegans* Desf.  
*Cyperus capitatus* Vand.  
*Mariscus squarrosus* (L.) C. B. Clarke  
*Cyperus longus* L.  
*Mariscus cyperoides* (L.) Urb.  
*Cyperus teneriffae* Poir.  
*Cyperus capitatus* Vand.  
*Mariscus ligularis* (L.) Urb.  
*Cyperus longus* L.  
*Cyperus capitatus* Vand.  
*Pycreus mundtii* Nees  
*Cyperus cedamostii* Bolle  
*Pycreus polystachyos* (Rottb.) PB.  
*Cyperus teneriffae* Poir.  
*Pycreus polystachyos* (Rottb.) PB.  
*Pycreus polystachyos* (Rottb.) PB. var. *lexiflorus* (Benth.)  
    C. B. Clarke  
*Mariscus umbellatus* (Rottb.) Vahl

- Cystopteris azorica* Pfe  
*Cystopteris canariensis* (Willd.) C. Presl  
*Cystopteris fragilis* (L.) Bernh. var. *canariensis* Willd.  
*Cystopteris fragilis* (L.) Bernh. f. *meridionalis* Henriq.  
*Cystopteris regia* (Sw.) Desv.  
*Cytisus benehovensis* (Bolle ex Svent.) Svent.  
*Cytisus canariensis* (L.) Masf.  
*Cytisus candicans* Holl  
*Cytisus congestus* (Webb et Berth.) Ball  
*Cytisus filipes* Webb  
*Cytisus fragrans* Lam.  
*Cytisus hillebrandtii* Christ  
*Cytisus laxiflorus* (O. Kuntze) Lindinger  
*Cytisus maderensis* (Webb et Berth.) Masf.  
*Cytisus monspessulanus* L.  
*Cytisus nubigenus* (L'Hér.) Link  
*Cytisus paivae* (Lowe) Masf.  
*Cytisus perezii* Hutch.  
*Cytisus × praecox* Bean  
*Cytisus proliferus* L.fil.  
*Cytisus proliferus* L.fil. var. *palmensis* Christ  
*Cytisus proliferus* L.fil. var. *perezii* (Hutch.) Kunk.  
*Cytisus osyroides* Svent.  
*Cytisus ramosissimus* Poir.  
*Cytisus stenopetalus* (Webb et Berth.) Christ  
*Cytisus stenopetalus* (Webb et Berth.) Christ var. *gomerae*  
 Pit. et Pr.  
*Cytisus stenopetalus* (Webb et Berth.) Christ var. *microphyllus*  
 Pit. et Pr.  
*Cytisus supranubius* (L.fil.) O. Kuntze  
*Cytisus tener* Jacq. ex Murr.  
*Cytisus virgatus* (Ait.) Masf., non Salisb., nec Vest.
- Cystopteris diaphana* (Bory) Blaas.  
*Cystopteris diaphana* (Bory) Blaas.  
*Cystopteris diaphana* (Bory) Blaas.  
*Cystopteris diaphana* (Bory) Blaas.  
*Cystopteris diaphana* x *fragilis*  
*Genista benehovensis* (Bolle ex Svent.) Arco  
*Teline canariensis* (L.) Webb et Berth.  
*Teline maderensis* Webb et Berth.  
*Teline microphylla* (DC.) Gibbs et Dingw.  
*Spartocytisus filipes* Webb et Berth.  
*Spartocytisus supranubius* (L.fil.) Webb et Berth.  
*Teline hillebrandtii* (Christ) Kunk.  
*Chamaecytisus proliferus* (L.fil.) Link  
*Teline maderensis* Webb et Berth.  
*Teline monspessulana* (L.) C. Koch  
*Spartocytisus supranubius* (L.fil.) Webb et Berth.  
*Teline maderensis* Webb et Berth. var. *paivae* (Lowe) Arco  
*Chamaecytisus proliferus* (L.fil.) Link var. *perezii* (Hutch.) Kunk.  
*Cytisus multiflorus* x *purgans*  
*Chamaecytisus proliferus* (L.fil.) Link  
*Chamaecytisus proliferus* (L.fil.) Link var. *palmensis* (Christ)  
 A. Hane, et Sund.  
*Chamaecytisus proliferus* (L.fil.) Link var. *perezii* (Hutch.) Kunk.  
*Teline osyroides* (Svent.) Gibbs et Dingw.  
*Teline canariensis* (L.) Webb et Berth.  
*Teline stenopetala* (Webb et Berth.) Webb et Berth.  
*Teline stenopetala* (Webb et Berth.) Webb et Berth. var.  
*microphylla* (Pit. et Pr.) Gibbs et Dingw.  
*Teline stenopetala* (Webb et Berth.) Webb et Berth. var.  
*microphylla* (Pit. et Pr.) Gibbs et Dingw.  
*Spartocytisus supranubius* (L.fil.) Webb et Berth.  
*Genista tenera* (Jacq. ex Murr.) O. Kuntze  
*Genista tenera* (Jacq. ex Murr.) O. Kuntze

## D

- Dactylis canariensis* Nees  
*Dactylis fasciculata* Chr. Sm.  
*Dactylis glomerata* L. sep. *hispanica* auct. mad.  
*Dactylis glomerata* L. sep. *smithii* (Link) Stebb. et Zoh.  
*Dactylis glomerata* L. sep. *smithii* auct. mad.  
*Dactylorhiza foliosa* Verm.  
*Dalechampia senegalensis* A. Juss.  
*Danae androgyna* (L.) Webb et Berth.  
*Danae gayae* Webb
- Dactylis smithii* Link  
*Dactylis smithii* Link  
*Dactylis smithii* Link sep. *hylodes* Parker  
*Dactylis smithii* Link  
*Dactylis smithii* Link sep. *marina* (Borr.) Parker  
*Dactylorhiza foliosa* (Verm.) Soó  
*Dalechampia scandens* L.  
*Semele androgyna* (L.) Kunth  
*Semele gayae* (Webb) Svent. et Kunk.

*Datura metel* auct., non L.  
*Daucus parviflorus* Desf.  
*Delphinium ajacis* auct.  
*Delphinium consolida* auct. azor. et mad.  
*Descurainia briquetii* Pit.  
  
*Desmodium abyssinicum* (Hochst.) Hutch. et Dalz. var.  
 ospriostreblum (Steud.) Chev.  
*Desmophyllum pinnatum* (L.fil.) Webb et Berth.  
*Deyeuxia azorica* Hochst.  
*Deyeuxia caespitosa* Hochst.  
*Dichondra repens* auct.  
*Dichroanthus cinereus* (Poir.) Webb et Berth.  
*Dichroanthus mutabilis* (L'Hér.) Webb et Berth.  
*Dichroanthus scoparius* (Brouss. ex Willd.) Webb et Berth.  
*Dicksonia culcita* L'Hér.  
*Dicliptera micrantha* Nees  
*Dicliptera umbellata* (Vahl) Juss.  
*Diectomis fastigiata* HBK.  
*Digitalis canariensis* L.  
*Digitalis sceptrum* L.  
*Digitaria adscendens* (HBK.) Henr.  
*Digitaria commutata* Schult. et Schult.fil. sep. nodosa  
 (Parl.) Maire  
*Digitaria marginata* Link var. *nubica* Stapf  
*Dioscorea canariensis* Bourg. ex Webb et Berth.  
*Diotis candidissima* Desf.  
*Diotis maritima* (L.) Sm.  
*Dipcadi fulvum* (Cav.) Webb et Berth.  
*Diphasiastrum madeirense* (Wilce) Holub  
*Diplazium allorgei* Tard.-Blot  
*Diplazium axillare* (Ait.) Jeremy  
*Disandra prostrata* L.  
*Dolichos biflorus* L. var. *uniflorus* (Lam.) Chev.  
*Dolichos daltonii* Webb  
*Donia canariensis* Less.  
*Doronicum cruentum* (L'Hér.) Sch. Bip. in Webb et Berth.  
*Doronicum echinatum* (L.fil.) Sch. Bip. in Webb et Berth.  
*Doronicum papyraceum* (DC.) Sch. Bip. in Webb et Berth.  
*Doronicum tussilaginis* (L'Hér.) Sch. Bip. in Webb et Berth.  
*Doronicum webbii* Sch. Bip. in Webb et Berth.  
*Dorotheanthus gramineus* (Haw.) Schwant.  
*Dorycnium broussonetii* (Choisy ex DC.) Webb et Berth.  
*Dorycnium eriophthalmum* Webb et Berth.

*Datura innoxia* Mill.  
*Daucus carote* L.  
*Consolida ambigua* (L.) P. W. Ball et Heyw.  
*Consolida ambigua* (L.) P. W. Ball et Heyw.  
*Descurainia presuxiana* (Webb) O. E. Schulz var. *briquetii*  
 (Pit.) O. E. Schulz  
*Desmodium ospriostreblum* Steud. ex Chiov.  
  
*Ruta pinnata* L.fil.  
*Agrostis castellana* Boiss. et Reut. & A. gracililaxa Franco  
*Agrostis congestiflora* Tutin et Warb.  
*Dichondra micrantha* Urban  
*Erysimum bicolor* (Hornem.) DC.  
*Erysimum bicolor* (Hornem.) DC.  
*Erysimum scorpiarium* (Brouss. ex Willd.) Wettst.  
*Culcita macrocarpa* C. Presl  
*Dicliptera verticillata* (Forssk.) C. Chr.  
*Dicliptera verticillata* (Forssk.) C. Chr.  
*Andropogon fastigiatus* Sw.  
*Isoplexis canariensis* (L.) Loud.  
*Isoplexis sceptrum* (L.) Loud.  
*Digitaria cilialis* (Retz.) Koel.  
*Digitaria nodosa* Parl.  
  
*Digitaria cilialis* (Retz.) Koel.  
*Tamus edulis* Lowe  
*Otanthus maritimus* (L.) Hoffm. et Link  
*Otanthus maritimus* (L.) Hoffm. et Link  
*Dipcadi serotinum* (L.) Med.  
*Diphasium madeirense* (Wilce) Rothm.  
*Deparia petersenii* (Kuntze) M. Kato  
*Diplazium caudatum* (Cav.) Jeremy  
*Sibthorpia peregrina* L.  
*Macrotyloma daltonii* (Webb) Verdc.  
*Macrotyloma daltonii* (Webb) Verdc.  
*Vieraea laevigata* (Brouss. ex Willd.) Webb  
*Pericallis cruenta* (L'Hér.) Bolle  
*Pericallis echinata* (L.fil.) B. Nord.  
*Pericallis papyracea* (DC.) B. Nord.  
*Pericallis tussilaginis* (L'Hér.) D. Don in Sweet  
*Pericallis webbii* (Sch. Bip. in Webb et Berth.) Bolle  
*Cleretum gramineum* (Haw.) N. E. Br.  
*Lotus broussonetii* Choisy ex DC.  
*Lotus eriophthalmus* Webb in Webb et Berth.

- Dorycnium parviflorum* (Desf.) Sér.  
*Dorycnium spectabile* (Choisy ex DC.) Webb et Berth.  
*Dorycnium torulosum* Presl  
*Doxantha unguis-cati* (L.) Rehd.  
*Drusa oppositifolia* DC.  
*Dryopteris africana* (Desv.) C. Chr.  
*Dryopteris borneri* Newm.  
*Dryopteris x cedroensis* Gibby et Widén  
*Dryopteris crenata* (Forssk.) O. Kuntze  
*Dryopteris dentata* (Forssk.) C. Chr.  
*Dryopteris dilatata* auct. mad.  
*Dryopteris elongata* (Ait.) Chev.  
*Dryopteris filix-mas* (L.) Schott var. *affine* (Lowe) Mnzs.  
*Dryopteris x gomerica* Gibby et Widén  
*Dryopteris macaronesica* Romariz  
*Dryopteris oreopteris* (Ehrh.) Maxon  
*Dryopteris pseudomas* (Woll.) Holub et Pouzar  
*Dryopteris thelypteris* (L.) A. Gray  
*Lotus parviflorus* Desf.  
*Lotus spectabilis* Choisy ex DC.  
*Lotus broussonetii* Choisy ex DC.  
*Macfadyena unguis-cati* (L.) A. Gentry  
*Drusa glandulosa* (Poir.) Bornm.  
*Stegnogramma pozoi* (Lag.) K. Iwatsuki  
*Dryopteris affinis* (Lowe) Fr.-Jenk.  
*Dryopteris guanchica* x *oligodonta*  
*Hypodematum crenatum* (Forssk.) Kuhn  
*Christella dentata* (Forssk.) Brownsey et Je.  
*Dryopteris maderensis* Alston  
*Dryopteris oligodonta* (Desv.) Pic.-Serm.  
*Dryopteris affinis* (Lowe) Fr.-Jenk.  
*Dryopteris semula* x *guanchica*  
*Dryopteris aitoniana* Pic.-Serm.  
*Thelypteris limbosperma* (All.) H. P. Fuchs  
*Dryopteris affinis* (Lowe) Fr.-Jenk.  
*Thelypteris palustris* Schott

E

- Echinochloa oryzoides* (Ard.) Fritsch  
*Echinodorus ranunculoides* (L.) Engelm.  
*Echium aculeatum* Poir. var. *leucophaeum* (Webb) Christ  
*Echium ambiguum* DC.  
*Echium arenarium* auct. canar., non Guss.  
*Echium armatum* Chr. Sm.  
*Echium bifrons* Webb et Berth.  
*Echium bifrons* Webb et Berth. var. *hierrense* (Webb ex Bolle)  
Christ  
*Echium bond-spraguei* Sprague et Hutch.  
*Echium bourgeauanum* Webb ex Christ  
*Echium bourgeauanum* Webb ex Coincy  
*Echium bourgeauanum* Webb ex Coincy var. *trichosiphon* Svent.  
*Echium brachyanthum* Hornem.  
*Echium candicans* DC., non L.fil.  
*Echium coeleste* Stapf  
*Echium cynglossoides* Desf.  
*Echium densiflorum* DC.  
*Echium exasperatum* Webb ex Coincy  
*Echium famarae* Lens et Holz.  
*Echium fastuosum* Dryand. ex Ait., non Salisb.  
*Echium foliosum* Lehm.

- Echinochloa crus-galli* (L.) PB.  
*Baldellia ranunculoides* (L.) Parl.  
*Echium leucophaeum* Webb ex Sprague et Hutch.  
*Echium strictum* L.fil.  
*Echium bonnetii* Coincy  
*Echium aculeatum* Poir.  
*Echium webbii* Coincy  
*Echium hierrense* Webb ex Bolle  
  
*Echium brevirame* x *webbii*  
*Echium auberianum* Webb et Berth.  
*Echium wildpretii* Pears. ex Hook.fil.  
*Echium wildpretii* Pears. ex Hook.fil. ssp. *trichosiphon*  
(Svent.) Bramw.  
*Echium candicans* L.fil.  
*Echium virescens* DC.  
*Echium wildpretii* Pears. ex Hook.fil. ssp. *trichosiphon*  
(Svent.) Bramw.  
*Echium candicans* L.fil.  
*Echium candicans* L.fil.  
*Echium strictum* L.fil. ssp. *exasperatum* (Webb ex Coincy) Bramw.  
*Echium decaisnei* Webb ssp. *purpureum* Bramw.  
*Echium candicans* L.fil.  
*Echium strictum* L.fil.

*Echium fuerteventurae* Lems et Holz.  
*Echium giganteum* L.fil. var. *aculeatum* (Poir.) Bornm.  
*Echium giganteum* L.fil. var. *leucophaeum* (Webb) Bornm.  
*Echium glabrescens* B. Petters.  
*Echium x lemsii* Kunk.  
*Echium lindbergii* B. Petters.  
*Echium lineatum* Jacq.fil.  
*Echium lineatum* Jacq.fil. var. *gomerae* Pit.  
*Echium lineolatum* Webb et Berth.  
*Echium lycopsis* auct., non L.  
*Echium macrophyllum* Lehm.  
*Echium maderense* hort. ex Steud.  
*Echium Marianum* Boiss.  
*Echium molle* Pit.  
*Echium pallidum* Salisb.  
*Echium pavonianum* Boiss.  
*Echium perezii* Sprague  
  
*Echium pitardii* A. Chev. ex Bramw.  
*Echium pitardii* A. Chev. ex Bramw. var. *macrantha* (Lems et Holz.) Bramw.  
  
*Echium rupestre* Salisb.  
*Echium sericeum* Chev.  
*Echium thrysiflorum* Link in Buch  
*Echium violaceum* auct. azor.  
*Eclipta prostrata* (L.) L.  
*Elaphoglossum hirtum* (Sw.) C. Chr.  
*Elaphoglossum squamosum* (Sw.) J. E. Sm.  
*Elatinoides cirrhosa* (L.) Wettst.  
*Elatinoides elatine* (L.) Wettst.  
*Eleogeton fluitans* (L.) Link  
*Eleusine oligostachya* Link  
*Eleusine verticillata* (Kunth) Roxb.  
*Eleutheranthera ovata* Poit.  
*Elionurus elegantissimus* (Hochst.) Béguin.  
*Elionurus grisebachii* Schmidt  
*Elymus caput-medusae* L.  
*Enneapogon brachystachyus* (Jaub. et Spach) Stapf  
*Ephedra altissima* Willk., non Desf.  
*Ephedra equisetiformis* Webb et Berth.  
*Ephedra nebrodensis* Tineo ex Guss.  
*Epilobium lanceolatum* auct.  
*Epilobium maderense* Hausskn.  
*Equisetum elongatum* Link in Buch, non A. Br.  
*Equisetum maximum* auct.

*Echium bonnetii* Coincy var. *fuerteventurae* (Lems et Holz.) Bramw.  
*Echium aculeatum* Poir.  
*Echium leucophaeum* Webb ex Sprague et Hutch.  
*Echium stenosiphon* Webb  
*Echium decaisnei* x *strictum*  
*Echium stenosiphon* Webb sep. *lindbergii* (B. Petters.) Bramw.  
*Echium strictum* L.fil.  
*Echium strictum* L.fil. ssp. *gomerae* (Pit.) Bramw.  
*Echium strictum* L.fil.  
*Echium plantagineum* L.  
*Echium candicans* L.fil.  
*Echium candicans* L.fil.  
*Echium candicans* L.fil.  
*Echium strictum* L.fil.  
*Echium candicans* L.fil.  
*Echium candicans* L.fil.  
*Echium wildpretii* Pears. ex Hook.fil. ssp. *trichosiphon* (Svent.)  
 Bramw.  
  
*Echium lancerottense* Lems et Holz.  
*Echium lancerottense* Lems et Holz. var. *macrantha* Lems et Holz.  
  
*Echium giganteum* L.fil.  
*Echium vulcanorum* Chev.  
*Echium decaisnei* Webb  
*Echium plantagineum* L.  
*Eclipta alba* (L.) Hassk.  
*Elaphoglossum semicylindricum* (Bowd.) Benl  
*Elaphoglossum semicylindricum* (Bowd.) Benl  
*Kickxia cirrhosa* (L.) Fritsch  
*Kickxia elatine* (L.) Dum.  
*Scirpus fluitans* L.  
*Eleusine tristachya* (Lam.) Lam.  
*Acrachne racemosa* (Heyne) Ohwi  
*Eleutheranthera ruderalis* (Sw.) Sch. Bip.  
*Elionurus royleanus* Nees ex A. Rich.  
*Elionurus royleanus* Nees ex A. Rich.  
*Taeniatherum caput-medusae* (L.) Nevski  
*Enneapogon desvauxii* J. E. Sm.  
*Ephedra fragilis* Desf.  
*Ephedra major* Host  
*Ephedra major* Host  
*Epilobium obscurum* Schreb.  
*?Epilobium parviflorum* Schreb.  
*Equisetum remosissimum* Desf.  
*Equisetum telmateia* Ehrh.



- |   |  |
|---|--|
| <i>Euphorbia x navae</i> Svent.                             | <i>Euphorbia atropurpurea x obtusifolia</i> ssp. <i>regis-jubae</i>                    |
| <i>Euphorbia obliquata</i> Forssk.                          | <i>Euphorbia terracina</i> L.  |
| <i>Euphorbia panacea</i> Webb                               | <i>Euphorbia terracina</i> L.  |
| <i>Euphorbia pettersonii</i> Svent.                         | <i>Euphorbia sphylla</i> x <i>bourgeauana</i>  |
| <i>Euphorbia piscatoria</i> Buch, non Ait.                  | <i>Euphorbia mellifera</i> Ait.  |
| <i>Euphorbia presili</i> Guss                               | <i>Euphorbia nutans</i> Lag.   |
| <i>Euphorbia refracta</i> Lowe                              | <i>Euphorbia nutans</i> Lag.   |
| <i>Euphorbia regis-jubae</i> Webb et Berth.                 | <i>Euphorbia obtusifolia</i> Poir. ssp. <i>regis-jubae</i> (Webb et Barth.)<br>Maire   |
| <i>Euphorbia rubescens</i> Link in Buch                     | <i>Euphorbia peplis</i> L.   |
| <i>Euphorbia segetalis</i> L. var. <i>pinea</i> (L.) Willk. | <i>Euphorbia pinea</i> L.  |
| <i>Euphorbia seticornis</i> Poir.                           | <i>Euphorbia terracina</i> L.  |
| <i>Euphorbia tetraceras</i> Lge.                            | <i>Euphorbia segetalis</i> L.  |
| <i>Euphorbia tribuloides</i> auct., non Lam.                | <i>Euphorbia handiensis</i> Burch.   |
| <i>Euphragia viscosa</i> (L.) Benth.                        | <i>Parentucellia viscosa</i> (L.) Caruel   |
| <i>Euphrasia holliana</i> Lowe                              | <i>Odontites holliana</i> (Lowe) Benth.  |
| <i>Evolvulus linifolius</i> L.                              | <i>Evolvulus alsinoides</i> L.   |
| <i>Evolvulus virgatus</i> Choisy in DC.                     | <i>Convolvulus floridus</i> L.fil. var. <i>virgatus</i> (Webb et Berth.)<br>Mend.-Heu. |
| <i>Exacum viscosum</i> Sm.                                  | <i>Ixanthus viscosus</i> (Sm.) Griseb.   |

F

- Fagonia latifolia* Delarb.  
*Fagopyrum cymosum* Meisen.  
*Fagopyrum sagittatum* Gilib.  
*Faidherbia albida* (Del.) Chev.  
*Falena echinata* (L.) Dum.  
*Farfugium japonicum* (L.fil.) Kitamura  
*Faya fragifera* Webb et Berth.  
*Ferula aurea* Link in Buch  
*Ferula tortuosa* Webb  
*Festuca bornmuelleri* Hack.  
*Festuca filiformis* Chr. Sm. ex Link in Buch  
*Festuca filiformis* Chr. Sm. ex Link in Buch ssp. *mandonii*  
St. Yves  
*Festuca tuberculosa* (Moris) Dur.  
*Ficus gnaphalocarpa* (Miq.) Steud. ex A. Rich.  
*Filago gallica* L.  
*Filago minima* (Sm.) Pers.  
*Filago pygmaea* L.  
*Filago spathulata* J. et C. Presl  
*Fimbristylis dichotoma* auct., non (L.) Vahl  
*Fimbristylis exilis* (Poir.) R. et S.  
*Fleurya aestuans* (L.) Gaud.

- Fagonia isotricha* Murb.  
*Fagopyrum dibotrys* (D. Don) Hara  
*Fagopyrum esculentum* Moench  
*Acacia albida* Del.  
*Cynosurus echinatus* L.  
*Ligularia tussilaginea* (Burm. fil.) Mak.  
*Myrica faya* Ait.  
*Ferula linkii* Webb  
*Seseli webbii* Coss.  
*Festuca agustini* Lindinger  
*Festuca agustini* Lindinger  
*Festuca jubata* Lowe  
  
*Castellia tuberculosa* (Moris) Bor  
*Ficus sycomorus* L. ssp. *gnaphalocarpa* (Miq.) C. C. Berg  
*Logfia gallica* (L.) Coss et Germ.  
*Logfia minima* (Sm.) Dumort.  
*Evax pygmaea* (L.) Brot.  
*Filago pyramidalis* L.  
*Fimbristylis bisumbellata* (Forssk.) Bub.  
*Fimbristylis hispidula* (Vahl) Kunth  
*Laporrea aestuans* (L.) Chev.

*Forsskaolea fruticosa* Willd.

*Fragaria indica* Andr.

*Frankenia caespitosa* Lowe

*Frankenia capitata* Webb

*Frankenia latifolia* (Webb et Berth.) Chev.

*Forsskaolea angustifolia* Retz.

*Duchesnea indica* (And.) Focke

*Frankenia laevis* L.

*Frankenia laevis* L.

*Frankenia ericifolia* Chr. Sm. ex DC. var. *latifolia* Webb et Berth.

## G

*Galilea mucronata* (L.) Parl.

*Galinsoga ciliata* (Raf.) Blake

*Galium anglicum* auct.

*Galium ellipticum* Willd. ex Hornem.

*Galium hirsutum* Nees ex Buch

*Galium hispidum* (L.) Gaertn.

*Galium palustre* L. ssp. *elongatum* (C. Presl) Lange

*Galium saccharatum* All.

*Galium tricorne* auct.

*Galium vaillantii* DC.

*Galium valantia* Weber

*Gamochaeta filaginea* (DC.) Cabr.

*Gamochaeta pensylvanica* (Willd.) Cabr.

*Gamochaeta purpurea* (L.) Cabr.

*Gasoul nodiflorum* (L.) Rothm.

*Gastridium lendigerum* (L.) Gaud.

*Gastridium nitens* (Guss.) Coss. et Dur.

*Geissaspis peittachorhyncha* (Webb) Taub.

*Gendarussa hyssopifolia* (L.) Webb et Berth.

*Genista canariensis* L.

*Genista canariensis* Buch, non L.

*Genista gracilis* Poir.

*Genista linifolia* L.

*Genista maderensis* (Webb et Berth.) Lowe

*Genista nitens* Willd. ex Buch

*Genista paivae* Lowe

*Genista splendens* Webb et Berth.

*Genista stenopetala* Webb et Berth.

*Genista tenera* (Jacq. ex Murr.) O. Kuntze var. *sericea* O. Kuntze

*Genista virgata* (Ait.) DC., non Lam.

*Genista virgata* (Ait.) DC. var. *teneriffae* Burch.

*Geranium anemonifolium* L'Hér. p.p.

*Geranium anemonifolium* L'Hér. p.p.

*Gesnouinia filamentosa* (Webb et Berth.) Wedd.

*Gifola spathulata* (J. et C. Presl) Rchb.fil.

*Cyperus capitatus* Vand.

*Galinsoga quadriradiata* Ruiz et Pav.

*Galium parisiense* L.

*Galium scabrum* L.

*Galium scabrum* L.

*Valantia hispida* L.

*Galium elongatum* C. Presl

*Galium verrucosum* Huds.

*Galium tricornutum* Dandy

*Galium spurium* L.

*Galium verrucosum* Huds.

*Gnaphalium fileagineum* DC.

*Gnaphalium pensylvanicum* Willd.

*Gnaphalium purpureum* L.

*Mesembryanthemum nodiflorum* L.

*Gastridium ventricosum* (Gouan) Schinz et Thell.

*Triplachne nitens* (Guss.) Link

*Bryaspis lupulina* (Planch. ex Benth.) Duvign.

*Justicia hyssopifolia* L.

*Teline canariensis* (L.) Webb et Berth.

*Teline maderensis* Webb et Berth.

*Genista tenera* (Jacq. ex Murr.) O. Kuntze

*Teline linifolia* (L.) Webb et Berth.

*Teline maderensis* Webb et Berth.

*Teline linifolia* (L.) Webb et Berth. ssp. *teneriffae* Gibbs et Dingw.

*Teline maderensis* Webb et Berth. var. *paivae* (Lowe) Arco

*Teline splendens* (Webb et Berth.) Arco

*Teline stenopetala* (Webb et Berth.) Webb et Berth.

*Teline osyroides* (Svent.) Gibbs et Dingw. ssp. *sericea* (O. Kuntze) Arco, Acebes et Wildpret

*Genista tenera* (Jacq. ex Murr.) O. Kuntze

*Teline osyroides* (Svent.) Gibbs et Dingw.

*Geranium canariense* Reut.

*Geranium palmatum* Cav.

*Parietaria filamentosa* Webb et Berth.

*Filago pyramidata* L.

*Gladiolus segetum* Ker-Gawl.  
*Gliopsis herbanica* (Bolle) Rauschert  
*Globularia x indubia* (Svent.) Kunk.  
*Globularia longifolia* Ait.  
*Glyceria fluitans* auct. mad., non (L.) R. Br.  
*Gnaphalium purpureum* auct., non L.  
*Gnaphalium spathulatum* Lam.  
*Gnaphalium webbii* Sch. Bip.  
*Gnidia carinata* Thunb.  
*Gonoospermum multiflorum* DC.  
*Gonoospermum revolutum* (DC.) Sch. Bip.  
*Gossypium barbosanum* Phillip et Clement  
*Gossypium punctatum* Schum. et Thonn.  
*Gramineae*  
*Grammanthes heylandianus* (Webb et Berth.) Webb ex Christ  
*xGreenonium bramwellii* Rowl.  
*xGreenonium lambii* (Vogg.) Vogg.  
*xGreenonium sowleyi* Bramw.  
*Greenovia x aureozoon* Bramw. et Rowl.  
*Greenovia gracilis* Bolle  
*Greenovia quadrentalis* Webb ex Christ  
*Greenovia rupifraga* Webb  
*Grewia corylifolia* Guill. ex Perr.  
*Grewia echinulata* Webb  
*Gunnera tinctoria* (Molina) Mirb.  
*Guttiferae*  
*Gymnocarpus salsolooides* Webb ex Christ  
*Gymnogramma leptophylla* (L.) Desv.  
*Gymnogramma lowei* Hook. et Grev.  
*Gymnogramma totta* Schlecht.  
*Gymnosporia cassinooides* (L'Hér.) Masf.  
*Gynandropsis pentaphylla* (L.) DC.  
*Gynandropsis triphylla* Webb  
*Gynerium argenteum* Nees  
*Gynura cernua* Benth.  
*Gynura rubens* (Juss. ex Jacq.) S. Moore

## H

*Habenaria cordata* (Willd.) R. Br.  
*Habenaria longibracteata* Hochst. ex Seub.  
*Habenaria micrantha* Hochst. ex Seub.  
*Hagea teneriffae* Pers.  
*Hakea acicularis* (Sm. ex Vent.) Knight

*Gladiolus italicus* Mill.  
*Rutheopsis herbanica* (Bolle) A. Hens. et Kunk.  
*Globularia salicina x sercophylla*  
*Globularia salicina* Lam.  
*Glyceria declinata* Breb.  
*Gnaphalium pensylvanicum* Willd.  
*Gnaphalium pensylvanicum* Willd.  
*Helichrysum gossypinum* Webb  
*Gnidia polystachya* Bergius  
*Gonoospermum fruticosum* (Buch) Less.  
*Iugoa revolute* DC.  
*Gossypium capitatus-viridis* Mauer  
*Gossypium hirsutum* L. var. *punctatum* (Schum. et Thonn.) H., S. et S.  
*Poaceae*  
*Umbilicus heylandianus* Webb et Berth.  
*Aeonium spathulatum* x *Greenovia dodrentalis*  
*Aeonium spathulatum* x *Greenovia aurea*  
*Aeonium haworthii* x *Greenovia dodrentalis*  
*Greenovia aizoon* x *aurea*  
*Greenovia dodrentalis* (Willd.) Webb et Berth.  
*Greenovia aizoon* Bolle  
*Greenevia aurea* (Chr. Sm. ex Hornem.) Webb et Berth.  
*Grewia villosa* Willd.  
*Grewia villosa* Willd.  
*Gunnera chilensis* Lam.  
*Hypericaceae*  
*Gymnocarpus decander* Forsk.  
*Anogramma leptophylla* (L.) Link  
*Stegnogramma pozoi* (Lag.) K. Iwatsuki  
*Stegnogramma pozoi* (Lag.) K. Iwatsuki  
*Maytenus canariensis* (Loes.) Kunk. et Sund.  
*Gynandropsis gynandra* (L.) Briq.  
*Cleome viscosa* L.  
*Cortaderia selliana* (Schult. et Schult.fil.) A. et Gr.  
*Crassocephalum rubens* (Jacq.) S. Moore  
*Crassocephalum rubens* (Jacq.) S. Moore

*Gennaria diphylla* (Link) Parl.  
*Platanthera micrantha* (Hochst. ex Seub.) Schlecht.  
*Platanthera micrantha* (Hochst. ex Seub.) Schlecht.  
*Polycarpa divaricata* (Ait.) Poir.  
*Hakea sericea* Schrad.

- Hakea tenuifolia* (Salisb.) Domin  
*Heberdenia bahamensis* (Gaertn.) Sprague  
*Hedera canariensis* Willd.  
*Hedypnois polymorpha* Gren. et Godr.  
*Hedypnois rhagadioloides* (L.) Willd.  
*Heinekenia berthelotii* (Masf.) Kunk.  
*Heinekenia maculata* (Breitf.) Kunk.  
*Heinekenia peliorhyncha* (Hook.fil.) Webb ex Christ  
*Heleocharis*  
*Helianthemum guttatum* (L.) Mill.  
*Helianthemum mucronatum* Dun.  
*Helianthemum tuberaria* (L.) Mill.  
*Helichrysum mandonianum* Coss.  
*Helichrysum melanopthalmum* (Lowe) Lowe  
*Helichrysum webbii* (Sch. Bip. in Webb et Berth.) A. Hans.  
     et Kunk.  
*Helictotrichon sulcatum* (J. Gay) Henr.  
*Heliotropium bacciferum* auct., non Forssk.  
*Heliotropium erosum* Lehm.  
*Heliotropium messerschmidiooides* (Sw.) O. Kuntze  
*Heliotropium undulatum* (Vahl) Pers.  
*Heliotropium undulatum* (Vahl) Pers. ssp. *erosum* (Lehm.) Maire  
*Heliotropium undulatum* (Vahl) Pers. var. *ramosissimum* Lehm.  
*Helosciadium nodiflorum* (L.) Koch  
*Helosciadium repens* (Jacq.) Koch  
*Helxine soleirolii* Reg.  
*Herniaria bollei* F. Hermann  
*Herniaria flavescens* Lowe  
*Herniaria fruticosa* sensu Webb et Berth.  
*Herniaria hirsuta* L. var. *cineraria* (DC.) Lor. et Barr.  
*Hesperis diffusa* Banks  
*Hesperis millefolia* (Jacq.) O. Kuntze  
*Hesperis preauxiana* (Webb) O. Kuntze  
*Heterochiton canariensis* (Chaudhri) Kunk.  
*Heterochiton fontanesii* (Gay) Graebn. et Mattf.  
*Heywoodiella oligocephala* Svent. et Bramw.  
*Hippia stolonifera* Brot.  
*Hippocrepis ciliata* Willd.  
*Holoschoenus vulgaris* Link  
*Hordeum glaucum* Steud.  
*Hordeum murinum* L. ssp. *gussoneanum* (Parl.) Thell.  
*Hordeum nodosum* L.  
*Huperzia selago* (L.) Bernh. ssp. *suberecta* (Lowe)  
     Franco et Vasc.  
*Hydrocotylaceae*  
*Hakea sericea* Schrad.  
*Heberdenia excelsa* (Ait.) Banks ex DC.  
*Hedera helix* L. ssp. *canariensis* (Willd.) Cout.  
*Hedypnois cretica* (L.) Dum.-Cours.  
*Hedypnois cretica* (L.) Dum.-Cours.  
*Lotus berthelotii* Masf.  
*Lotus maculatus* Breitf.  
*Lotus berthelotii* Masf.  
*Eleocharis*  
*Tuberaria guttata* (L.) Fourr.  
*Helianthemum canariense* (Jacq.) Pers.  
*Tuberaria lignosa* (Sweet) Samp.  
*Helichrysum monizii* Lowe  
*Helichrysum melaleucum* Rchb. ex Holl  
*Helichrysum gossypinum* Webb  
*Avenula marginata* (Lowe) Holub  
*Heliotropium ramosissimum* (Lehm.) DC.  
*Heliotropium ramosissimum* (Lehm.) DC.  
*Ceballosia fruticosa* (L.fil.) Kunk.  
*Heliotropium ramosissimum* (Lehm.) DC.  
*Heliotropium ramosissimum* (Lehm.) DC.  
*Heliotropium ramosissimum* (Lehm.) DC.  
*Apium nodiflorum* (L.) Lag.  
*Apium repens* (Jacq.) Lag.  
*Soleirolia soleirolii* (Reg.) Dandy  
*Herniaria fontanesii* Gay  
*Herniaria cinerea* DC.  
*Herniaria fontanesii* Gay  
*Herniaria cinerea* DC.  
*Sinapidendron frutescens* (Ait.) Lowe  
*Descurainia millefolia* (Jacq.) Ait.  
*Descurainia preauxiana* (Webb) O. E. Schulz  
*Herniaria canariensis* Chaudhri  
*Herniaria fontanesii* Gay  
*Hypochoeris oligocephala* (Svent. et Bramw.) Lack  
*Gymnostyles stolonifera* (Brot.) Tutin  
*Hippocrepis constricta* Kunze  
*Scirpus holoschoenus* L.  
*Hordeum murinum* L. ssp. *glaucum* (Steud.) Tzvelev  
*Hordeum hystrix* Roth  
*Hordeum secalinum* Schreb.  
*Huperzia selago* (L.) Bernh. ssp. *dentata* (Herter) Valentine  
*Apiaceae p.p.*

*Hylocereus tricostatus* Britt. et Rose  
*Hymenolepis canariensis* (Less.) Sch. Bip.  
*Hymenophyllum peltatum* auct., vix Desv.  
*Hymenophyllum unilaterale* auct.  
*Hypoecyamus canariensis* Ker-Gawl.  
*Hypericum angustifolium* Lowe  
*Hypericum elatum* Ait.  
*Hypericum floribundum* Ait.  
*Hypericum grandifolium* Choisy  
*Hypericum joerstadii* Lid  
*Hypericum nubigenum* Lowe  
*Hypochoeris x balbisii* Loisel.  
*Hypocistis rubra* Fourr.  
*Hypoestes verticillaris* (L.fil.) Sol. ex Roem. et Schult.

**I**

*Ifloga obovata* Bolle  
*Ilex sestivalis* Link in Buch  
*Ilex azevinho* Sol.  
*Ilex maderensis* Lam.  
*Ilex perado* Ait. var. *maderensis* (Lam.) Loes.  
*Ilex platyphylla* Webb et Berth.  
*Ilex platyphylla* Webb et Berth. ssp. *lopezilloi* Kunk.  
*Indigofera linearis* Guill. et Perr.  
*Indigofera viscosa* Lam.  
*Inula leptoclada* Webb  
*Inula schizogyne* Masf.  
*Inula viscosa* (L.) Ait.  
*Ipomoea leairii* Paxton  
*Ipomoea leucantha* Webb, non Jacq.  
*Ipomoea palmata* Forssk.  
*Ipomoea pilosa* Sw.  
*Ipomoea repens* Lam.  
*Iresine vermicularis* (L.) R. Br.  
*Ismelia broussonetii* (Pers.) Sch. Bip.  
*Ismelia coronopifolia* (Willd.) Sch. Bip.  
*Ismelia maderensis* D. Don  
*Isolepis barbata* (Rottb.) R. Br.  
*Isolepis cernua* (Vahl) R. et S.  
*Isolepis chaetodes* Link in Buch  
*Isolepis fluitans* (L.) R. Br.  
*Isolepis holoschoenus* (L.) R. et S.  
*Isolepis numidiana* R. et S.

*Hylocereus undatus* (Haw.) Britt. et Rose  
*Gonoespernum canariense* Less.  
*Hymenophyllum wilsonii* Hook.  
*Hymenophyllum wilsonii* Hook.  
*Hyoscyamus albus* L.  
*Hypericum linearifolium* Vahl  
*Hypericum inodorum* Mill.  
*Hypericum canariense* L. var. *floribundum* (Ait.) Bornm.  
*Hypericum inodorum* Mill.  
*Hypericum glandulosum* Ait. (juv.)  
*Hypericum linearifolium* Vahl  
*Hypochoeris glabra* x *radicata*  
*Cytinus hypocistis* (L.) L.  
*Hypoestes forskaolei* (Vahl) Sol. ex Roem. et Schult.

*Ifloga spicata* (Forssk.) Sch. Bip. ssp. *obovata* (Bolle) Kunk.  
*Ilex canariensis* Poir.  
*Ilex canariensis* Poir.  
*Ilex perado* Ait. ssp. *perado*  
*Ilex perado* Ait. ssp. *perado*  
*Ilex perado* Ait. ssp. *platyphylla* (Webb et Berth.) Tutin  
*Ilex perado* Ait. ssp. *lopezilloi* (Kunk.) A. Hans. et Sund.  
*Indigofera perviflora* Heyne ex Wight et Arn.  
*Indigofera colutea* (Burn. fil.) Merrill  
*Vicia leptoclada* (Webb) Dandy  
*Schizogyne sericea* (L.fil.) DC.  
*Dittrichia viscosa* (L.) Greuter  
*Ipomoea acuminata* (Vahl) R. et S.  
*Ipomoea webbii* Cout.  
*Ipomoea cairica* (L.) Sw.  
*Ipomoea sitonii* Lindl.  
*Ipomoea asarifolia* (Desr.) Roem. et Schult.  
*Blutaparon vermiculare* (L.) Meares  
*Argyranthemum broussonetii* (Pers.) Humphr.  
*Argyranthemum coronopifolium* (Willd.) Humphr.  
*Argyranthemum maderense* (D. Don) Humphr.  
*Bulbostylis barbata* (Rottb.) C. B. Clarke  
*Scirpus cernuus* Vahl  
*Scirpus cernuus* Vahl  
*Scirpus fluitans* L.  
*Scirpus holoschoenus* L.  
*Scirpus cernuus* Vahl

*Isolepis saviana* Schults

*Isolepis setacea* (L.) R. et S.

*Scirpus cernuus* Vahl

*Scirpus setaceus* L.

## J

- Jasminum augeronii* Cabr. et Diaz
- Jasminum barrelieri* Webb et Berth.
- Jasminum gomeraeum* Gand.
- Jasminum humile* auct., non L.
- Juncus canariensis* Willd. in E. Mey.
- Juncus glaucus* Sibth.
- Juncus lampocarpus* Ehrh. ex Hoffm.
- Juncus lucidus* Hochst.
- Juncus supinus* Moench
- Juniperus oxycedrus* auct. azor., non L.
- Juniperus oxycedrus* L. var. *grandifolia* Link in Buch
- Juniperus oxycedrus* L. ssp. *maderensis* Mnzs.
- Juniperus webbii* Car.
- Jussiaea linifolia* Vahl
- Jussiaea villosa* Lam.
- Justicia gangetica* L.

- Jasminum odoratissimum* L.
- Jasminum odoratissimum* L.
- Jasminum odoratissimum* L.
- Jasminum odoratissimum* L.
- Juncus effusus* L.
- Juncus inflexus* L.
- Juncus articulatus* L.
- Juncus tenuis* Willd.
- Juncus bulbosus* L.
- Juniperus brevifolia* (Seub.) Antoine
- Juniperus cedrus* Webb et Berth.
- Juniperus cedrus* Webb et Berth.
- Juniperus cedrus* Webb et Berth.
- Ludwigia hyssopifolia* (Don) Exell
- Ludwigia octovalvis* (Jacq.) Raven ssp. *brevisepala* (Brenan) Raven
- Aystasia gangetica* (L.) T. Anders.

## K

- Kalanchoë daigremontiana* Ham. et Perr.
- Kalanchoë fedtschenkoi* Ham. et Perr.
- Kalanchoë pinnata* (Lam.) Pers.
- Kalanchoë prolifera* (Bowie ex Curt.) Ham.
- Kalanchoë tubiflora* (Harv.) Harv.
- Centranthus*
- Kentrophyllum lanatum* (L.) DC.
- Kickxia heterophylla* (Schouw.) Dandy
- Kickxia heterophylla* (Schouw.) Dandy ssp. *urbanii* (Pit.) Kunk.
- Kickxia schmidtii* A. Hans. et Sund., nom. superfl.
- Kickxia spartea* (L.) K. Lars.
- Kickxia sparticoides* (Brouss. ex Buch) Janchen
- Kickxia urbanii* (Pit.) K. Lars.
- Koeleria cristata* (L.) Bertol., non Pers.
- Koeleria phleoides* (Lam.) Vill.
- Kohautia senegalensis* Cham. ex Schl.
- Kohlrauschia nanteuilii* (Burn.) Ball et Heyw.
- Kohlrauschia prolifera* auct., non (L.) Kunth
- Kohlrauschia velutina* (Guss.) Rchb.

- Bryophyllum daigremontianum* (Ham. et Perr.) Bgr.
- Bryophyllum fedtschenkoi* (Ham. et Perr.) Lauzac-Marchal
- Bryophyllum pinnatum* (Lam.) Oken
- Bryophyllum proliferum* Bowie ex Curt.
- Bryophyllum tubiflorum* Harv.
- Centranthus*
- Carthamus lanatus* L.
- Kickxia sagittata* (Poir.) Rothm.
- Kickxia sagittata* (Poir.) Rothm. var. *urbanii* (Pit.) Sund.
- Kickxia webbiana* (Schmidt) Sund.
- Linaria spartea* (L.) Willd.
- Kickxia scoparia* (Brouss. ex Spreng.) Kunk. et Sund.
- Kickxia sagittata* (Poir.) Rothm. var. *urbanii* (Pit.) Sund.
- Lophochloa cristata* (L.) Hyl.
- Lophochloa cristata* (L.) Hyl.
- Kohautia tenuis* (Boud.) Mabberley
- Petrorhagia nanteuilii* (Burn.) Ball et Heyw.
- Petrorhagia nanteuilii* (Burn.) Ball et Heyw.
- Petrorhagia velutina* (Guss.) Ball et Heyw.

<i>Koniga arenaria</i> Mnzs.	<i>Lobularia libyca</i> (Viv.) Meissen.
<i>Koniga brunonis</i> Webb	<i>Lobularia intermedia</i> Webb
<i>Koniga canariensis</i> (DC.) Sweet	<i>Lobularia intermedia</i> Webb
<i>Koniga intermedia</i> Webb et Berth.	<i>Lobularia intermedia</i> Webb
<i>Koniga libyca</i> (Viv.) R. Br.	<i>Lobularia libyca</i> (Viv.) Meissen.
<i>Koniga marginata</i> Webb ex Coss.	<i>Lobularia marginata</i> (Webb ex Coss.) Christ
<i>Koniga maritima</i> (L.) R. Br.	<i>Lobularia maritima</i> (L.) Desv.
<i>Koniga spathulata</i> Schmidt	<i>Lobularia intermedia</i> Webb ssp. <i>spathulata</i> (Schmidt) B. Petters.
<i>Koniga vogeliana</i> Webb	<i>Lobularia intermedia</i> Webb
<i>Krubera leptiflora</i> Parl.	<i>Capnophyllum peregrinum</i> (L.) Lange
<i>Krubera peregrina</i> (L.) Lowe	<i>Capnophyllum peregrinum</i> (L.) Lange

**L**

<i>Labiateae</i>	<i>Lamiaceae</i>
<i>Lablab vulgaris</i> Savi	<i>Dolichos lablab</i> L.
<i>Lactuca patersonii</i> Mnzs.	<i>Lactuca virosa</i> L.
<i>Lactuca scariola</i> L.	<i>Lactuca serriola</i> L.
<i>Lactucosonchus webbii</i> (Sch. Bip.) Svent.	<i>Taeckholmia heterophylla</i> Boulos
<i>Lapeirousia cruenta</i> (Lindl.) Bak.	<i>Lapeirousia laxa</i> (Thunb.) N. E. Br.
<i>Lappago racemosus</i> (L.) Willd.	<i>Tragus racemosus</i> (L.) All.
<i>Laserpitium crithmifolium</i> Link in Buch	<i>Astydamia latifolia</i> (L.fil.) Baill.
<i>Lastrea dentata</i> (Forssk.) Romariz	<i>Christella dentata</i> (Forssk.) Brownsey et Jeremy
<i>Lathyrus aphylla</i> Link in Buch	<i>Vicia cirrhosa</i> Chr. Sm. ex Webb et Berth.
<i>Lathyrus maritimus</i> (L.) Bigel.	<i>Lathyrus japonicus</i> Willd. ssp. <i>maritimus</i> (L.) P. W. Bell
<i>Latipes senegalensis</i> Kunth	<i>Leptothrium senegalense</i> (Kunth) W. D. Clayton
<i>Launaea glomerata</i> (Cass.) Hook.	<i>Launaea capitata</i> (Spreng.) Dandy
<i>Launaea goreensis</i> (Lam.) Hoffm.	<i>Launaea intybacea</i> (Jacq.) PB.
<i>Launaea spinosa</i> (Forssk.) Sch. Bip.	<i>Launaea arboreascens</i> (Batt.) Murb.
<i>Laurentia canariensis</i> (C. Presl) DC.	<i>Solenopsis laurentia</i> (L.) C. Presl
<i>Laurentia gaeparrinii</i> (Tin.) Strobl	<i>Solenopsis laurentia</i> (L.) C. Presl
<i>Laurocerasus lusitanica</i> (L.) Roem.	<i>Prunus lusitanica</i> L.
<i>Laurocerasus lusitanica</i> (L.) Roem. ssp. <i>hixa</i> (Willd.) Kunk.	<i>Prunus lusitanica</i> L. ssp. <i>hixa</i> (Willd.) Franco
<i>Laurus barbujana</i> Cav.	<i>Apollonia barbujana</i> (Cav.) Bornm.
<i>Laurus canariensis</i> Willd., non Webb et Berth.	<i>Apollonia barbujana</i> (Cav.) Bornm.
<i>Laurus canariensis</i> Webb et Berth., non Willd.	<i>Laurus azorica</i> (Seub.) Franco
<i>Laurus foetens</i> Ait.	<i>Ocotea foetens</i> (Ait.) Benth. et Hook.fil.
<i>Laurus maderensis</i> Lam.	<i>Ocotea foetens</i> (Ait.) Benth. et Hook.fil.
<i>Laurus teneriffae</i> Poir.	<i>Persea indica</i> (L.) K. Spreng.
<i>Lavandula abrotanoides</i> Lam.	<i>Lavandula multifida</i> L. ssp. <i>canariensis</i> (Mill.) Pit. et Pr.
<i>Lavandula apifolia</i> Chr. Sm.	<i>Lavandula rotundifolia</i> Benth.
<i>Lavandula buchii</i> Webb	<i>Lavandula pinnata</i> L.fil. var. <i>buchii</i> (Webb) Benth.
<i>Lavandula canariensis</i> Mill.	<i>Lavandula multifida</i> L. ssp. <i>canariensis</i> (Mill.) Pit. et Pr.
<i>Lavandula coronopifolia</i> Poir.	<i>Lavandula stricta</i> Delarb.

- Lavandula dentata* L. var. *candidans* Batt.  
*Lavandula foliosa* Christ  
*Lavandula massonii* Cels. ex Guig.  
*Lavandula pedunculata* (Mill.) Cav. ssp. *embigua* Mnzs.  
*Lavandula pedunculata* (Mill.) Cav. var. *maderensis* Benth.  
*Lavandula pedunculata* (Mill.) Cav. ssp. *maderensis* Mnzs.  
*Lavandula stoechas* L. var. *pseudo-stoechas* Rchb. ex Holl.  
*Legendrea corymbosa* (L.) van Oostr.  
*Legendrea mollissima* Webb  
*Leguminosae*  
*Lens esculenta* Moench  
*Leontodon carreiroi* (Cand.) Palh.  
*Leontodon nudicaulis* (L.) Banks ssp. *rothii* (Ball) Sch. et Thell.  
*Leontodon saxatilis* Lam. ssp. *rothii* (Ball) Maire  
*Lepidotis cernua* (L.) PB.  
*Lepidotis inundata* (L.) C. Börner  
*Leptogramma totta* (Willd.) J. E. Sm.  
*Lepturus cylindricus* (Willd.) Trin.  
*Lepturus filiformis* (Roth) Trin.  
*Lepturus incurvus* (L.) Trin.  
*Leucanthemum myconis* (L.) Cirsud  
*Leucophaë argophacelus* Webb et Berth.  
*Leucophaë barbellata* (Mend.-Heu.) Kunk.  
*Leucophaë bolleana* Bornm.  
*Leucophaë brevicaule* (Mend.-Heu.) Kunk.  
*Leucophaë cabrerae* (Ceb. et Ort.) Kunk.  
*Leucophaë canariensis* (L.) Webb et Berth.  
*Leucophaë candidans* Ait.  
*Leucophaë candidans* Ait. var. *anagae* Christ  
*Leucophaë cystosiphon* (Svent.) Kunk.  
*Leucophaë dasynaphala* Webb et Berth.  
*Leucophaë dendro-chahorra* (Bolle) Christ  
*Leucophaë discolor* Webb ex De Noé  
*Leucophaë erythroglossa* Kunk., nom. nud.  
*Leucophaë gomerae* (De Noé ex Bolle) Kunk.  
*Leucophaë infernalis* (Bolle) Christ  
*Leucophaë kuegleriana* (Bornm.) Kunk.  
*Leucophaë lotayi* Pit.  
*Leucophaë macrostachya* (Poir.) Webb et Berth.  
*Leucophaë marmorea* (Bolle) Christ  
*Leucophaë massoniana* (Benth.) Webb et Berth.  
*Leucophaë massoniana* (Benth.) Webb et Berth. var. *pumila* Christ
- Lavandula dentata* L. var. *rendalliana* Bolle  
*Lavandula minutolii* Bolle  
*Lavandula viridis* L'Hér.  
*Lavandula stoechas* L. ssp. *pedunculata* (Mill.) Samp. ex Roz.  
*Lavandula stoechas* L. ssp. *pedunculata* (Mill.) Samp. ex Roz.  
*Lavandula stoechas* L. ssp. *pedunculata* (Mill.) Samp. ex Roz.  
*Lavandula viridis* L'Hér.  
*Turbina corymbosa* (L.) Raf.  
*Turbina corymbosa* (L.) Raf.  
*Caesalpiniaceae, Fabaceae & Mimosaceae*  
*Lens culinaris* Med.  
*Leontodon filii* (Hochst. ex Seub.) Paiva et Orm.  
*Leontodon taraxacoides* (Vill.) Mérat ssp. *longirostris*  
 Finch et Sell  
*Leontodon taraxacoides* (Vill.) Mérat ssp. *longirostris*  
 Finch et Sell  
*Lycopodiella cernua* (L.) Pic.-Serm.  
*Lycopodiella inundata* (L.) Holub  
*Stegnogramma pozoi* (Lag.) K. Iwatsuki  
*Haynardia cylindrica* (Willd.) Greuter  
*Parapholis filiformis* (Roth) C. E. Hubb.  
*Parapholis incurva* (L.) C. E. Hubb.  
*Coleostethus myconis* (L.) Rchb.fil.  
*Sideritis argophacela* (Webb et Berth.) Clos  
*Sideritis barbellata* Mend.-Heu.  
*Sideritis bolleana* Bornm.  
*Sideritis brevicaulis* Mend.-Heu.  
*Sideritis cabrerae* Ceb. et Ort.  
*Sideritis canariensis* L.  
*Sideritis candidans* Ait.  
*Sideritis cretica* L. var. *anagae* (Christ) Mend.-Heu.  
*Sideritis cystosiphon* Svent.  
*Sideritis dasynaphala* (Webb et Berth.) Clos  
*Sideritis dendro-chahorra* Bolle  
*Sideritis discolor* (Webb ex De Noé) Bolle  
*Sideritis euentenii* (Kunk.) Mend.-Heu.  
*Sideritis gomerae* De Noé ex Bolle  
*Sideritis infernalis* Bolle  
*Sideritis kuegleriana* Bornm.  
*Sideritis lotayi* (Pit.) Bornm.  
*Sideritis macrostachys* Poir.  
*Sideritis marmorea* Bolle  
*Sideritis candidans* Ait.  
*Sideritis pumila* (Christ) Mend.-Heu.

- Leucophaë nervosa* Christ  
*Leucophaë nutans* (Svent.) Kunk.  
*Leucophaë penzigii* Pit.  
*Leucophaë sventenii* Kunk.  
*Leuzea cynarooides* (Chr. Sm. in Buch) Font Quer in G. López  
*Ligularia kaempferi* Sieb. et Zucc.  
*Limonium × christii* Kunk.  
*Limonium corculum* (Webb et Berth.) O. Kuntze  
  
*Limonium humboldtii* (Bolle) O. Kuntze  
  
*Limonium macropterum* (Webb et Berth.) O. Kuntze  
  
*Limonium pectinatum* (Ait.) O. Kuntze var. *incomptum*  
 (Webb et Berth.) Kunk. et Sund.  
*Limonium rumicifolium* (Svent.) Kunk. et Sund.  
*Limonium solandri* (Webb et Berth.) Kunk.  
  
*Linaria alsinefolia* Brunner, non Spreng.  
*Linaria aparinoides* Chav.  
*Linaria brunneri* Benth. in DC.  
*Linaria cirrhosa* (L.) Willd.  
*Linaria cymbalaria* (L.) Mill.  
*Linaria dichondraefolia* Benth. in DC.  
*Linaria elatine* (L.) Mill.  
*Linaria graeca* (Bory) Chav.  
*Linaria heterophylloides* (Schousb.) Spreng., non Desf.  
*Linaria lancerottae* Del.  
*Linaria pendula* Kunk.  
*Linaria scoparia* Brouss. ex Spreng.  
*Linaria spartiooides* Brouss. ex Buch  
*Linaria spuria* (L.) Mill.  
*Linaria urbanii* Pit.  
*Linaria webbiana* Vis.  
*Linum angustifolium* Huds.  
*Linum gallicum* L.  
*Lithospermum apulum* (L.) Vahl  
*Lithospermum arvense* L.  
*Lithospermum cornutum* Led.  
*Lithospermum decumbens* Vent.  
*Lithospermum microspermum* Boiss.  
*Lithospermum webbii* Coss. et Dur.  
*Lobularia canariensis* auct.  
*Lobularia maritima* (L.) Desv. var. *canariensis* (DC.) Cout.  
*Lochnera rosea* (L.) Rchb.  
*Lolium gracile* Parl.  
  
*Sideritis nervosa* (Christ) Lind.  
*Sideritis nutans* Svent.  
*Sideritis penzigii* (Pit.) Bornm.  
*Sideritis sventenii* (Kunk.) Mend.-Heu.  
*Stemmacantha cynarooides* (Chr. Sm. in Buch) Dittrich  
*Ligularia tussilaginea* (Burm. fil.) Mak.  
*Limonium arborescens* × *macrophyllum*  
*Limonium pectinatum* (Ait.) O. Kuntze var. *corculum* (Webb et Berth.) Kunk. et Sund.  
*Limonium pectinatum* (Ait.) O. Kuntze var. *solandri* (Webb et Berth.) O. Kuntze  
*Limonium brassicifolium* (Webb et Berth.) O. Kuntze sep. *macropterum*  
 (Webb et Berth.) Kunk.  
*Limonium pectinatum* (Ait.) O. Kuntze var. *pectinatum*  
*Limonium preauxii* (Webb et Berth.) O. Kuntze  
*Limonium pectinatum* (Ait.) O. Kuntze var. *solandri* (Webb et Berth.) O. Kuntze  
  
*Kickxia brunneri* (Benth.) Janchen  
*Kickxia sagittata* (Poir.) Rothm.  
*Kickxia brunneri* (Benth.) Janchen  
*Kickxia cirrhosa* (L.) Fritsch  
*Cymbalaria muralis* G., M. et Sch.  
*Kickxia dichondrifolia* (Benth.) Janchen  
*Kickxia elatine* (L.) Dum.  
*Kickxia commutata* (Bernh. ex Rchb.) Fritsch ssp. *graeca* (Bory) R. Fern.  
*Kickxia sagittata* (Poir.) Rothm.  
*Kickxia sagittata* (Poir.) Rothm.  
*Kickxia pendula* (Kunk.) Kunk.  
*Kickxia scoparia* (Brouss. ex Spreng.) Kunk. et Sund.  
*Kickxia scoparia* (Brouss. ex Spreng.) Kunk. et Sund.  
*Kickxia spuria* (L.) Dum.  
*Kickxia sagittata* (Poir.) Rothm. var. *urbanii* (Pit.) Sund.  
*Kickxia sagittata* (Poir.) Rothm.  
*Linum bienne* Mill.  
*Linum trigynum* L.  
*Neatostema apulum* (L.) I. M. Johnst.  
*Buglossoides arvensis* (L.) I. M. Johnst.  
*Arnebia decumbens* (Vent.) Coss. et Kralik  
*Arnebia decumbens* (Vent.) Coss. et Kralik  
*Mairetis microsperma* (Boiss.) I. M. Johnst.  
*Mairetis microsperma* (Boiss.) I. M. Johnst.  
*Lobularia intermedia* Webb  
*Lobularia intermedia* Webb  
*Catharanthus roseus* (L.) G. Don  
*Lolium canariense* Steud.

- Lolium lolliaceum* auct. p.p.  
*Lophospermum erubescens* D. Don  
*Lotus arabicus* L. var. *trigonelloides* (Webb et Berth.) Pit. et Pr.  
*Lotus argenteus* Webb, non Boiss.  
*Lotus atropurpureus* DC.  
*Lotus bollei* Christ  
*Lotus borzii* Pit.  
*Lotus corniculatus* Buch, non L.  
*Lotus erythrorhizus* Bolle  
*Lotus floridus* (Lowe) Masf.  
*Lotus glaucus* Ait. var. *leptophyllum* (Lowe) Pit. et Pr.  
*Lotus hispidus* auct.  
*Lotus jacobaeus* L. var. *flaviflorus* Brunner  
*Lotus lancerottensis* Webb et Berth. var. *erythrorhizus* (Bolle) Kunk.  
*Lotus lancerottensis* Webb et Berth. sep. *kunkelii* Esteve  
*Lotus linearis* Walp.  
*Lotus lugubris* Salisb.  
*Lotus neglectus* (Lowe) Masf.  
*Lotus paivae* (Lowe) Mnzs.  
*Lotus pedunculatus* auct., non Cav.  
*Lotus peliorhynchus* Hook.fil.  
*Lotus pisifolius* Lowe  
*Lotus subbiflorus* auct., non Lag.  
*Lotus trigonelloides* Webb et Berth.  
*Lotus tristis* Moench  
*Ludwigia pubescens* (L.) Hara var. *brevisepala* (Brenan) Hara  
*Ludwigia pubescens* (L.) Hara var. *linearis* (Willd.) A. et R. Fern.  
*Luniathyrium japonicum* (Thunb.) Karata  
*Luniathyrium lasiopteris* (Kunze) Scop.  
*Luniathyrium petersenii* (Kunze) H. Ohba  
*Lupinus termis* Forssk.  
*Lupsia galactites* (L.) O. Kuntze  
*Luteola tinctoria* Webb et Berth.  
*Luzula azorica* Wats.  
*Luzula berthelotii* Nees  
*Luzula congesta* (Thuill.) Lej.  
*Luzula decolor* Webb et Berth.  
*Luzula elegans* Lowe  
*Luzula purpurea* Mass. ex Link in Buch  
*Luzula purpureo-splendens* auct. mad., non Seub.  
*Lycium afrum* auct. canar., non L.  
*Lycium europaeum* L. var. *intricatum* (Boiss.) O. Kuntze  
*Lycopersicon cerasiforme* Dun.
- Lolium subulatum* Vis.  
*Asarina erubescens* (D. Don) Penn.  
*Lotus glinoides* Delarb.  
*Lotus argyrodes* Murr.  
*Lotus jacobaeus* L.  
*Lotus coronillaefolius* Webb  
*Lotus emerooides* Murr.  
*Lotus lancerottensis* Webb et Berth.  
*Lotus glaucus* Ait. var. *erythrorhizus* (Bolle) Brand  
*Lotus glaucus* Ait.  
*Lotus leptophyllum* (Lowe) K. Lars.  
*Lotus suaveolens* Pers.  
*Lotus brunneri* Webb  
*Lotus glaucus* Ait. var. *erythrorhizus* (Bolle) Brand  
*Lotus kunkelii* (Esteve) Bramw. et Davis  
*Lotus jacobaeus* L.  
*Lotus jacobaeus* L.  
*Lotus lancerottensis* Webb et Berth.  
*Lotus glaucus* Ait.  
*Lotus uliginosus* Schkuhr  
*Lotus berthelotii* Masf.  
*Lotus uliginosus* Schkuhr  
*Lotus suaveolens* Pers.  
*Lotus glinoides* Delarb.  
*Lotus jacobaeus* L.  
*Ludwigia octovalvis* (Jacq.) Raven ssp. *brevisepala* (Brenan) Raven  
*Ludwigia octovalvis* (Jacq.) Raven ssp. *brevisepala* (Brenan) Raven  
*Deparia petersenii* (Kunze) M. Kato  
*Deparia petersenii* (Kunze) M. Kato  
*Deparia petersenii* (Kunze) M. Kato  
*Lupinus albus* L.  
*Galactites tomentosa* Moench  
*heseda luteola* L.  
*Luzula purpureo-splendens* Seub.  
*Ebingeria elegans* (Lowe) Chrtek et Križa  
*Luzula multiflora* (Retz.) Lej. ssp. *congesta* (Thuill.) Hyl.  
*Luzula forsteri* (Sm.) DC.  
*Ebingeria elegans* (Lowe) Chrtek et Križa  
*Ebingeria elegans* (Lowe) Chrtek et Križa  
*Luzula seubertii* Lowe  
*Lycium intricatum* Boiss.  
*Lycium intricatum* Boiss.  
*Lycopersicon esculentum* Mill. var. *leptophyllum* (Dun.) D'Arcy

- |   |  |
|---|--|
| <i>Lycopodium cernuum</i> L.                                      | <i>Lycopodiella cernua</i> (L.) Pic.-Serm.   |
| <i>Lycopodium cernuum</i> L. var. <i>caboverdeana</i> Gilli       | <i>Lycopodiella cernua</i> (L.) Pic.-Serm. var. <i>caboverdeana</i> (Gilli)<br>A. Hens. et Sund. |
| <i>Lycopodium dentatum</i> Herter                                 | <i>Huperzia selago</i> (L.) Bernh. ssp. <i>dentata</i> (Herter) Valentine                        |
| <i>Lycopodium inundatum</i> L.                                    | <i>Lycopodiella inundata</i> (L.) Holub  |
| <i>Lycopodium madeirensis</i> Wilce                               | <i>Diphasium madeirense</i> (Wilce) Rothm.   |
| <i>Lycopodium selago</i> L.                                       | <i>Huperzia selago</i> (L.) Bernh.   |
| <i>Lycopodium selago</i> L. ssp. <i>suberectum</i> (Lowe) Romariz | <i>Huperzia selago</i> (L.) Bernh. ssp. <i>dentata</i> (Herter) Valentine                        |
| <i>Lygos raetam</i> (Forsk.) Heyw.                                | <i>Retama raetam</i> (Forsk.) Webb et Berth.   |
| <i>Lyperia canariensis</i> Webb et Berth.                         | <i>Sutera canariensis</i> (Webb et Berth.) Kunk. et Sund.  |
| <i>Lysimachia azorica</i> Hornem. ex Hook.                        | <i>Lysimachia nemorum</i> L. ssp. <i>azoricum</i> (Hornem. ex Hook.) Pahl.                       |
| x <i>Lytanthobularia indubia</i> Svent.                           | <i>Globularia salicina</i> x <i>sarcophylla</i>  |
| <i>Lytanthus amygdalifolius</i> (Webb) Wettst.                    | <i>Globularia amygdalifolia</i> Webb   |
| <i>Lytanthus eselincinus</i> (Lam.) Wettst.                       | <i>Globularia salicina</i> Lam.  |
| <i>Lythrum acutangulum</i> auct., non Lag.                        | <i>Lythrum junceum</i> Banks et Soland.  |
| <i>Lythrum flexuosum</i> auct., non Lag.                          | <i>Lythrum junceum</i> Banks et Soland.  |
| <i>Lythrum graeffei</i> Ten.                                      | <i>Lythrum junceum</i> Banks et Soland.  |
| <i>Lythrum meonanthum</i> Link                                    | <i>Lythrum junceum</i> Banks et Soland.  |

M

- Macrobia bethencourtiana* (Bolle) Kunk.  
*Macrobia tortuosa* (Ait.) Kunk.  
*Majorana hortensis* Moench  
*Malva rotundifolia* auct. azor., non L.  
*Malva velutina* Schmidt  
*Malvastrum corchorifolium* (Desr. in Lam.) Britt. ex Small  
*Malvastrum spicatum* (L.) A. Gray  
*Malvastrum spieatum* (L.) A. Gray var. *mollissima* Chev.  
*Malvastrum tricuspidatum* A. Gray  
*Manglilla canariensis* (Willd.) Roem. et Schult.  
*Manoëlia pallida* Bowd.  
*Mariscus rufus* HBK.  
*Mariscus serratus* Gilib.  
*Marsilea strigosa* auct., non Willd.  
*Matricaria chamomilla* L.  
*Matricaria matricarioidea* (Less.) Porter  
*Matricaria recutita* L.  
*Matthiola bolleana* Webb ex Christ  
*Matthiola caboverdeana* Chev.  
*Matthiola tristis* (L.) R. Br.  
*Matthiola tristis* (L.) R. Br. var. *bolleana* (Webb ex Christ)  
Sund.  
*Maurandya erubescens* (D. Don) A. Gray

- Aichryson bethencourtianum* Bolle  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Origanum majorana* L.  
*Malva pusilla* J. E. Sm.  
*Malva parviflora* L. var. *velutina* (Schmidt) Chev.  
*Malvastrum coromandelianum* (L.) Garcke  
*Malvastrum americanum* (L.) Torr.  
*Malvastrum americanum* (L.) Torr.  
*Malvastrum coromandelianum* (L.) Garcke  
*Pleiomeris canariensis* (Willd.) A. DC.  
*Withania somnifera* (L.) Dun.  
*Mariscus ligularis* (L.) Urb.  
*Cladium mariscus* (L.) R. Br.  
*Marsilea azorica* Laun. et Paiva  
*Matricaria recutita* (L.) Rausch.  
*Chamomilla suaveolens* (Pursh) Rydb.  
*Chamomilla recutita* (L.) Rausch.  
*Matthiola fruticulosa* (L.) Maire var. *bolleana* (Webb ex Christ) Sund.  
*Erysimum caboverdeanum* (Chev.) Sund.  
*Matthiola fruticulosa* (L.) Maire  
*Matthiola fruticulosa* (L.) Maire var. *bolleana* (Webb ex Christ) Sund.  
*Asarina erubescens* (D. Don) Penn.

- Maurandya scandens* (Cav.) Pers.  
*Maurendya semperflorens* Ort.  
*Maytenus dryandri* (Lowe) Loes.  
*Maytenus dryandri* (Lowe) Loes. var. *canariensis* Loes.  
*Maytenus senegalensis* (Lam.) Exell  
*Medeola asparagooides* L.  
*Medicago calcar* Lowe  
*Medicago denticulata* Willd.  
*Medicago hispida* Gaertn.  
*Medicago lappacea* Desr.  
*Medicago nigra* Willd.  
*Medicago pentacycla* DC.  
*Medicago pulchella* Lowe  
*Medicago tribuloides* Desr.  
*Megalonium nobile* (Praeger) Kunk.  
*Megastoma pusillum* Coss. et Dur.  
*Melampodium ruderalis* Sw.  
*Melandrium album* (Mill.) Garcke  
*Melandrium noctiflorum* (L.) Fr.  
*Melanoselinum annuum* (Béguin.) Chev.  
*Melanoselinum bischoffii* (Schmidt) Chev.  
*Melanoselinum edule* (Lowe) Drude  
*Melanoselinum hirtum* (Schmidt) Chev.  
*Melanoselinum insulare* (Parl.) Chev.  
*Melanoselinum tenuissimum* Chev.  
*Melhania abyssinica* Rich.  
*Melhania leprieurii* Webb  
*Melica ciliata* L. ssp. *magnolii* auct. macar., non (Gren. et Godr.) Husn.  
*Melica magnolii* auct. macar., non Gren. et Godr.  
*Melica minuta* auct., non L.  
*Mellilotus parviflora* Desf.  
*Mentha x dumetorum* Schult.  
*Mentha x piperita* L.  
*Mentha rotundifolia* (L.) Huds.  
*Mentha x rubra* Sm.  
*Mentha x sativa* L.  
*Mentha x smithiana* R. A. Grah.  
*Mentha x tutinii* P. Silva  
*Mentha x verticillata* L.  
*Mentha viridis* L.  
*Menziesia daboecia* Seub. et Hochst., non DC.  
*Menziesia polifolia* Wats., non Sm.  
*Mesembryanthemaceae*
- Asarina scandens* (Cav.) Penn.  
*Asarina scandens* (Cav.) Penn.  
*Maytenus umbellata* (R. Br.) Mabb.  
*Maytenus canariensis* (Loes.) Kunk. et Sund.  
*Gymnoeporia senegalensis* (Lam.) Loes.  
*Asparagus asparagooides* (L.) W. F. Wight  
*Medicago tornata* (L.) Mill.  
*Medicago polymorpha* L.  
*Medicago minima* (L.) Bartal.  
*Medicago truncatula* Gaertn.  
*Aeonium nobile* (Praeger) Praeger  
*Eritrichium sventenii* Sund.  
*Eleutheranthera ruderalis* (Sw.) Sch. Bip.  
*Silene alba* (Mill.) E. H. Krause  
*Silene noctiflora* L.  
*Tornabenea annua* Béguin.  
*Tornabenea bischoffii* Schmidt  
*Monizia edulis* Lowe  
*Tornabenea hirta* Schmidt  
*Tornabenea hirta* Schmidt  
*Tornabenea tenuissima* (Chev.) A. Hans. et Sund.  
*Melhania ovata* (Cav.) Spreng.  
*Melhania ovata* (Cav.) Spreng.  
*Melica canariensis* Hempel  
*Melica canariensis* Hempel  
*Melica teneriffae* Hack. ex Christ  
*Melilotus indica* (L.) All.  
*Mentha aquatica* x *longifolia*  
*Mentha aquatica* x *spicata*  
*Mentha suaveolens* Ehrh.  
*Mentha aquatica* x *arvensis* x *spicata*  
*Mentha aquatica* x *arvensis*  
*Mentha aquatica* x *arvensis* x *spicata*  
*Mentha aquatica* x *suaveolens*  
*Mentha aquatica* x *arvensis*  
*Mentha spicata* L.  
*Daboecia azorica* Tutin et Warb.  
*Daboecia azorica* Tutin et Warb.  
*Aizoaceae*

- Mesembryanthemum cordifolium* L.fil.  
*Mesembryanthemum crassifolium* L.  
*Mesembryanthemum edule* L.  
*Messerschmidia angustifolia* Lam.  
*Messerschmidia floribunda* Salisb.  
*Messerschmidia fruticosa* L.fil.  
*Microderis filii* Hochst. ex Seub.  
*Microderis rigens* (Dryand. in Ait.) DC.  
*Microrhynchus picridiooides* (Webb) Benth. et Hook.fil.  
*Micromeria x angosturae* Pérez  
*Micromeria x benthamineolens* Svent.  
*Micromeria buchii* Webb et Berth.  
  
*Micromeria x confusa* Kunk. et Pérez  
*Micromeria ericifolia* Bornm.  
*Micromeria x intermedia* Kunk. et Pérez  
*Micromeria julianoides* Webb et Berth.  
*Micromeria julianoides* Webb et Berth. var. *palmensis* Bolle  
*Micromeria kuegleri* Bornm.  
*Micromeria x nogalesii* Kunk. et Pérez  
*Micromeria palmensis* (Bolle) Lid.  
*Micromeria perezii* Bolle  
*Micromeria pitardii* Bornm.  
*Micromeria polioides* Webb et Berth.  
*Micromeria x preauxii* Webb et Berth.  
*Micromeria serpyllomorpha* auct.  
*Micromeria x tagananensis* Pérez  
*Micromeria x tamadabaensis* Kunk.  
*Micromeria terebinthinacea* Webb et Berth.  
*Micromeria teydensis* Bolle  
*Micromeria thymoides* Webb  
*Micromeria x wildpretii* Pérez  
*Minuartia procumbens* (Vahl) Asch. et Gr.  
*Mirabilis divaricata* Lowe  
*Mitracarpus verticillatum* (Schum.) Vatke  
*Mnemion cheiranthifolium* (Humb. et Bonpl.) Webb et Berth.  
*Mnemion palmense* Webb et Berth.  
*Mollia aristata* Ait.  
*Monachyron villosum* Parl. in Webb  
*Monanthes agriostaphis* (Webb et Berth.) Christ  
*Monanthes x anagiflora* Bramw. et Rowl.  
*Monanthes x burchardii* Bramw. et Rowl.  
*Monanthes chlorotica* Bornm.  
*Monanthes x hybrida* Bramw. et Rowl.  
  
*Aptenia cordifolia* (L.fil.) Schwantes  
*Disphyma crassifolium* (L.) L. Bolus  
*Carpobrotus edulis* (L.) L. Bolus  
*Ceballosia fruticosa* (L.fil.) Kunk. var. *angustifolia* (Lam.) Kunk.  
*Ceballosia fruticosa* (L.fil.) Kunk.  
*Ceballosia fruticosa* (L.fil.) Kunk.  
*Leontodon filii* (Hochst. ex Seub.) Paiva et Orm.  
*Leontodon rigens* (Dryand. in Ait.) Paiva et Orm.  
*Launaea picridioides* (Webb) Robins.  
*Micromeria tenuis* ssp. *linkii* x *varia* ssp. *canariensis*  
*Micromeria benthamii* x *pineolens*  
*Micromeria tenuis* (Link) Webb et Berth.) ssp. *linkii* (Webb et Berth.) Pérez  
  
*Micromeria benthamii* x *lanata*  
*Micromeria varia* Benth.  
*Micromeria benthamii* x *helianthemifolia* var. *helianthemifolia*  
*Micromeria lachnophylla* Webb et Berth.  
*Micromeria lachnophylla* Webb et Berth.  
*Micromeria hyssopifolia* Webb et Berth. var. *kuegleri* (Bornm.) Pérez  
*Micromeria lanata* x *varia* ssp. *canariensis*  
*Micromeria herpyllomorpha* Webb et Berth.  
*Micromeria herpyllomorpha* Webb et Berth.  
*Micromeria lepida* Webb et Berth.  
*Micromeria tenuis* (Link) Webb et Berth.  
*Micromeria benthamii* x *varia* ssp. *canariensis*  
*Micromeria herpyllomorpha* Webb et Berth.  
*Micromeria glomerata* x *varia*  
*Micromeria benthamii* x *pineolens*  
*Micromeria teneriffae* Benth.  
*Micromeria lachnophylla* Webb et Berth.  
*Micromeria varia* Benth.  
*Micromeria rivas-martinezii* x *varia*  
*Minuartia geniculata* (Poir.) Thell.  
*Mirabilis jalapa* L.  
*Mitracarpus scaber* Zucc.  
*Viola cheiranthifolia* Humb. et Bonpl.  
*Viola palmensis* Webb et Berth.  
*Polycarpa aristata* (Ait.) DC.  
*Rhynchoselytrum villosum* (Parl.) Chiov.  
*Monanthes laxiflora* (DC.) Bolle  
*Monanthes anagensis* x *laxiflora*  
*Monanthes laxiflora* x *sileneis*  
*Monanthes laxiflora* (DC.) Bolle var. *chlorotica* (Bornm.) Kunk.  
*Monanthes brachycaulon* x *pallens*

*Monanthes x intermedia* Bramw. et Rowl.  
*Monanthes microbotrys* Bolle et Webb  
  
*Monanthes x polycaulis* Bramw. et Rowl.  
*Monanthes x pumila* Bramw. et Rowl.  
*Monanthes x silophylla* Bramw. et Rowl.  
*Monanthes x sventenii* Bramw. et Rowl.  
*Monanthes x tilophila* (Bolle) Christ  
*Moneraria cylindrica* (Willd.) Coss.  
*Monoptera filifolia* Sch. Bip.  
*Moraea iridioides* L.  
*Moringa pterygosperma* Gaertn.  
*Muscaria comosum* (L.) Mill.  
*Myrsiphyllum asparagooides* (L.) Willd.  
*Myagrum hispanicum* L.  
*Myosotis hispida* Schlecht.  
*Myosotis intermedia* Link  
*Myosotis macrocalycina* Coss.  
*Myosotis repens* G. Don ex Borrer  
*Myosotis sylvatica* auct. canar., non Hoffm.  
*Myosotis versicolor* (Pers.) Sm.  
*Myosotis versicolor* (Pers.) Sm. var. *canariensis* Pit.  
*Myosotis weinreichii* B. et R. var. *maderensis* Mnzs.  
*Myrsine canariensis* (Willd.) Spreng.  
*Myrsine retusa* Ait.

## N

*Narcissus biflorus* Curt.  
*Narcissus tazetta* L. sep. *papyraceus* (Ker-Gawl.) Baker  
*Nardurus lachenalii* (Gmel.) Godr.  
*Nauplius sericeus* (L.fil.) Cass.  
*Nauplius stenophyllus* (Link in Buch) Webb  
*Navaea phoenicea* (Vent.) Webb et Berth.  
*Nazia racemosa* (L.) O. Kuntze  
*Neotinea intacta* (Link) Rchb.fil.  
*Nephrodium aemulum* (Ait.) Baker  
*Nephrodium elongatum* Ait.  
*Nephrodium filix-mas* (L.) Rich. var. *affine* (Lowe) Mnzs.  
*Nephrodium foenisecii* Lowe  
*Nephrodium molle* auct.  
*Nicotiana cerinthoides* Hornem.  
*Nidorella feae* Béguin.  
*Nidorella nobrei* Chev.

*Monanthes brachycaulon* x *polyphylla*  
*Monanthes laxiflora* (DC.) Bolle var. *microbotrys* (Bolle et Webb)  
 Burch.  
  
*Monanthes polyphylla* x *subcrassicaulis*  
*Monanthes brachycaulon* x *silensis*  
*Monanthes polyphylla* x *silensis*  
*Monanthes laxiflora* x *pallens*  
*Monanthes brachycaulon* x *laxiflora*  
*Haynardia cylindrica* (Willd.) Greuter  
*Argyranthemum filifolium* (Sch. Bip.) Humpr.  
*Dites vegeta* (L.) N. E. Br.  
*Moringa oleifera* Lam.  
*Leopoldia comosa* (L.) Parl.  
*Asparagus asparagooides* (L.) W. F. Wight  
*Hirschfeldia incana* (L.) Lagr.-Foss.  
*Myosotis remosissima* Rochel  
*Myosotis arvensis* (L.) Hill  
*Myosotis latifolia* Poir.  
*Myosotis secunda* A. Murr.  
*Myosotis latifolia* Poir.  
*Myosotis discolor* Pers.  
*Myosotis discolor* Pers. ssp. *canariensis* (Pit.) Grau  
*Myosotis secunda* A. Murr.  
*Pleiomeris canariensis* (Willd.) A. DC.  
*Myrsine africana* L.

*Narcissus medioluteus* Mill.  
*Narcissus papyraceus* Ker-Gawl.  
*Catapodium tenellum* (L.) Batt. et Trab.  
*Asteriscus sericeus* (L.fil.) DC.  
*Asteriscus stenophyllus* (Link in Buch) O. Kuntze  
*Lavatera phoenicea* Vent.  
*Tragus racemosus* (L.) All.  
*Neotinea maculata* (Desf.) Stearn  
*Dryopteris aemula* (Ait.) O. Kuntze  
*Dryopteris aitoniana* Pic.-Serm.  
*Dryopteris affinis* (Lowe) Fr.-Jenk.  
*Dryopteris aemula* (Ait.) O. Kuntze  
*Christella dentata* (Forssk.) Brownsey et Jermy  
*Nicotiana paniculata* L.  
*Conyza feae* (Béguin.) Wild.  
*Conyza feae* (Béguin.) Wild.

- Nidorella nubigena* Bolle  
*Nidorella steetzii* Schmidt  
*Nidorella varia* (Webb) Schmidt  
*Noccaea procumbens* (L.) Rchb.  
*Normania triphylla* (Lowe) Lowe  
*Notelaea azorica* Tutin  
*Notelaea excelsa* (Ait.) Webb et Berth.  
*Notholaena canariensis* Desv.  
*Notholaena languginosa* (Desv.) Poir.  
*Notholaena marantae* (L.) R. Br.  
*Notholaena marantae* (L.) R. Br. esp. *subcordata* (Cav.) Kunk.  
*Notholaena vellea* (Ait.) Desv.  
*Nothoecordum fragrans* (Vent.) Kunth  
*Notoceras canariense* R. Br.  
*Notodanthonia tenuior* (Steud.) S. T. Blake  
*Nycterium cordifolium* Vent.  
*Nycterium triphyllum* Lowe  
*Nycterium vespertilio* (Ait.) Link  
*Nymphaea occidentalis* (Ostenf.) Moss.
- Conyza varia* (Webb) Wild  
*Conyza varia* (Webb) Wild  
*Conyza varia* (Webb) Wild  
*Hymenolobua procumbens* (L.) Nutt. ex Torr. et Gray  
*Solanum triectum* Dun.  
*Picconia azorica* (Tutin) Knobl.  
*Picconia excelsa* (Ait.) DC.  
*Cheilanthes marantae* (L.) Domin  
*Cheilanthes catanensis* (Coe.) H. P. Fuchs  
*Cheilanthes marantae* (L.) Domin ssp. *subcordata* (Cav.) Benl et Poelt  
*Cheilanthes catanensis* (Coe.) H. P. Fuchs  
*Nothoecordum inodorum* (Ait.) Nichole.  
*Notoceras bicornis* (Sol.) Car.  
*Rytidoepurum tenuius* (Steud.) A. Hans. et Sund.  
*Solanum vespertilio* Ait.  
*Solanum triectum* Dun.  
*Solanum vespertilio* Ait.  
*Nymphaea alba* L. var. *occidentalis* Ostenf.

## O

- Obione portulacoides* (L.) Moq.  
*Ocimum viride* Willd.  
*Odontospermum daltonii* Webb  
*Odontoerpnum daltonii* Webb var. *vogelii* (Webb) Chev.  
*Odontoerpnum intermedium* (DC.) Sch. Bip.  
*Odontoerpnum odorum* (Schoueb.) Sch. Bip.  
*Odontoerpnum pygmaeum* (Coss. et Dur.) O. Hoffm.  
*Odontoerpnum schultzii* Bolle  
*Odontoerpnum sericeum* (L.fil.) Sch. Bip.  
*Odontoerpnum sericeum* (L.fil.) Sch. Bip. var. *intermedium* DC.  
*Odontoerpnum smithii* Webb  
*Odontoerpnum stenophyllum* (Link in Buch) Sch. Bip.  
*Odontoerpnum stenophyllum* (Link in Buch) Sch. Bip.  
 var. *filiifolium* Kunk.  
*Odontoerpnum vogelii* Webb  
*Odontoerpnum vogelii* Webb var. *darwinii* Webb  
*Oenanthe pteridifolia* Lowe  
*Oenotheraceae*  
*Ogaetemma pueillum* (Coss. et Dur. ex Bonn. et Barr.) Brummitt  
*Ogiere ruderale* (Sw.) Griesb.  
*Oglifa gallica* (L.) Chrtel et Holub  
*Oldenlandia aspera* DC.

- Halimione portulacoides* (L.) Aellen.  
*Ocimum gratissimum* L.  
*Asteriscus daltonii* (Webb) Walp.  
*Asteriscus vogelii* (Webb) Walp.  
*Asteriscus intermedius* (DC.) Pit. et Pr.  
*Asteriscus odoratus* (Schousb.) DC.  
*Asteriscus pygmaeus* Coss. et Dur.  
*Asteriscus schultzii* (Bolle) Pit. et Pr.  
*Asteriscus sericeus* (L.fil.) DC.  
*Asteriscus intermedius* (DC.) Pit. et Pr.  
*Asteriscus amithii* (Webb) Walp.  
*Asteriscus stenophyllum* (Link in Buch) O. Kuntze  
*Asteriscus stenophyllum* (Link in Buch) O. Kuntze  
 var. *filiifolius* (Kunk.) A. Hans. et Sund.  
*Asteriscus vogelii* (Webb) Walp.  
*Asteriscus vogelii* (Webb) Walp. var. *darwinii* (Webb) Walp.  
*Oenanthe divaricata* (R. Br.) Mabb.  
*Onagraceae*  
*Eritrichium sventenii* Sund.  
*Eleutheranthera ruderale* (Sw.) Sch. Bip.  
*Logfia gallica* (L.) Coss. et Germ.  
*Kohautia aenere* (Heyne ex Roth) Bremek.

*Oldenlandia capensis* L.fil.  
*Oldenlandia macrophylla* DC.  
*Oldenlandia stricta* L.  
*Oldenlandia virgata* DC.  
*Olea excelsa* Ait.  
*Olea maderensis* Cele.  
*Oligomeris glaucescens* Cambess.  
*Oligomeris subulata* (Delarb.) Boiss.  
*Ononis flexipes* Webb et Berth.  
*Ononis irritabilis* Kunk.  
*Ononis micrantha* Lowe  
*Ononis ochreata* Benth. ex Bolle, nom. nud.  
*Ononis reclinata* L. var. *lowei* Webb et Berth.  
*Ononis reclinata* L. var. *simplex* Lowe  
*Ophioglossum vulgatum* L. var. *ambiguum* Coss. et Germ.  
*Ophioglossum vulgatum* L. var. *polyphyllum* (A. Br.) Mildé  
*Oplismenus daltoni* (Parl.) Schmidt  
*Opuntia ficus-indica* (L.) Mill.  
*Opuntia monacantha* (Willd.) Haw.  
*Orchis canariensis* Lindl.  
*Orchis foliosa* Soland. ex Lowe, non Swartz  
*Orchis intacta* Link  
*Oreodaphne foetida* (Ait.) Nees  
*Ormenis nobilis* (L.) Gay  
*Ornithopus sbracteatus* Brot.  
*Orobanche barbata* auct., non Poir.  
*Orobanche mauretanica* G. Beck  
*Orobanche ramosa* L. ssp. *nana* (Reut.) Cout.  
*Orobanche schultzii* auct. canar., non (Walp.) Mut.  
*Oryzopsis caerulescens* (Desf.) Hack.  
*Oryzopsis miliacea* (L.) Asch. et Schweinf.  
*Oxalis cernua* Thunb.  
*Oxalis stricta* auct.  
*Oxalis variabilis* Jacq.

## P

*Pachygodium erysimoides* (Desf.) Webb et Berth.  
*Pelhinhaea cernua* (L.) Franco et Vasc.  
*Pelhinhaea veigae* Vasc.  
*Palmae*  
*Panicum barbinode* Trin.  
*Panicum colonum* L.  
*Panicum crus-galli* L.

*Oldenlandia corymbosa* L. var. *caespitosa* (Benth.) Verdc.  
*Pentodon pentander* (Schum. et Thonn.) Vatke  
*Oldenlandia herbacea* (L.) Roxb.  
*Kohautia virgata* (Willd.) Bremek.  
*Picconia excelsa* (Ait.) DC.  
*Picconia excelsa* (Ait.) DC.  
*Oligomeris linifolia* (Vahl) Macbride  
*Oligomeris linifolia* (Vahl) Macbride  
*Ononis laxiflora* Desf.  
*Ononis angustissima* Lam. var. *ulicina* Webb et Berth.  
*Ononis diffuse* Ten.  
*?Ononis natrix* L.  
*Ononis dentata* Sol. ex Lowe  
*Ononis dentata* Sol. ex Lowe  
*Ophioglossum azoricum* C. Presl  
*Ophioglossum azoricum* C. Presl  
*Echinochloa colonum* (L.) Link  
*Opuntia ficus-barberica* A. Berger  
*Opuntia vulgaris* Mill.  
*Orchis patens* Desf. esp. *canariensis* (Lindl.) Sund. et Kunk.  
*Dactylorhiza foliosa* (Verm.) Soó  
*Neotinea maculata* (Desf.) Steern  
*Ocotea foetens* (Ait.) Benth. et Hook.fil.  
*Chamaelium nobile* (L.) All.  
*Ornithopus pinnatus* (Mill.) Druce  
*Orobanche minor* J. E. Sm.  
*Orobanche calendulae* Pomel  
*Orobanche nana* (Reut.) Noé ex G. Beck  
*Orobanche trichocalyx* (Webb) G. Beck  
*Piptatherum caeruleescens* (Desf.) PB.  
*Piptatherum miliaceum* (L.) Coes.  
*Oxalis pes-caprae* L.  
*Oxalis europaea* Jord.  
*Oxalis purpurea* L.

*Sisymbrium erysimoides* Desf.  
*Lycopodiella cernua* (L.) Pic.-Serm.  
*Lycopodiella veigae* (Vasc.) A. Hens. et Sund.  
*Arecaceae*  
*Brachiaria mutica* (Forssk.) Stepp  
*Echinochloa colonum* (L.) Link  
*Echinochloa crus-galli* (L.) PB.

- Panicum daltoni* Parl.  
*Panicum hyetrix* Steud.  
*Panicum sanguinale* L.  
*Panicum sulcatum* Aubl.  
**Papilionaceae**  
*Pappophorum brachystachyum* Jaub. et Spach  
*Pappophorum vincentianum* Schmidt  
*Parapholis cylindrica* (Willd.) C. E. Hubb.  
*Parietaria appendiculata* Webb et Berth.  
*Parietaria arborea* (L.fil.) L'Hér.  
*Parietaria diffusa* Mert. et Koch  
*Parietaria gracilis* Lowe  
*Parietaria lusitanica* auct., non L.  
*Parietaria officinalis* auct., non L.  
*Paronychia chlorothyrax* Murb. ssp. *canariensis* Chaudhri  
*Paronychia cymosa* (L.) DC. in Lam.  
*Paronychia decandra* (Forssk.) Rohw. et Urm.  
*Paronychia echinata* Lam.  
*Paronychia gomerensis* (Burch.) Svent. et Bramw.  
*Paspalum distichum* auct., non L.  
*Paspalum scrobiculatum* L. var. *commersonii* (Lam.) Stapf  
*Paspalum vaginatum* Sw.  
*Patellaria cordata* S., F.-L. et W.  
*Patellaria procumbens* (Chr. Sm. ex Hornem.) S., F.-L. et W.  
*Patellaria webbiana* (Moq.) S., F.-L. et W.  
*Pedrosia argentea* (Webb) Lowe  
*Pedrosia glauca* (Ait.) Lowe  
*Pedrosia leptophylla* Lowe  
*Pedrosia lowiana* (Webb) Lowe  
*Pedrosia macrantha* (Lowe) Lowe  
*Pedrosia neglecta* Lowe  
*Pedrosia paivae* Lowe  
*Pedrosia portosanctana* Lowe  
*Pedrosia sessilifolia* (DC.) Lowe  
*Pelargonium x asperum* Ehrh. ex Willd.  
*Pellaea hastata* (Thunb.) Prantl var. *minor* (Bolle) Chev.  
*Pennisetum cenchroides* Rich.  
*Pennisetum ciliare* (L.) Link  
*Pennisetum elatum* auct. canar., non Hochst. ex Steud.  
*Pennisetum longistylum* auct. azor., non Hochst. ex A. Rich.  
*Pennisetum myurus* Parl. in Webb  
*Periploca angustifolia* Lab.  
*Periploca laevigata* Ait. ssp. *chevalieri* (Brow.) Kunk.  
*Periploca eleafolia* Salisb.
- Echinochloa colonum* (L.) Link  
*Panicum lindleyanum* Nees ex Steud.  
*Digitaria sanguinalis* (L.) Scop.  
*Setaria paniculifera* (Steud.) Fourn.  
**Fabaceae**  
*Enneapogon desvauxii* J. E. Sm.  
*Enneapogon desvauxii* J. E. Sm.  
*Haynardia cylindrica* (Willd.) Greuter  
*Parietaria debilis* Forst.fil.  
*Gesnouinia arborea* (L.fil.) Gaud.  
*Parietaria judaica* L.  
*Parietaria debilis* Forst.fil.  
*Parietaria judaica* L.  
*Paronychia capitata* (L.) Lam. ssp. *canariensis* (Chaudhri) Sund.  
*Chaetonychia cymosa* (L.) Sweet  
*Gymnocarpus decander* Forssk.  
*Paronychia echinulata* Chater  
*Polycarpha gomerensis* Burch.  
*Paspalum paspalooides* (Michx.) Scribn.  
*Paspalum orbiculare* Forst.  
*Paspalum distichum* L.  
*Patellifolia patellaris* (Moq.) S., F.-L. et W.  
*Patellifolia procumbens* (Chr. Sm. ex Hornem.) S., F.-L. et W.  
*Patellifolia webbiana* (Moq.) S., F.-L. et W.  
*Lotus argyrodes* Murr.  
*Lotus glaucus* Ait.  
*Lotus leptophyllum* (Lowe) K. Lars.  
*Lotus loweanus* Webb  
*Lotus macrocarpus* Lowe  
*Lotus lanciferans* Webb et Berth.  
*Lotus glaucus* Ait.  
*Lotus loweanus* Webb  
*Lotus sessilifolius* DC.  
*Pelargonium graveolens* x *radens* H. E. Moore  
*Pellaea calomelanos* (Sw.) Link  
*Cenchrus ciliaris* L.  
*Cenchrus ciliaris* L.  
*Pennisetum setaceum* (Forssk.) Chiov. ssp. *orientale* (Rich.) Maire  
*Pennisetum villosum* R. Br.  
*Pennisetum polystachyon* (L.) Schult.  
*Periploca laevigata* Ait.  
*Periploca chevalieri* Brow.  
*Periploca laevigata* Ait.

- Periploca punicifolia* Cav.  
*Peristylus cordatus* (Willd.) Lindl.  
*Persea azorica* Seub.  
*Persicaria salicifolia* (Brouss. ex Willd.) Assenov  
*Persicaria serrulata* Webb et Moq.  
*Petrophytes agriostaphis* Webb et Berth.  
*Petrophytes brachycaulon* Webb et Berth.  
*Petrophytes icterica* Webb ex Bolle  
*Petrophytes minima* Bolle  
*Petrophytes muralis* Webb ex Bolle  
*Petrophytes pallens* Webb ex Christ  
*Petrophytes polyphyllum* (Haw.) Webb et Berth.  
*Petrophytes purpurascens* Bolle et Webb  
*Petrophytes x tilophila* Bolle  
*Petroselinum hortense* Hoffm.  
*Petroselinum sativum* Hoffm.  
*Peucedanum lowei* (Coss.) Mnzs.  
*Phace vogelii* Webb  
*Phagnalon calycinum* auct. mad., non (Cav.) DC.  
*Phagnalon luridum* Webb  
*Phalaris altissima* Mnzs.  
*Phalaris nodosa* Mnzs.  
*Phalaris tuberosa* L.  
*Phelipaea brunneri* Webb  
*Phelipaea gratiosa* Webb et Berth.  
*Phelipaea hesperugo* Webb  
*Phelipaea lavandulacea* Rchb.  
*Phelipaea lutea* Desf.  
*Phelipaea purpurea* (Jacq.) Asch.  
*Phelipaea ramosa* (L.) Mey.  
*Phelipaea schultzii* Walp.  
*Phelipaea trichocalyx* Webb  
*Phloxerurus vermiculare* (L.) PB.  
*Phoebe barbujana* (Cav.) Webb et Berth.  
*Phoebe indica* (L.) Pax.  
*Phoenix dactylifera* L. var. *jubae* Webb et Berth.  
*Phoenix jubae* (Webb et Berth.) Webb ex Christ  
*Phragmites communis* Trin.  
*Phyla nodiflora* (L.) Greene  
*Phyllanthus distichus* (L.) Mull. Arg.  
*Phyllitis palmatum* (Lam.) Samp.  
*Physalis arborescens* Thunb., non Lam.  
*Physalis aristata* Ait.  
*Physalis frutescens* (L.) DC.
- Periploca laevigata* Ait.  
*Gennaria diphylla* (Link) Parl.  
*Laurus azorica* (Seub.) Franco  
*Polygonum salicifolium* Brouss. ex Willd.  
*Polygonum salicifolium* Brouss. ex Willd.  
*Monanthes laxiflora* (DC.) Bolle  
*Monanthes brachycaulon* (Webb et Berth.) Lowe  
*Monanthes icterica* (Webb ex Bolle) Pfeiffer  
*Monanthes minima* (Bolle) Christ  
*Monanthes muralis* (Webb ex Bolle) Christ  
*Monanthes pallens* (Webb ex Christ) Christ  
*Monanthes polyphylla* Haw.  
*Monanthes purpurascens* (Bolle et Webb) Christ  
*Monanthes brachycaulon* x *laxiflora*  
*Petroselinum crispum* (Mill.) A. W. Hill  
*Petroselinum crispum* (Mill.) A. W. Hill  
*Imperatoria lowei* Coss.  
*Astragalus vogelii* (Webb) Hutch. et Dalz.  
*Phagnalon bennettii* Lowe  
*Phagnalon melanoleucum* Webb var. *luridum* (Webb) Chev.  
*Phalaris aquatica* L.  
*Phalaris aquatica* L.  
*Phalaris aquatica* L.  
*Cistanche phelipaea* (L.) Cout.  
*Orobanche graticosa* (Webb et Berth.) G. Beck  
*Cistanche phelipaea* (L.) Cout.  
*Orobanche trichocalyx* (Webb) G. Beck  
*Cistanche phelipaea* (L.) Cout.  
*Orobanche purpurea* Jacq.  
*Orobanche ramosa* L.  
*Orobanche trichocalyx* (Webb) G. Beck  
*Orobanche trichocalyx* (Webb) G. Beck  
*Blutaparon vermiculare* (L.) Mears  
*Apollonias barbujana* (Cav.) Bornm.  
*Persea indica* (L.) Spreng.  
*Phoenix canariensis* Chab.  
*Phoenix canariensis* Chab.  
*Phragmites australis* (Cav.) Trin.  
*Lippia nodiflora* (L.) Michx.  
*Cicca disticha* L.  
*Aeplenium hemionitis* L.  
*Withania somnifera* (L.) Dun.  
*Withania aristata* (Ait.) Pauq.  
*Withania frutescens* (L.) Pauq.

- |  |   |
|--|---|
| <i>Physalis pubescens</i> auct., non L.  | <i>Physalis peruviana</i> L.  |
| <i>Physalis somnifera</i> L.   | <i>Withania somnifera</i> (L.) Dun.   |
| <i>Phytolacca decandra</i> L.  | <i>Phytolacca americana</i> L.  |
| <i>Picridium crystallinum</i> Sch. Bip.  | <i>Reichardia crystallina</i> (Sch. Bip.) Bramw.                                    |
| <i>Picridium ligulatum</i> Vent.   | <i>Reichardia ligulata</i> (Vent.) Kunk. et Sund.                                   |
| <i>Picridium tingitanum</i> (L.) Desf.   | <i>Reichardia tingitana</i> (L.) Roth   |
| <i>Picris echoides</i> L.  | <i>Helminthotheca echoides</i> (L.) Lack  |
| <i>Picrosonchus pendulus</i> Webb  | <i>Prenanthes pendula</i> Sch. Bip.   |
| <i>Pimpinella anagodendron</i> Bolle var. <i>junoniae</i> (Ceb. et Ort.) Lems, nom. inval. | <i>Pimpinella junoniae</i> Ceb. et Ort.   |
| <i>Pimpinella buchii</i> Webb  | <i>Pimpinella cumbrae</i> Link  |
| <i>Pimpinella dendrocelimum</i> Webb   | <i>Pimpinella dendrotragium</i> Webb  |
| <i>Pimpinella rupicola</i> Svent.  | <i>Pimpinella anagodendron</i> Bolle  |
| <i>Pinus maritima</i> Lam.   | <i>Pinus pinaster</i> Ait.  |
| <i>Pityrogramma tartarea</i> (Cav.) Maxon  | <i>Pityrogramma ebenea</i> (L.) Proctor   |
| <i>Plantago aschersonii</i> Bolle  | <i>Plantago coronopus</i> L.  |
| <i>Plantago asiatica</i> L.  | <i>Plantago major</i> L. var. <i>asiatica</i> (L.) Chev.                            |
| <i>Plantago azorica</i> Hochst.  | <i>Plantago lanceolata</i> L.   |
| <i>Plantago coctae</i> Mnzs.   | <i>Plantago arboreascens</i> Poir. ssp. <i>maderensis</i> (Dcne.) A. Hans. et Kunk. |
| <i>Plantago cynops</i> auct. canar., non L.  | <i>Plantago arboreascens</i> Poir.  |
| <i>Plantago decumbens</i> Forssk.  | <i>Plantago ovata</i> Forssk.   |
| <i>Plantago lanceolata</i> L. ssp. <i>leiopetala</i> (Lowe) Bornm.                         | <i>Plantago leiopetala</i> Lowe   |
| <i>Plantago psyllium</i> L.  | <i>Plantago afra</i> L.   |
| <i>Plantago psyllium</i> L. var. <i>obtusata</i> Svent.                                    | <i>Plantago afra</i> L. var. <i>obtusata</i> (Svent.) A. Hans. et Sund.             |
| <i>Plantago serraria</i> auct. canar., non L.  | <i>Plantago coronopus</i> L.  |
| <i>Platanthera azorica</i> Schlecht.   | <i>Platanthera micrantha</i> (Hochst. ex Seub.) Schlecht.                           |
| <i>Plinthanthesis tenuior</i> Steud.   | <i>Rytidosperme tenuius</i> (Steud.) A. Hans. et Sund.                              |
| <i>Plumbago occidentale</i> Sweet ex Webb  | <i>Plumbago zeylanica</i> L.  |
| <i>Podospermum laciniatum</i> (L.) DC.   | <i>Scorzonera laciniata</i> L.  |
| <i>Podospermum resedaeifolium</i> Sch. Bip. in Webb et Berth.                              | <i>Scorzonera laciniata</i> L.  |
| <i>Pogonia bollei</i> Rchb.fil.  | <i>Nervilia bollei</i> (Rchb.fil.) Schltr.  |
| <i>Poinsettia cyathophora</i> (Murr.) Klotzsch et Garcke                                   | <i>Euphorbia cyathophora</i> Murr.  |
| <i>Polenisia viscosa</i> (L.) Béguin.  | <i>Cleome viscosa</i> L.  |
| <i>Polidendron heterophyllum</i> (L'Hér.) Webb et Berth.                                   | <i>Teucrium heterophyllum</i> L'Hér.  |
| <i>Pollachia africana</i> (L.) Med.  | <i>Trichodesma africanum</i> (L.) R. Br.  |
| <i>Polycarpaea aristata</i> Webb et Berth., non Chr. Sm.                                   | <i>Polycarpaea tenuis</i> Webb et Berth.  |
| <i>Polycarpaea candida</i> Webb et Berth.  | <i>Polycarpaea nivea</i> (Ait.) Webb  |
| <i>Polycarpaea divaricata</i> (Ait.) Poir. var. <i>latifolia</i> (Willd.) O. Kuntze        | <i>Polycarpaea latifolia</i> Willd.   |
| <i>Polycarpaea gnaphalodes</i> (Schousb.) Poir. in Lam.                                    | <i>Polycarpaea nives</i> (Ait.) Webb  |
| <i>Polycarpaea microphylla</i> Cav.  | <i>Polycarpaea nivea</i> (Ait.) Webb  |
| <i>Polycarpaea robusta</i> (Pit.) Kunk.  | <i>Polycarpaea nivea</i> (Ait.) Webb  |
| <i>Polycarpaea teneriffae</i> Lam.   | <i>Polycarpaea divaricata</i> (Ait.) Poir.  |
| <i>Polygonum barbatum</i> Mnzs.  | <i>Polygonum salicifolium</i> Brouss. ex Willd.                                     |

- |  |  |
|--|--|
| <i>Polygonum convolvulus</i> L.  | Bilderdykia convolvulus (L.) Dumort.   |
| <i>Polygonum serrulatum</i> Lag.   | <i>Polygonum salicifolium</i> Brouss. ex Willd.  |
| <i>Polypodium africanum</i> Desv.  | <i>Stegnogramma pozoi</i> (Lag.) K. Iwatsuki   |
| <i>Polypodium aureum</i> L.  | <i>Phlebodium aureum</i> (L.) Smith  |
| <i>Polypodium australe</i> auct. macar.                                      | <i>Polypodium macaronesicum</i> Bobrov   |
| <i>Polypodium australe</i> Féé ssp. <i>azoricum</i> (Vasc.) Nardi            | <i>Polypodium macaronesicum</i> Bobrov   |
| <i>Polypodium azoricum</i> (Vasc.) R. Fern.                                  | <i>Polypodium macaronesicum</i> Bobrov   |
| <i>Polypodium drepanum</i> (Sw.) C. Presl                                    | <i>Polystichum drepanum</i> (Sw.) Lowe   |
| <i>Polypodium tottum</i> (Willd.) Schlecht.                                  | <i>Stegnogramma pozoi</i> (Lag.) K. Iwatsuki   |
| <i>Polypodium umbrosum</i> Ait.  | <i>Diplazium caudatum</i> (Cav.) Jeremy  |
| <i>Polypodium vulgare</i> L. var. <i>teneriffae</i> Mildé                    | <i>Polypodium macaronesicum</i> Bobrov   |
| <i>Polygona</i> x <i>adscendens</i> Guss.                                    | <i>Polygona monspeliensis</i> x <i>viridis</i>   |
| <i>Polygona</i> <i>elongatus</i> auct. canar., non HBK.                      | <i>Polygona fugax</i> Nees ex Steud.   |
| <i>Polygona</i> x <i>littoralis</i> J. E. Sm.                                | <i>Polygona monspeliensis</i> x <i>viridis</i>   |
| <i>Polygona</i> <i>semiverticillatus</i> (Forssk.) Hyl.                      | <i>Polygona viridis</i> (Gouan) Breistr.   |
| x <i>Polygona</i> <i>agrostis</i> <i>adscendens</i> (Guss.) Maire            | <i>Polygona monspeliensis</i> x <i>viridis</i>   |
| <i>Polystichum angulare</i> (Kit. ex Willd.) C. Presl                        | <i>Polystichum setiferum</i> (Forssk.) Woynar  |
| <i>Polystichum falcatum</i> (L.fil.) Diels                                   | <i>Cyrtodium falcatum</i> (L.fil.) C. Presl  |
| <i>Polystichum falcinellum</i> (Sw.) C. Presl var. <i>subbipinnata</i> Moore | <i>Polystichum falcinellum</i> x <i>setiferum</i>  |
| <i>Polystichum frondosum</i> J. E. Sm.                                       | <i>Polystichum webbianum</i> (A. Br.) C. Chr.  |
| <i>Polystichum</i> x <i>maderense</i> Johnson                                | <i>Polystichum falcinellum</i> x <i>setiferum</i>  |
| <i>Potamogeton canariensis</i> Link  | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton cuprifolius</i> Lowe in sched.                                | <i>Potamogeton polygonifolius</i> Pourr.   |
| <i>Potamogeton fluitans</i> Roth p.p.  | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton gramineus</i> L. var. <i>machianus</i> Mnzs.                  | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton lechenaultii</i> Cham. et Schl.                               | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton machicanus</i> Lowe in sched.                                 | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton</i> x <i>miguelensis</i> Dandy                                | <i>Potamogeton nodosus</i> Poir.   |
| <i>Potamogeton pusillus</i> auct. caboverd., non L.                          | <i>Potamogeton polygonifolius</i> x <i>pusillus</i>  |
| <i>Potentilla indica</i> (And.) Wolf   | <i>Potamogeton anticus</i> Hagstr.   |
| <i>Potentilla</i> x <i>italica</i> Lehm.                                     | <i>Duchesnea indica</i> (And.) Focke   |
| <i>Potentilla procumbens</i> Sibth.  | <i>Potentilla erecta</i> x <i>reptans</i>  |
| <i>Poterium megacarpum</i> Lowe  | <i>Potentilla anglica</i> Leich.   |
| <i>Prasium medium</i> Lowe   | <i>Sanguisorba minor</i> Scop. ssp. <i>magnolii</i> (Spach) Briq.                              |
| <i>Preauxia canariensis</i> Sch. Bip.  | <i>Prasium majus</i> L.  |
| <i>Preauxia canariensis</i> Sch. Bip. f. <i>gracilis</i> Sch. Bip.           | <i>Argyranthemum adauctum</i> (Link) Humphr. ssp. <i>canariense</i><br>(Sch. Bip.) Humphr.     |
| <i>Preauxia dugourii</i> Bolle   | <i>Argyranthemum adauctum</i> (Link) Humphr. ssp. <i>gracile</i> (Sch. Bip.)<br>Humphr.        |
| <i>Preauxia jacobaeifolia</i> Sch. Bip.                                      | <i>Argyranthemum adauctum</i> (Link) Humphr. ssp. <i>dugourii</i> (Bolle)<br>Humphr.           |
| <i>Preauxia peralderi</i> Sch. Bip. ex Sauer                                 | <i>Argyranthemum adauctum</i> (Link) Humphr. ssp. <i>jacobaeifolium</i><br>(Sch. Bip.) Humphr. |
| x <i>Prenanthes rupicola</i> Svent.  | <i>Argyranthemum adauctum</i> (Link) Humphr. ssp. <i>adauctum</i>                              |
| <i>Prenanthes pinnata</i> L.fil.   | <i>Prenanthes pendula</i> x <i>Sventenias bupleuroides</i>                                     |
|  | <i>Taeckholmia pinnata</i> (L.fil.) Boulos   |

*Prismatocarpus falcatus* Ten.  
*Prismatocarpus hybridus* (L.) L'Hér.  
*Prosopis juliflora* (Sw.) DC.  
*Prunus amygdalus* Batsch.  
*Prunus hixa* Brouss. ex Willd.  
*Pseidium pyrififerum* L.  
*Psilotum triquetrum* Sw.  
*Pseoralea bituminosa* L.  
*Pseoralea dentata* DC.  
*Psyllium afrum* (L.) Mirb.  
*Psyllium arborescens* (Poir.) Mirb.  
*Psyllium famarae* (Svent.) Kunk.  
*Psyllium webbii* (Barn.) Soják  
*Pteris arguta* Ait.  
*Pteris longifolia* auct., non L.  
*Pteris serrulata* auct., non Forssk.  
*Pyrethrum adaeuctum* Link  
*Pyrethrum frutescens* (L.) Gaertn.  
*Pyrethrum pinnatifidum* (L.fil.) Choisy  
*Pyrus aucuparia* Gaertn. var. *maderensis* (Dode) Lowe  
*Pyrus maderensis* (Dode) Mnzs.

**R**

*Ranunculus grandifolius* Lowe  
*Ranunculus megaphyllum* Steud.  
*Ranunculus teneriffae* Pers.  
*Reichardia x canariensis* Gallego et Talavera  
*Reichardia x sventenii* Gallego et Talavera  
*Reseda crystallina* Webb et Berth.  
*Reseda linifolia* Vahl in Hornem.  
*Reseda macrosperma* Rchb.  
*Resedella subulata* (Delarb.) Webb et Berth.  
*Retama monosperma* auct. canar.  
*Retama rhodorhizoides* Webb et Berth.  
*Rhabdotheca picridioides* Webb  
*Rhagodia nutans* R. Br.  
*Rhamnus coriacea* Nees  
*Rhamnus latifolia* L'Hér.  
*Rhaponticum canariense* (Webb et Berth.) DC.  
*Rhodalsine gayana* (Webb ex Christ) Christ  
*Rhodalsine platyphylla* (Gay ex Christ) Christ  
*Rhodocistus berthelotianus* Spach  
*Rhodorhiza florida* (L.fil.) Webb in Lindl.

*Legousia falcata* (Ten.) Fritsch  
*Legousia hybrida* (L.) Delarb.  
*Prosopis limensis* Benth.  
*Prunus dulcis* (Mill.) D. A. Webb  
*Prunus lusitanica* L. ssp. *hixa* (Willd.) Franco  
*Psidium guajava* L.  
*Psilotum nudum* (L.) PB.  
*Aspalthium bituminosum* (L.) Fourr.  
*Psoralea americana* L.  
*Plantago afra* L.  
*Plantago arborescens* Poir.  
*Plantago famarae* Svent.  
*Plantago webbii* Barn.  
*Pteris incompleta* Cav.  
*Pteris vittata* L.  
*Pteris incompleta* Cav.  
*Argyranthemum adaeuctum* (Link) Humphr.  
*Argyranthemum frutescens* (L.) Sch. Bip.  
*Argyranthemum pinnatifidum* (L.fil.) Lowe  
*Sorbus maderensis* Dode  
*Sorbus maderensis* Dode

*Ranunculus cortusifolius* Willd.  
*Ranunculus cortusifolius* Willd.  
*Ranunculus cortusifolius* Willd.  
*Reichardia ligulata* x *tingitana*  
*Reichardia famarae* x *tingitana*  
*Reseda lancerotae* Webb et Berth. ex Del.  
*Oligomeris linifolia* (Vahl) Macbride  
*Reseda media* Leg.  
*Oligomeris linifolia* (Vahl) Macbride  
*Retama raetam* (Forssk.) Webb et Berth.  
*Retama raetam* (Forssk.) Webb et Berth.  
*Iaunaea picridioides* (Webb) Robins.  
*Einadia nutans* (R. Br.) A. J. Scott  
*Rhamnus integrifolia* DC.  
*Frenula azorica* V. Grubow  
*Stemmacantha cynaroidea* (Chr. Sm. in Buch) Dittrich  
*Minuartia webbii* McNeill et Bramw.  
*Minuartia platyphylla* (Gay ex Christ) McNeill  
*Cistus symphytifolius* Lam.  
*Convolvulus floridus* L.fil.

- Rhodorhiza fruticulosa* (Desr.) Webb et Berth.  
*Rhodorhiza glandulosa* Webb  
*Rhodorhiza perraudieri* (Coss.) Bolle  
*Rhodorhiza scoparia* (L.fil.) Webb  
*Rhodorhiza virgata* Webb et Berth.  
  
*Rivaea tiliifolia* (Desr.) Choisy  
*Rivasgodaya nervosa* Esteve  
*Romulea grandisepa* Gay  
*Romulea hartungii* Parl.  
*Rorippa nasturtium-aquaticum* (L.) Hayek  
*Roucela erinus* (L.) Dum.  
*Rubia agostinhoi* Dans. et Silva  
*Rubia angustifolia* auct.  
*Rubia fruticosa* Ait. var. pendula Pit.  
*Rubia fruticosa* Ait. ssp. pendula (Pit.) Oberd.  
*Rubia gratiola* Mnzs.  
*Rubia melanocarpa* (Bornm.) Svent.  
*Rubus grandiflorus* Seub. et Hochst.  
*Rubus pedatus* Soland.  
*Rubus x suspicuous* Mnzs.  
*Rubus ulmifolius* Schott  
*Rumex x acutus* L.  
*Rumex acutus* auct. azor., non L.  
*Rumex x caldeirarum* Rech.fil.  
*Rumex polygamus* Cav.  
*Rumex scutatus* Buch, non L.  
*Rumex strictus* Drou., non Link  
*Rumex tingitanus* Webb et Berth., non L.  
*Rumex vesicarius* L. var. *rubellianus* Mnzs.  
*Ruppia rostellata* Koch  
*Ruscus hypophyllum* L. var. *lanceolatus* Lowe  
*Ruscus hypophyllum* L. var. *latifolium* Lowe  
*Ruscus androgynus* L.  
*Ruta bracteosa* DC.  
*Ruteria pinnata* (L.fil.) DC.  
*Ruthea herbanica* Bolle
- Convolvulus fruticulosus* Desr.  
*Convolvulus glandulosus* (Webb) Hallier  
*Convolvulus perraudieri* Coss.  
*Convolvulus scoparius* L.fil.  
*Convolvulus floridus* L.fil. var. *virgatus* (Webb et Berth.) Mend.-Heu.  
  
*Stictocardia tiliifolia* (Desr.) Hallier  
*Teline nervosa* (Esteve) A. Hans. et Sund.  
*Komulea columnae* Seb. et Mauri  
*Romulea columnae* Seb. et Mauri  
*Nasturtium officinale* R. Br.  
*Campanula erinus* L.  
*Rubia peregrina* L. ssp. *agostinhoi* (Dans. et Silva) Valdés et López  
*Rubia peregrina* L. ssp. *agostinhoi* (Dans. et Silva) Valdés et López  
*Rubia fruticosa* Ait. ssp. *periclymenum* (Schenck) Sund.  
*Rubia fruticosa* Ait. ssp. *periclymenum* (Schenck) Sund.  
*Rubis fruticosa* Ait.  
*Rubis fruticosa* Ait. ssp. *melanocarpa* (Bornm.) Bramw.  
*Rubus hochstetterorum* Seub.  
*Rubus grandifolius* Lowe  
*Kubus bollei* x *inermis*  
*Rubus inermis* Pourr.  
*Rumex crispus* x *obtusifolius*  
*Rumex conglomeratus* Murr.  
*Rumex azoricus* x *obtusifolius*  
*Rumex lunaris* L.  
*Rumex maderensis* Lowe  
*Rumex obtusifolius* L.  
*Rumex maderensis* Lowe  
*Rumex simpliciflorus* Murb. var. *maderensis* Murb.  
*Ruppia maritima* L.  
*Ruscus streptophyllum* P. F. Yeo  
*Ruscus streptophyllum* P. F. Yeo  
*Semele endrogyna* (L.) Kunth  
*Ruta chalepensis* L.  
*Ruta pinnata* L.fil.  
*Rutheopsis herbanica* (Bolle) A. Hans. et Kunk.

## S

- Saccharum teneriffae* L.fil.  
*Salicornia europaea* L. var. *fruticosa* L.  
*Salicornia fruticosa* (L.) L.  
*Salicornia perennis* Mill.
- Tricholaena teneriffae* (L.fil.) Parl.  
*Sarcocornia fruticosa* (L.) A. J. Scott  
*Sarcocornia fruticosa* (L.) A. J. Scott  
*Sarcocornia perennans* (Mill.) A. J. Scott

<i>Salix pedicellata</i> Desf. ssp. <i>canariensis</i> (Chr. Sm. ex Link) Skvortsov	<i>Salix canariensis</i> Chr. Sm. ex Link
<i>Salsola divaricata</i> Mass. ex Link in Buch	<i>Salsola oppositifolia</i> Desf.
<i>Salsola lanata</i> Masson ex Link in Buch, non Pall.	<i>Chenoleoides tomentosa</i> (Lowe) Botsch.
<i>Salsola longifolia</i> auct., non Foresk.	<i>Salsola oppositifolia</i> Desf.
<i>Salvia bolleana</i> De Noé	<i>Salvia broussonetii</i> Benth.
<i>Salvia clandestina</i> L.	<i>Salvia verbenaca</i> L.
<i>Salvia dubia</i> Lowe	<i>Salvia verbenaca</i> L.
<i>Salvia eriocalyx</i> auct. mad.	<i>Salvia leucantha</i> Cav.
<i>Salvia pseudococcinea</i> Jacq.	<i>Salvia coccinea</i> L.
<i>Sambucus maderensis</i> Lowe	<i>Sambucus lanceolata</i> R. Br. in Buch
<i>Sanguisorba maderensis</i> (Bornm.) Nordb.	<i>Marcetella maderensis</i> (Bornm.) Svent.
<i>Sanguisorba magnolii</i> (Spach) A. Br. et Bouche	<i>Sanguisorba minor</i> Scop. ssp. <i>magnolii</i> (Spach) Briq.
<i>Sanguisorba menendezii</i> (Svent.) Nordb.	<i>Dendriopoterium menendezii</i> Svent.
<i>Sanguisorba menendezii</i> (Svent.) Nordb. var. <i>virescens</i> (Svent.) A. Hans, et Sund.	<i>Dendriopoterium menendezii</i> Svent. var. <i>virescens</i> Svent.
<i>Sanguisorba minor</i> Scop. ssp. <i>verrucosa</i> (Ehrenb.) Asch. et Graebn.	<i>Sanguisorba minor</i> Scop. ssp. <i>magnolii</i> (Spech) Briq.
<i>Sanguisorba moquiniana</i> (Webb et Berth.) Nordb.	<i>Marcetella moquiniana</i> (Webb et Berth.) Svent.
<i>Sapota marginata</i> (Pierre) Dene. in Webb	<i>Sideroxylon marmulano</i> Banks ex Lowe var. <i>marginata</i> (Pierre) Chev.
<i>Sarcostemma nudum</i> Chr. Sm.	<i>Sarcostemma daltonii</i> Dene.
<i>Sarrothamnus scoparius</i> (L.) Wimm.	<i>Cytisus scoparius</i> (L.) Link
<i>Satureja calamintha</i> Scheel ssp. <i>adscendens</i> (Jord.) Briq.	<i>Calamintha sylvatica</i> Bromf. ssp. <i>adscendens</i> (Jord.) P. W. Ball
<i>Satureja forbesii</i> (Benth.) Briq.	<i>Micromeria forbesii</i> Benth.
<i>Satureja thymoides</i> Soland.	<i>Micromeria varia</i> Benth.
<i>Satureja vulgaris</i> (L.) Fritsch	<i>Clinopodium vulgare</i> L.
<i>Saviniona acerifolia</i> (Cav.) Webb et Berth.	<i>Lavatera acerifolia</i> Cav.
<i>Saxifraga geranoides</i> Buch, non L.	<i>Saxifraga maderensis</i> Don
<i>Scabiosa lucida</i> Ait., non Vill.	<i>Scabiosa nitens</i> R. et S.
<i>Scabiosa maritima</i> L.	<i>Scabiosa atropurpurea</i> L.
<i>Scandix brachycarpa</i> Guss.	<i>Scandix pecten-veneris</i> L. ssp. <i>brachycarpa</i> (Guss.) Thell.
<i>Schismus calycinus</i> (L.) Coss. et Dur.	<i>Schismus barbatus</i> (L.) Thell.
<i>Schismus marginatus</i> PB.	<i>Schismus barbatus</i> (L.) Thell.
<i>Schmidtia farinulosa</i> Webb	<i>Tolpis farinulosa</i> (Webb) Schmidt
<i>Schmidtia lagopoda</i> (Chr. Sm.) Sch. Bip.	<i>Tolpis lagopoda</i> Chr. Sm.
<i>Schoenoplectus americanus</i> (Pers.) Volk.	<i>Scirpus triquetus</i> L.
<i>Schoenoplectus maritimus</i> (L.) Lye	<i>Scirpus maritimus</i> L.
<i>Schoenoplectus mucronatus</i> (L.) Palla	<i>Scirpus mucronatus</i> L.
<i>Scilla berthelotii</i> Webb	<i>Scilla dasyantha</i> Webb et Berth.
<i>Scilla hyacinthoides</i> Ait., non L.	<i>Scilla maderensis</i> Mnzs.
<i>Scilla hyacinthoides</i> Link in Buch, non L.	<i>Scilla haemorrhoidalis</i> Webb et Berth.
<i>Scilla iridifolia</i> Webb et Berth.	<i>Scilla latifolia</i> Willd.
<i>Scilla maritima</i> L.	<i>Drimia maritima</i> (L.) Stearn
<i>Scirpoidea holoschoenus</i> (L.) Soják	<i>Scirpus holoschoenus</i> L.
<i>Scirpus barbatus</i> Rottb.	<i>Bulbostylis barbata</i> (Rottb.) C. B. Clarke

- Scirpus globiferus* L. fil.  
*Scirpus multicaulis* Sm.  
*Scirpus palustris* L.  
*Scirpus pungens* Vahl  
*Scleropoa rigida* (L.) Gris.  
*Scleroxylon canariense* Willd.  
*Scolopendrium officinale* Sw.  
*Scolopendrium vulgare* Sm.  
*Scrophularia anagae* Bolle  
*Scrophularia arguta* auct. mad., non Sol. ex Ait.  
*Scrophularia auriculata* auct. mad., non L.  
*Scrophularia berthelotii* Bolle  
*Scrophularia betonicifolia* L.  
*Scrophularia confusa* Mnzs.  
*Scrophularia hirta* Lowe esp. *ambigua* Mnzs.  
*Scrophularia langeana* Bolle  
*Scrophularia laxiflora* auct. mad., non Lange  
*Scrophularia x moniziana* Mnzs.  
*Scrophularia smithii* auct. mad., non Hornem.  
*Scrophularia teucrium* Christ  
*Scyphopappus frutescens* (Less.) B. Nord.  
*Sedum lancerottense* Murr.  
*Selaginella azorica* Baker  
*Selinum decipiens* Schrad et Wendl.  
*Semele androgyna* (L.) Kunth var. *gayae* (Webb) Burch.  
*Semele maderensis* Costa  
*Semele menezesii* Costa  
*Semele pterygophora* Costa  
*Semele tristonia* Costa  
*Sempervivum agrestis* Webb et Berth.  
*Sempervivum aizoon* (Bolle) Christ  
*Sempervivum annuum* Chr. Sm. ex Link in Buch  
*Sempervivum arboreum* L.  
*Sempervivum aureum* Chr. Sm. ex Hornem.  
*Sempervivum balsamiferum* Webb et Berth.  
*Sempervivum barbatum* Chr. Sm. ex Link in Buch  
*Sempervivum barretii* Mnzs.  
*Sempervivum berthelotianum* (Bolle) Christ  
*Sempervivum bethencourtianum* (Bolle) Christ  
*Sempervivum bollei* (Webb ex Bolle) Christ  
*Sempervivum bulbosum* Sol. ex Webb et Berth.  
*Sempervivum burchardii* Praeger  
*Sempervivum caespitosum* Chr. Sm. ex Link in Buch  
*Sempervivum calyciforme* Haw.  
*Scirpus holoschoenus* L.  
*Eleocharis multicaulis* (Sm.) Desv.  
*Eleocharis palustris* (L.) R. et S.  
*Scirpus triquetus* L.  
*Catapodium rigidum* (L.) C. E. Hubb.  
*Pleiomeris canariensis* (Willd.) A. DC.  
*Phyllitis scolopendrium* (L.) Newm.  
*Phyllitis scolopendrium* (L.) Newm.  
*Scrophularia smithii* Hornem. sep. *smithii*  
*Scrophularia lowei* Dalg.  
*Scrophularia racemosa* Lowe  
*Scrophularia glabrata* Ait.  
*Scrophularia scorodonia* L.  
*Scrophularia hirta* Lowe  
*Scrophularia hirta* Lowe  
*Scrophularia smithii* Hornem. sep. *langeana* (Bolle) Dalg.  
*Scrophularia racemosa* x *scorodonia*  
*Scrophularia racemosa* x *scorodonia*  
*Scrophularia hirta* Lowe  
*Scrophularia hirta* Lowe  
*Scrophularia hirta* Hornem. sep. *langeana* (Bolle) Dalg.  
*Argyranthemum frutescens* (L.) Sch. Bip.  
*Sedum nudum* Ait. ssp. *lancerottense* (Murr.) A. Hane. et Sund.  
*Selaginella kraussiana* (G. Kunze) A. Br.  
*Melanoselinum decipiens* (Schrad. et Wendl.) Hoffm.  
*Semele gayae* (Webb) Svent. et Kunk.  
*Semele androgyna* (L.) Kunth  
*Semele androgyna* (L.) Kunth  
*Semele androgyna* (L.) Kunth  
*Semele androgyna* (L.) Kunth  
*Monanthes laxiflora* (DC.) Bolle  
*Greenovia aizoon* Bolle  
*Aichryson laxum* (Haw.) Bramw.  
*Aeonium arboreum* (L.) Webb et Berth.  
*Greenovia aurea* (Chr. Sm. ex Hornem.) Webb et Berth.  
*Aeonium balsamiferum* Webb et Berth.  
*Aeonium spathulatum* (Hornem.) Praeger  
*Aichryson villosum* (Ait.) Webb et Berth.  
*Aeonium tabulaeforme* (Haw.) Webb et Berth.  
*Aichryson bethencourtianum* Bolle  
*Aichryson bollei* Webb ex Rolle  
*Monanthes brechysculon* (Webb et Berth.) Lowe  
*Aeonium burchardii* (Praeger) Praeger  
*Aeonium simsii* (Sw.) Stearn  
*Greenovia aurea* (Chr. Sm. ex Hornem.) Webb et Berth.

<i>Sempervivum canariense</i> L.	<i>Aeonium canariense</i> (L.) Webb et Berth.
<i>Sempervivum canariense</i> L. ssp. <i>christii</i> (Praeger) Burch.	<i>Aeonium palmense</i> Webb ex Christ
<i>Sempervivum canariense</i> L. ssp. <i>latifolium</i> Burch.	<i>Aeonium subplenum</i> Praeger
<i>Sempervivum canariense</i> L. ssp. <i>longithyrum</i> Burch.	<i>Aeonium palmense</i> Webb ex Christ
<i>Sempervivum canariense</i> L. ssp. <i>virginicum</i> (Webb ex Christ) Burch.	<i>Aeonium virginicum</i> Webb ex Christ
<i>Sempervivum castello-paivae</i> (Bolle) Christ	<i>Aeonium castello-paivae</i> Bolle
<i>Sempervivum christii</i> Praeger	<i>Aeonium palmense</i> Webb ex Christ
<i>Sempervivum ciliatum</i> Willd.	<i>Aeonium ciliatum</i> (Willd.) Webb et Berth.
<i>Sempervivum ciliatum</i> Buch, non Willd.	<i>Aeonium tabulaeforme</i> (Haw.) Webb et Berth.
<i>Sempervivum complanatum</i> A. DC.	<i>Aeonium tabulaeforme</i> (Haw.) Webb et Berth.
<i>Sempervivum cruentum</i> Webb et Berth.	<i>Aeonium spathulatum</i> (Hornem.) Praeger var. <i>erucentum</i> (Webb et Berth.) Praeger
<i>Sempervivum cuneatum</i> Webb et Berth.	<i>Aeonium cuneatum</i> Webb et Berth.
<i>Sempervivum decorum</i> (Webb ex Bolle) Christ	<i>Aeonium decorum</i> Webb ex Bolle
<i>Sempervivum diplocyclum</i> (Webb ex Bolle) Christ	<i>Greenovia diplocycla</i> Webb ex Bolle
<i>Sempervivum divaricatum</i> (Ait.) Lowe	<i>Aichryson divaricatum</i> (Ait.) Praeger
<i>Sempervivum dodrentale</i> Willd.	<i>Greenovia dodrentalis</i> (Willd.) Webb et Berth.
<i>Sempervivum dumosum</i> Lowe	<i>Aichryson dumosum</i> (Lowe) Praeger
<i>Sempervivum foliosum</i> Chr. Sm. ex Link in Buch	<i>Aeonium smithii</i> (Sims) Webb et Berth.
<i>Sempervivum glandulosum</i> Ait.	<i>Aeonium glandulosum</i> (Ait.) Webb et Berth.
<i>Sempervivum glutinosum</i> Ait.	<i>Aeonium glutinosum</i> (Ait.) Webb et Berth.
<i>Sempervivum gomeraense</i> Praeger	<i>Aeonium gomeraense</i> (Praeger) Praeger
<i>Sempervivum goochiae</i> Webb et Berth.	<i>Aeonium goochiae</i> Webb et Berth.
<i>Sempervivum gorgoneum</i> (Schmidt) Schmidt ex Cout.	<i>Aeonium gorgoneum</i> Schmidt
<i>Sempervivum gracile</i> (Bolle) Christ	<i>Greenovia dodrentalis</i> (Willd.) Webb et Berth.
<i>Sempervivum haworthii</i> Webb et Berth.	<i>Aeonium haworthii</i> Webb et Berth.
<i>Sempervivum hierrense</i> Murr.	<i>Aeonium hierrense</i> (Murr.) Pit. et Pr.
<i>Sempervivum hispicaule</i> Haw.	<i>Aeonium smithii</i> (Sims) Webb et Berth.
<i>Sempervivum holochrysum</i> Webb et Berth.	<i>Aeonium holochrysum</i> Webb et Berth.
<i>Sempervivum lancerottense</i> Praeger	<i>Aeonium lancerottense</i> (Praeger) Praeger
<i>Sempervivum lindleyi</i> Webb et Berth.	<i>Aeonium lindleyi</i> Webb et Berth.
<i>Sempervivum lineolare</i> Haw.	<i>Aeonium spathulatum</i> (Hornem.) Praeger
<i>Sempervivum lowei</i> Paiva	<i>Monanthes lowei</i> Pérez et Acebes
<i>Sempervivum macrolepum</i> Christ	<i>Aeonium tabulaeforme</i> (Haw.) Webb et Berth.
<i>Sempervivum manriqueorum</i> (Bolle) Christ	<i>Aeonium manriqueorum</i> Bolle
<i>Sempervivum x meyerheimii</i> (Bolle) Murr.	<i>Aeonium glandulosum</i> x <i>glutinosum</i>
<i>Sempervivum monanthes</i> Ait.	<i>Monanthes polypylla</i> Haw.
<i>Sempervivum noble</i> Praeger	<i>Aeonium nobile</i> (Praeger) Praeger
<i>Sempervivum pachycaulon</i> (Bolle) Christ	<i>Aichryson pachycaulon</i> Bolle
<i>Sempervivum paivae</i> Lowe	<i>Aeonium castello-paivae</i> Bolle
<i>Sempervivum palmense</i> (Webb ex Bolle) Christ	<i>Aichryson palmense</i> Webb ex Bolle
<i>Sempervivum parlatorei</i> (Bolle) Christ	<i>Aichryson parlatorei</i> Bolle
<i>Sempervivum patina</i> Lowe	<i>Aeonium glandulosum</i> (Ait.) Webb et Berth.
<i>Sempervivum percarneum</i> Murr.	<i>Aeonium percarneum</i> (Murr.) Pit.

- Sempervivum porphyrogennetos* (Bolle) Christ  
*Sempervivum pulchellum* (Mey.) Walp.
- Sempervivum punctatum* Chr. Sm. ex Link in Buch  
*Sempervivum pygmaeum* Chr. Sm. ex Link in Buch  
*Sempervivum rupifragum* (Webb) Christ  
*Sempervivum saundersii* (Bolle) Christ  
*Sempervivum sedifolium* (Webb ex Bolle) Christ  
*Sempervivum smithii* Sims  
*Sempervivum spathulatum* Hornem.  
*Sempervivum stellatum* J. E. Sm.  
*Sempervivum subvillosum* Lowe  
*Sempervivum tabulaeforme* Haw.  
*Sempervivum tortuosum* Ait.  
*Sempervivum undulatum* Webb et Berth.  
*Sempervivum urbicum* Chr. Sm. ex Link in Buch  
*Sempervivum valverdense* Praeger  
*Sempervivum villosum* Ait.  
*Sempervivum virginicum* Christ  
*Sempervivum viscatum* (Webb ex Bolle) Christ  
*Sempervivum youngianum* Webb et Berth.  
*Senebiera coronopus* (L.) Poir.  
*Senebiera didymus* (L.) Pers.  
*Senebiera pinnatifida* DC.  
*Senecio aizoides* (DC.) Sch. Bip.  
*Senecio appendiculatus* (L.fil.) Sch. Bip.  
*Senecio bicolor* (Willd.) Tod. ssp. *cineraria* (DC.) Chater  
*Senecio cruentus* (L'Hér.) DC.  
*Senecio cruentus* (L'Hér.) DC. var. *bracteata* (Chr. Sm.) Christ  
*Senecio decaisnei* DC.  
*Senecio echinatus* (L.fil.) DC.  
*Senecio erraticus* Bertol.  
*Senecio gallicus* auct. canar.  
*Senecio gomeraeus* (Sch. Bip.) O. Kuntze  
*Senecio hadrosumus* Svent.  
*Senecio hansenii* Kunk.  
*Senecio heritieri* DC.  
*Senecio kleinia* (L.) Less.  
*Senecio maderensis* DC.  
*Senecio malvifolius* (L'Hér.) DC.  
*Senecio multiflorus* (L'Hér.) Lindl.  
*Senecio murrayi* Bornm.  
*Senecio papyraceus* DC.
- Aichryson porphyrogennetos* Bolle  
*Aeonium spathulatum* (Hornem.) Praeger var. *cruentum*  
(Webb et Berth.) Praeger
- Aichryson punctatum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Greenovia aurea* (Chr. Sm. ex Hornem.) Webb et Berth.  
*Aeonium saundersii* Bolle  
*Aeonium sedifolium* (Webb ex Bolle) Pit. et Pr.  
*Aeonium smithii* (Sims) Webb et Berth.  
*Aeonium spathulatum* (Hornem.) Praeger  
*Aichryson villosum* (Ait.) Webb et Berth.  
*Aichryson parlatorei* Bolle  
*Aeonium tabulaeforme* (Haw.) Webb et Berth.  
*Aichryson tortuosum* (Ait.) Webb et Berth.  
*Aeonium undulatum* Webb et Berth.  
*Aeonium urbicum* (Chr. Sm. ex Link in Buch) Webb et Berth.  
*Aeonium valverdense* (Praeger) Praeger  
*Aichryson villosum* (Ait.) Webb et Berth.  
*Aeonium virginicum* Webb ex Christ  
*Aeonium viscatum* Webb ex Bolle  
*Aeonium undulatum* Webb et Berth.  
*Coronopus squamatus* (Forssk.) Asch.  
*Coronopus didymus* (L.) Sm.  
*Coronopus didymus* (L.) Sm.  
*Kleinia aizoides* DC.  
*Pericallis appendiculata* (L.fil.) B. Nord.  
*Senecio cineraria* DC. ssp. *cineraria*  
*Pericallis cruenta* (L'Hér.) Bolle  
*Pericallis echinata* (L.fil.) B. Nord.  
*Senecio flavus* (Dcne.) Sch. Bip. in Webb et Berth.  
*Pericallis echinata* (L.fil.) B. Nord.  
*Senecio aquaticus* Hill ssp. *barbareifolius* (Wimm. et Grab.)  
Walters
- Senecio glaucus* L. ssp. *coronopifolius* (Maire) Alexander  
*Pericallis steetzii* (Bolle) B. Nord.  
*Pericallis hadrosum* (Svent.) B. Nord.  
*Pericallis hansenii* (Kunk.) Sund.  
*Pericallis lenata* (L'Hér.) B. Nord.  
*Kleinia merilifolia* Haw.  
*Pericallis aurita* (L'Hér.) B. Nord.  
*Pericallis malvifolia* (L'Hér.) B. Nord.  
*Pericallis multiflora* (L'Hér.) B. Nord.  
*Pericallis murrayi* (Bornm.) B. Nord.  
*Pericallis papyracea* (DC.) B. Nord.

- Senecio populifolius* DC.  
*Senecio rhombifolius* Bolle  
*Senecio rhombifolius* Bolle var. *flaccidus* Bolle  
  
*Senecio scandens* DC.  
*Senecio steetzii* Bolle  
*Senecio teneriffae* Sch. Bip.  
*Senecio tussilaginis* (L'Hér.) Lindl.  
*Senecio webbii* (Sch. Bip.) Christ  
*Serapias occultata* Gay ex Chev.  
*Serratula canariensis* Webb et Berth.  
*Seseli cervariaefolia* DC.  
*Setaria glauca* (L.) PB.  
*Setaria pallide-fusca* (Schum.) Stapf et Hubb.  
*Setaria sulcata* (Aubl.) Kunth  
*Setaria verticillata* auct.  
*Setcreasea purpurea* B. K. Boom  
*Seubertia azorica* (Hochst. ex Seub.) Wats.  
*Sicyos glandulosa* Poir. in Lam.  
*Sida affinis* Schmidt  
*Sida cahariensis* Willd.  
*Sida carpinifolia* L.fil.  
*Sida carpinifolia* auct. macar., non L.fil.  
*Sida cordifolia* L. var. *angustifolia* Cout.  
*Sida floribunda* HBK.  
*Sida maderensis* Lowe  
*Sida micans* Chr. Sm.  
*Sida stipulata* Cav. ex Webb  
*Sideroxylon marginata* Pierre  
*Sideroxylon mirmulans* Buch  
*Sieglungia decumbens* (L.) Bernh.  
*Silene anglica* L.  
*Silene broussonetii* Schott  
*Silene commutata* Guss.  
*Silene cucubalus* Wib.  
*Silene cucubalus* Wib. ssp. *commutata* (Guss.) Rchb.fil.  
*Silene filiformis* Lowe  
*Silene ignobilis* Lowe  
*Silene inflate* (Salisb.) Sm.  
*Silene maritima* With.  
  
*Silene pogonocalyx* (Svent.) Bramw.  
*Silene vespertina* Retz.  
*Sinapidendron bourgeaui* Webb ex Christ  
*Sinapidendron decumbens* Chev.  
  
*Pericallis appendiculata* (L.fil.) B. Nord.  
*Senecio bollei* Sund. et Kunk.  
*Senecio bollei* Sund. et Kunk. var. *flaccidus* (Bolle) Sund. et Kunk.  
  
*Senecio mikianoides* Otto ex Walp.  
*Pericallis steetzii* (Bolle) B. Nord.  
*Senecio vulgaris* L.  
*Pericallis tussilaginis* (L'Hér.) D. Don in Sweet  
*Pericallis webbii* (Sch. Bip.) Bolle  
*Serapias parviflora* Parl.  
*Stemmacantha cynaroides* (Chr. Sm. in Buch) Dittrich  
*Tinguarra cervariaefolia* (DC.) Parl.  
*Setaria pumila* (Poir.) Roem. et Schult.  
*Setaria pumila* (Poir.) Roem. et Schult.  
*Setaria paniculifera* (Steud.) Fourn.  
*Setaria adhaerens* (Forssk.) Chiov.  
*Setcreasea pallida* Rose  
*Bellis azorica* Hochst. ex Seub.  
*Drusa glandulosa* (Poir.) Bornm.  
*Sida alba* L.  
*Sida rhombifolia* L.  
*Sida acuta* Burm.fil.  
*Malvastrum coromandelianum* (L.) Garcke  
*Sida alba* L.  
*Sidastrum paniculatum* (L.) Fryzell  
*Sida rhombifolia* L.  
*Sida urens* L.  
*Sida acuta* Burm.fil.  
*Sideroxylon marmulano* Banks ex Lowe var. *marginata* (Pierre) Chev.  
*Sideroxylon marmulano* Banks ex Lowe  
*Danthonia decumbens* (L.) DC.  
*Silene gallica* L.  
*Silene lagunensis* Chr. Sm. ex Christ  
*Silene vulgaris* (Moench) Garcke ssp. *commutata* (Guss.) Hayek  
*Silene vulgaris* (Moench) Garcke  
*Silene vulgaris* (Moench) Garcke ssp. *commutata* (Guss.) Hayek  
*Silene inaperta* L.  
*Silene behen* L.  
*Silene vulgaris* (Moench) Garcke  
*Silene vulgaris* (Moench) Garcke ssp. *maritima* (With.) A. et D. Löve  
  
*Silene italicica* (L.) Pers. var. *pogonocalyx* Svent.  
*Silene bellidifolia* Juss. ex Jacq.  
*Brassica bourgesui* (Webb ex Christ) O. Kuntze  
*Diplotaxis decumbens* (Chev.) Rustan et Borgen

- Sinapidendron glaucum* Schmidt  
*Sinapidendron gracile* Webb  
*Sinapidendron hirtum* Chev.  
*Sinapidendron palmense* (O. Kuntze) O. E. Schulz  
*Sinapidendron salicifolium* Lowe  
*Sinapidendron vogelii* Webb  
*Sinapis angustifolium* DC.  
*Sinapis frutescens* Ait.  
*Sinapis millefolia* Jacq.  
*Sinapis nigra* L.  
*Sisymbrium bourgeauanum* Fourn.  
*Sisymbrium briquetii* Pit.  
  
*Sisymbrium millefoliatum* Link  
*Sisymbrium millefolium* (Jacq.) Ait.  
*Sisymbrium preauxianum* Webb  
  
**Smilacaceae**  
*Smilax canariensis* Wate., non Willd.  
*Smilax mauretanica* Poir.  
*Smilax pseudo-china* Buch  
*Smilax rubra* Link in Buch  
*Soemmeringia peittachorhyncha* Webb  
*Solanum auriculatum* Ait.  
*Solanum ferrugineum* Jacq.  
*Solanum lycopersicum* L.  
*Solanum miniatum* Bernh.  
*Solanum sodomaeum* auct. canar., non L.  
*Solanum triphyllum* Lowe  
*Solanum villosum* (L.) Lam.  
*Solenopsis canariensis* (C. Presl) C. Presl  
*Solidago azorica* Hochst.  
*Soliva lusitanica* Less.  
*Soliva stolonifera* (Brot.) Loud.  
*Sonchus abbreviatus* Link in Buch  
*Sonchus acridus* Schousb. ex Willd.  
*Sonchus arboreus* DC.  
*Sonchus canariensis* Pit.  
*Sonchus capillaris* Svent.  
*Sonchus dentatus* Banks ex Lowe  
*Sonchus divaricatus* Desf.  
*Sonchus filifolius* Svent.  
*Sonchus gonzalezpadronii* Svent.  
*Sonchus gorgadensis* Bolle, nom. dub.  
*Sonchus hyoseridifolius* Hornem.  
  
*Diplotaxis glauca* (Schmidt) O. E. Schulz  
*Diplotaxis gracilis* (Webb) O. E. Schulz  
*Diplotaxis hirta* (Chev.) Rustan et Borgen  
*Sinapis pubescens* L.  
*Sinapidendron angustifolium* (DC.) Lowe  
*Diplotaxis vogelii* (Webb) Cout.  
*Sinapidendron angustifolium* (DC.) Lowe  
*Sinapidendron frutescens* (Ait.) Lowe  
*Descurainia millefolia* (Jacq.) Webb et Berth.  
*Brassica nigra* (L.) Koch  
*Descurainia bourgeauana* (Fourn.) O. E. Schulz  
*Descurainia preauxiana* (Webb) O. E. Schulz var. *briquetii* (Pit.) O. E. Schulz  
*Descurainia millefolia* (Jacq.) Webb et Berth.  
*Descurainia millefolia* (Jacq.) Webb et Berth.  
*Descurainia preauxiana* (Webb) O. E. Schulz  
  
**Liliaceae p.p.**  
*Smilax excelsa* L.  
*Smilax aspera* L. var. *altissima* Moris et de Not.  
*Smilax canariensis* Willd.  
*Smilax canariensis* Willd.  
*Bryaspis lupulina* (Planch. ex Benth.) Duvign.  
*Solanum mauritianum* Scop.  
*Solanum torvum* Sw.  
*Lycopersicon esculentum* Mill.  
*Solanum alatum* Moench  
*Solanum marginatum* L.fil.  
*Solanum trisectum* Dun.  
*Solanum luteum* Mill.  
*Solenopsis laurentia* (L.) C. Presl  
*Solidago sempervirens* L.  
*Gymnostyles stolonifera* (Brot.) Tutin  
*Gymnostyles stolonifera* (Brot.) Tutin  
*Sonchus congestus* Willd.  
*Sonchus pinnatifidus* Cav.  
*Taeckholmia arborea* (DC.) Boulos  
*Sonchus brachylobus* Webb et Berth. var. *canariensis* (Pit.) Boulos  
*Taeckholmia capillaris* (Svent.) Boulos  
*Sonchus ustulatus* Lowe  
*Launaea nudicaulis* (L.) Hook.fil.  
*Taeckholmia canariensis* Boulos  
*Sonchus gomerensis* Boulos  
*?Sonchus oleraceus* L.  
*Sonchus pinnatus* Ait.

- Sonchus imbricatus* Svent.  
*Sonchus jacquini* DC.  
*Sonchus jacquini* DC. var. *hierrensis* Pit.  
*Sonchus x jacquiniocephalus* Svent.  
*Sonchus laevigatus* Willd.  
*Sonchus leptoccephalus* Cass.  
*Sonchus lyratus* Willd.  
*Sonchus macranthus* Poir.  
*Sonchus x maynari* Svent.  
*Sonchus ortuncii* Svent.  
*Sonchus parathalassicus* Costa  
*Sonchus pendulus* Webb  
*Sonchus pinnatus* Ait. var. *canariensis* Sch. Bip.  
*Sonchus pinnatus* Ait. var. *palmensis* Sch. Bip.  
*Sonchus platylepis* Webb  
*Sonchus polyodon* Webb et Berth.  
*Sonchus regis-jubae* Pit.  
*Sonchus runcinatus* Vent. ex Sch. Bip. in Webb et Berth.  
*Sonchus spinosus* (Forssk.) DC.  
*Sonchus squarrosum* DC.  
*Sonchus webbii* Sch. Bip.  
*xSonchustenia decipiens* Svent.  
*Sorghum vulgare* Pers.  
*Spartina patens* auct., non (Ait.) Muhl.  
*Spartium virgatum* Ait.  
*Spartocytisus nubigenus* (L'Hér.) Webb et Berth.  
*Specularia falcata* (Ten.) A. DC.  
*Specularia hybrida* (L.) A. DC.  
*Spergula fallax* (Lowe) E. H. L. Krause  
*Spergula flaccida* (Roxb.) Aesch.  
*Spergula marginata* (DC.) Murb.  
*Spergula salina* (J. et C. Presl) D. Distr.  
*Spergularia marginata* (DC.) Kitt.  
*Spergularia rubra* auct., non (L.) J. et C. Presl  
*Spergularia salina* J. et C. Presl  
*Spergularia salsuginosa* Fenzl  
*Spermacoce globosa* Schum. et Thonn.  
*Spermacoce verticillata* L.  
*Spondias lutea* L.  
*Sporobolus arenarius* (Gouan) Duv.-Jouve  
*Sporobolus insulanus* Parl.  
*Sporobolus insularis* Webb  
*Stachys hirta* L.  
*Statice aegyptiaca* Pers.
- Sonchus bourgeau* Sch. Bip. var. *imbricatus* (Svent.) Boulos  
*Sonchus congestus* Willd.  
*Sonchus hierrensis* (Pit.) Boulos  
*Sonchus congestus* x *Taeckholmia pinnata*  
*Sonchus fruticosus* L.fil.  
*Taeckholmia pinnata* (L.fil.) Boulos  
*Sonchus fruticosus* L.fil.  
*Sonchus congestus* Willd.  
*Sonchus congestus* x *fauces-orci*  
*Sonchus hierrensis* (Pit.) Boulos  
*Sonchus ustulatus* Lowe  
*Prenanthes pendula* Sch. Bip.  
*Sonchus canariensis* (Sch. Bip.) Boulos  
*Sonchus palmenis* (Sch. Bip.) Boulos  
*Babcockia platylepis* (Webb) Boulos  
*Sonchus acaulis* Dum.-Cours.  
*Taeckholmia regis-jubae* (Pit.) Boulos  
*Sonchus pinnatifidus* Cav.  
*Leunaea arborescens* (Batt.) Murb.  
*Sonchus fruticosus* L.fil.  
*Taeckholmia heterophylla* Boulos  
*Sventenia bupleuroides* x *Taeckholmia pinnata*  
*Sorghum bicolor* (L.) Moench  
*Spartina versicolor* Fabre  
*Genista tenera* (Jacq. ex Murr.) O. Kuntze  
*Spartocytisus supranubius* (L.fil.) Webb et Berth.  
*Legousia falcata* (Ten.) Fritsch  
*Legousia hybrida* (L.) Delarb.  
*Spergularia fallax* Lowe  
*Spergularia fallax* Lowe  
*Spergularia media* (L.) C. Presl  
*Spergularia marina* (L.) Griseb.  
*Spergularia media* (L.) C. Presl  
*Spergularia bocconei* (Scheele) A. et Gr.  
*Spergularia marina* (L.) Griseb.  
*Spergularia diandra* (Guss.) Boiss.  
*Borreria verticillata* (L.) G. F. Mey.  
*Borreria verticillata* (L.) G. F. Mey.  
*Spondias mombin* L.  
*Sporobolus virginicus* (L.) Kunth  
*Sporobolus robustus* Kunth  
*Sporobolus helvolus* (Trin.) Dur. et Sch.  
*Stachys ocytmastrum* (L.) Briq.  
*Limonium thouinii* (Viv.) O. Kuntze

- Statice arborea* Willd. f. *frutescens* (Lem.) Stapf  
*Statice arborea* Willd. var. *typica* Stapf  
*Statice arborescens* Brouss.  
*Statice bollei* Webb ex Wangerin  
*Statice bourgeaui* Webb ex Boiss.  
*Statice brassicifolia* Webb et Berth.  
*Statice brassicifolia* Webb et Berth. var. *macroptera*  
 (Webb et Berth.) Burch.  
*Statice braunii* Bolle  
*Statice brunneri* Webb ex Boiss.  
*Statice corculum* (Webb et Berth.) Christ  
  
*Statice fruticans* Webb  
*Statice holfordii* hort.  
*Statice humboldtii* Bolle  
  
*Statice imbricata* Webb ex De Girard  
*Statice jovi-barba* Webb  
*Statice macrophylla* Brouss. in Spreng.  
*Statice macroptera* Webb et Berth.  
  
*Statice manricarum* Bolle  
*Statice manriqueorum* Bolle ex Pit. et Pr.  
*Statice ovalifolia* Poir.  
*Statice papillata* Webb et Berth.  
*Statice pectinata* Ait.  
*Statice perezii* Stapf  
*Statice preauxii* Webb et Berth.  
*Statice pruinosa* Webb et Berth.  
*Statice puberula* Webb  
*Statice puberula* Webb var. *bourgeaui* (Webb ex Boiss.) Stapf  
*Statice pyramidata* Lowe  
  
*Statice rediviva* Svent.  
*Statice rumicifolia* Svent.  
*Statice serotina* Rchb.  
*Statice sinuata* L.  
*Statice spectabilis* Svent.  
*Statice thouinii* Viv.  
*Statice tuberculata* Boiss. in A. DC.  
*Stellaria uliginosa* Murr.  
*Stenophragma thaliana* (L.) Celak.  
*Stenotaphrum americanum* Sw.  
*Stephanocarpus monspeliensis* (L.) Spach  
*Stipa retorta* Cav.  
  
*Limonium fruticans* (Webb) O. Kuntze  
*Limonium arborescens* (Brouss.) O. Kuntze  
*Limonium arborescens* (Brouss.) O. Kuntze  
*Limonium ovalifolium* (Poir.) O. Kuntze ssp. *canariense* Pign.  
*Limonium bourgeaui* (Webb ex Boiss.) O. Kuntze  
*Limonium brassicifolium* (Webb et Berth.) O. Kuntze  
*Limonium brassicifolium* (Webb et Berth.) O. Kuntze  
 ssp. *macropterum* (Webb et Berth.) Kunk.  
*Limonium braunii* (Bolle) Chev.  
*Limonium brunneri* (Webb ex Boiss.) O. Kuntze  
*Limonium pectinatum* (Ait.) O. Kuntze var. *corculum* (Webb et Berth.) Kunk. et Sund.  
*Limonium fruticans* (Webb) O. Kuntze  
*Limonium macrophyllum* (Brouss.) O. Kuntze  
*Limonium pectinatum* (Ait.) O. Kuntze var. *solandri* (Webb et Berth.) O. Kuntze  
*Limonium imbricatum* (Webb ex De Girard) Hubb.  
*Limonium jovi-barba* (Webb) O. Kuntze  
*Limonium macrophyllum* (Brouss.) Q Kuntze  
*Limonium brassicifolium* (Webb et Berth.) O. Kuntze  
 ssp. *macropterum* (Webb et Berth.) Kunk.  
*Limonium tuberculatum* (Boiss.) O. Kuntze  
*Limonium tuberculatum* (Boiss.) O. Kuntze  
*Limonium ovalifolium* (Poir.) O. Kuntze  
*Limonium papillatum* (Webb et Berth.) O. Kuntze  
*Limonium pectinatum* (Ait.) O. Kuntze  
*Limonium perezii* (Stapf) Hubb.  
*Limonium preauxii* (Webb et Berth.) O. Kuntze  
*Limonium papillatum* (Webb et Berth.) O. Kuntze  
*Limonium puberulum* (Webb) O. Kuntze  
*Limonium bourgeaui* (Webb ex Boiss.) O. Kuntze  
*Limonium ovalifolium* (Poir.) O. Kuntze ssp. *pyramidalatum* (Lowe)  
 A. Hans. et Sund.  
*Limonium redativum* (Svent.) Kunk. et Sund.  
*Limonium preauxii* (Webb et Berth.) O. Kuntze  
*Limonium vulgare* Mill. ssp. *serotinum* (Rchb.) Gams  
*Limonium sinuatum* (L.) Mill.  
*Limonium spectabile* (Svent.) Kunk. et Sund.  
*Limonium thouinii* (Viv.) O. Kuntze  
*Limonium tuberculatum* (Boiss.) O. Kuntze  
*Stellaria alsine* Grimm.  
*Arabidopsis thaliana* (L.) Heynh.  
*Stenotaphrum secundatum* (Walt.) O. Kuntze  
*Cistus monspeliensis* L.  
*Stipa capensis* Thunb.

*Stipa tortilis* Desf.

*Stoerkia draco* (L.) Cr.

*Suaeda fruticosa* suct., non (L.) Forsk.

*Suaeda laxifolia* Lowe

*Suaeda mollis* (Desf.) Del.

*Suaeda tomentosa* Lowe

*Suaeda volvensii* C. B. Clarke

*Succisa praemorsa* (Gilib.) Cout.

*Symphytum x uplandicum* Nym.

*Stipa capensis* Thunb.

*Dracaena draco* (L.) L.

*Suaeda vera* Forssk. ex J. F. Gmel.

*Suaeda vera* Forssk. ex J. F. Gmel.

*Suaeda vermiculata* Forssk. ex J. F. Gmel.

*Chenoleoides tomentosa* (Lowe) Botsch.

*Suaeda vermiculata* Forssk. ex J. F. Gmel.

*Succisa pratensis* Moench

*Symphytum asperum x officinale*

## T

*Taeckholmia filifolia* (Svent.) Kunk.

*Tagetes glandulifera* Schrank

*Talinum crassifolium* Willd.

*Tamarix anglica* Webb var. *berthelotii* Webb

*Tamarix gallica* L. var. *canariensis* (Willd.) Pit.

*Tamus canariensis* (Bourg. ex Webb et Berth.) Willd. ex Kunth

*Tamus communis* Link in Buch, non L.

*Tanacetum fruticosum* Buch

*Tectaria caudata* Cav.

*Teesdalia lepidium* DC.

*Telinaria canariensis* (L.) C. Presl

*Telinaria congesta* (Webb et Berth.) C. Presl

*Telinaria linifolia* (L.) C. Presl

*Telinaria rosmarinifolia* (Webb et Berth.) C. Presl

*Teline benehoavensis* (Bolle ex Svent.) Santos

*Teline congesta* Webb et Berth.

*Teline gomerae* (Gibbs et Dingw.) Kunk.

*Teline linifolia* (L.) Webb et Berth. var. *angustifolia* Webb et Berth.

*Teline linifolia* (L.) Webb et Berth. var. *latifolia* Webb et Berth.

*Teline linifolia* (L.) Webb et Berth. ssp. *pallida* (Poir.) Gibbs et Dingw.

*Teline paivae* (Lowe) Gibbs et Dingw.

*Teline pallida* (Poir.) Kunk.

*Teline ramosissima* (Poir.) Webb et Berth.

*Ternstroemiaceae*

*Tetragonia expansa* Murr.

*Tetrapleura insularis* Parl.

*Teucrium canariense* Lam.

*Teucrium canescens* Forst.

*Teucrium erubescens* Buch

*Teucrium maderense* Lam.

*Taeckholmia canariensis* Boulos

*Tagetes minuta* L.

*Talinum triangulare* (Jacq.) Willd.

*Tamarix africana* Poir.

*Tamarix canariensis* Willd.

*Tamus edulis* Lowe

*Tamus edulis* Lowe

*Gonospermum fruticosum* (Buch) Less.

*Diplazium caudatum* (Cav.) Jeremy

*Teesdalia coronopifolia* (J. P. Bergeret) Thell.

*Teline canariensis* (L.) Webb et Berth.

*Teline microphylla* (DC.) Gibbs et Dingw.

*Teline linifolia* (L.) Webb et Berth.

*Teline rosmarinifolia* Webb et Berth.

*Genista benehoavensis* (Bolle ex Svent.) Arco

*Teline microphylla* (DC.) Gibbs et Dingw.

*Teline linifolia* (L.) Webb et Berth. ssp. *gomerae* Gibbs et Dingw.

*Teline linifolia* (L.) Webb et Berth. ssp. *teneriffae* Gibbs et Dingw.

*Teline splendens* (Webb et Berth.) Arco

*Teline splendens* (Webb et Berth.) Arco

*Teline maderensis* Webb et Berth. var. *paivae* (Lowe) Arco

*Teline splendens* (Webb et Berth.) Arco

*Teline canariensis* (L.) Webb et Berth.

*Theaceae*

*Tetragonia tetragonoides* (Pall.) O. Kuntze

*Tornabenea hirta* Schmidt

*Teucrium heterophyllum* L'Hér.

*Teucrium betonicum* L'Hér.

*Teucrium heterophyllum* L'Hér.

*Teucrium betonicum* L'Hér.

- Teucrium umbrosum* Buch  
*Thapsia decipiens* (Schrad. et Wendl.) Hook. fil.  
*Thelypteris pozoi* (Lag.) C. V. Mort.  
*Thesium psilotocladium* Svent.  
*Thrincia carreiroi* Gand.  
*Thrincia hispida* Roth  
  
*Thymus angustifolius* Mnzs.  
*Thymus azoricus* Lodd.  
*Thymus micans* Soland.  
*Tillaea mucosa* L.  
*Tinea intacta* (Link) Boiss.  
*Todarca montana* Webb ex Christ  
*Tolpis coronopifolia* (Desf.) Bivona  
*Tolpis fruticosa* Schrank  
*Tolpis pectinata* (Lowe) DC.  
*Torilis infesta* (L.) Spreng.  
*Tournefortia fruticosa* (L.fil.) Ker-Gawl.  
*Tournefortia fruticosa* (L.fil.) Ker-Gawl. var. *angustifolia* (Lam.) DC.  
  
*Tournefortia messerschmidioides* Sw.  
*Traganum nudatum* Webb et Berth., non Del.  
*Tragopogon sinuatus* Ave-Lall.  
*Trianthema fruticosa* Vahl  
*Trianthema pentandra* L.  
*Trianthema polysperma* Hochst. ex Oliv.  
*Trichogyne spicate* (Forssk.) Sch. Bip.  
*Trichomanes canariense* L.  
*Trichomanes radicans* auct., vix Sw.  
*Trichonema columnae* (Seb. et Mauri) Rchb.  
*Trifolium maritimum* Huds.  
*Trifolium minus* Sm.  
*Trifolium procumbens* L.  
*Tripleurospermum maritimum* (L.) Koch  
*Trisetaria canariensis* (Parl.) Pign.  
*Trisetaria pumila* (Desf.) Maire  
*Trisetum cristatum* (L.) Potztal  
*Trisetum pumilum* (Desf.) Kunth  
*Triumfetta lappula* Webb, non L.  
*Trixago apula* Ster.  
*Tuberaria annua* Spach  
*Tuberaria perennis* Spach  
*Tunica prolifera* auct., non (L.) Scop.  
*Tunica velutina* (Guss.) Fisch. et Mey.  
  
*Teucrium abutiloides* L'Hér.  
*Melanoselinum decipiens* (Schrad. et Wendl.) Hoffm.  
*Stegnogramma pozoi* (Lag.) K. Iwatsuki  
*Kunkeliella psilotoclada* (Svent.) Stearn  
*Leontodon filii* (Hochst.) Paiva et Orm.  
*Leontodon taraxacoides* (Vill.) Mérat sep. *longirostris* Finch et Sell  
  
*Thymus caespititius* Brot.  
*Thymus caespititius* Brot.  
*Thymus caespititius* Brot.  
*Crassula tillaea* Lester-Garland  
*Neotinea maculata* (Desf.) Stearn  
*Tinguarra montana* (Webb ex Christ) A. Hans. et Kunk.  
*Crepis coronopifolia* Desf.  
*Tolpis succulenta* (Dryand. in Ait.) Lowe  
*Tolpis succulenta* (Dryand. in Ait.) Lowe  
*Torilis arvensis* (Huds.) Link  
*Ceballosia fruticosa* (L.fil.) Kunk.  
*Ceballosia fruticosa* (L.fil.) Kunk. var. *angustifolia* (Lam.) Kunk.  
  
*Ceballosia fruticosa* (L.fil.) Kunk.  
*Traganum moquinii* Webb ex Moq. in DC.  
*Tragopogon porrifolius* L. ssp. *australis* (Jord.) Nym.  
*Gymnocarpus decander* Forssk.  
*Zaleya pentandra* (L.) Jeffrey  
*Sesuvium sesuvioides* (Fenzl) Verdc.  
*Ifloga spicate* (Forssk.) Sch. Bip.  
*Davallia canariensis* (L.) J. E. Sm.  
*Trichomanes speciosum* Willd.  
*Romulea columnae* Seb. et Mauri  
*Trifolium squamosum* L.  
*Trifolium dubium* Sibth.  
*Trifolium campestre* Schreb.  
*Matricaria maritima* L. sep. *maritima*  
*Trisetaria panicea* (Lam.) Maire  
*Lophochloa pumila* (Desf.) Bor  
*Lophochloa cristata* (L.) Hyl.  
*Lophochloa pumila* (Desf.) Bor  
*Triumfetta rhomboidea* Jacq.  
*Bellardia trixago* (L.) All.  
*Tuberaria guttata* (L.) Fourr.  
*Tuberaria lignosa* (Sweet) Samp.  
*Petrorhagia nanteuilii* (Guss.) Ball et Heyw.  
*Petrorhagia velutina* (Guss.) Ball et Heyw.

*Typha angustifolia* L. var. *australis* Rohrb.  
*Typha angustifolia* L. var. *macranthelia* (Webb et Berth.) Ball  
*Typha australis* Schum. et Thonn.  
*Typha macranthelia* Webb et Berth.

*Typha domingensis* (Pers.) Steud.  
*Typha domingensis* (Pers.) Steud.  
*Typha domingensis* (Pers.) Steud.  
*Typha domingensis* (Pers.) Steud.

**U**

*Ubochea dichotoma* Baill.  
*Umbelliferae*  
*Umbilicus erectus* Willk., non DC.  
*Umbilicus horizontalis* Schmidt, non (Guss.) DC.  
*Umbilicus paealtus* (Brot.) Mariz  
*Umbilicus rupestris* auct. canar.  
*Umbilicus strangulatus* (Font Quer) Berg.  
*Urginea hesperia* Webb et Berth.  
*Urginea maritima* (L.) Baker var. *hesperia* (Webb et Berth.) Svent.

*Uropetalum serotinum* (L.) Ker-Gawl.  
*Urtica azorica* Hochst.  
*Urtica campestris* auct. azor.  
*Urtica caudata* Vahl, non Burm.fil.  
*Urtica dubia* Forsk.  
*Urtica elevata* Lowe  
*Urtica lowei* Seub.  
*Urtica rupestris* Lowe, non Guss.  
*Urtica urens* Seub. et Hochst., non L.

*Stachytarphe dichotoma* (Baill.) Chev.  
*Apiaceae*  
*Umbilicus heylandianus* Webb et Berth.  
*Umbilicus schmidii* Bolle  
*Umbilicus heylandianus* Webb et Berth.  
*Umbilicus horizontalis* (Guss.) DC.  
*Umbilicus heylandianus* Webb et Berth.  
*Drimia maritima* (L.) Stearn var. *hesperia* (Webb et Berth.) A. Hans. et Sund.  
*Drimia maritima* (L.) Stearn var. *hesperia* (Webb et Berth.) A. Hans. et Sund.

*Dipcadi serotinum* (L.) Med.  
*Urtica membranacea* Poir.  
*Urtica procera* Salisb.  
*Urtica membranacea* Poir.  
*Urtica membranacea* Poir.  
*Urtica morifolia* Poir.  
*Urtica membranacea* Poir.  
*Urtica membranacea* Poir.  
*Urtica membranacea* Poir.

**V**  
*Vaccaria parviflora* Moench  
*Vaccinium longiflorum* Wicht.  
*Vaccinium maderense* Link  
*Vaccinium maderense* Seub., non Link  
*Vaccinium padifolium* Seub. et Hochst., non J. E. Sm. ex Rees  
*Vachellia farnesiana* (L.) Wight et Arn.  
*Valerianella bracteata* Lowe  
*Valerianella morisonii* (Spreng.) DC.  
*Valerianella olitoria* (L.) Poll.  
*Valerianella puberula* Lowe  
*Vandenboschia radicans* (Sw.) Copel.  
*Vandenboschia speciosa* (Willd.) Kunk.  
*Verbascum blattaroides* Lam.  
*Verbascum caboverdeanum* Sund., nom. inval.  
*Verbascum floccosum* W. et K.

*Vaccaria pyramidata* Med.  
*Vaccinium cylindraceum* J. E. Sm.  
*Vaccinium padifolium* J. E. Sm. ex Rees  
*Vaccinium cylindraceum* J. E. Sm.  
*Vaccinium cylindraceum* J. E. Sm.  
*Acacia farnesiana* (L.) Willd.  
*Valerianella microcarpa* Loisel.  
*Valerianella dentata* (L.) Poll.  
*Valerianella locusta* (L.) Lat.  
*Valerianella microcarpa* Loisel.  
*Trichomanes speciosum* Willd.  
*Trichomanes speciosum* Willd.  
*Verbascum virgatum* Stokes  
*Verbascum capitis-viridis* Hub.-Mor.  
*Verbascum pulverulentum* Vill.

- Verbascum haemorrhoidale* Ait.  
*Viburnum spinosa* (L.) Moench  
*Viburnum rigidum* Vent.  
*Viburnum rugosum* Pers.  
*Viburnum strictum* Link  
*Vicia albicans* Lowe  
*Vicia aphylla* Chr. Sm. ex Link  
*Vicia atlantica* Costa  
*Vicia atropurpurea* Desf.  
*Vicia conspicua* Lowe  
*Vicia dasycarpa* Ten.  
*Vicia gracilis* Loisel.  
*Vicia micrantha* Lowe  
*Vicia monantha* (L.) Desf.  
*Vicia pseudocracca* Bertol.  
*Vicia auriculata* Cass.  
*Vidalia azorica* (Hochst. ex Seub.) Wats.  
*Vinca rosea* L.  
*Viola broussonetiana* Roem. et Schult.  
*Viola maderensis* Lowe  
*Viola reichenbachiana* auct. canar.  
*Viola sylvatica* auct. canar.  
*Viola teydea* Berth.  
*Vulpia broteri* Boiss. et Reut.  
*Vulpia hybrida* (Brot.) Pau  
*Vulpia longiseta* (Brot.) Hack.  
*Vulpia megalura* (Nutt.) Rydb.  
*Vulpia pyramidata* (Link) Rothm.  
*Vulpia sciurooides* (Roth) C. C. Gmel.  
*Vulpia teneriffae* Bornm.
- Verbascum pulverulentum* Vill.  
*Emex spinosa* (L.) Campd.  
*Viburnum tinus* L. ssp. *rigidum* (Vent.) P. Silva  
*Viburnum tinus* L. ssp. *rigidum* (Vent.) P. Silva  
*Viburnum tinus* L. ssp. *rigidum* (Vent.) P. Silva  
*Vicia benghalensis* L.  
*Vicia cirrhosa* Chr. Sm. ex Webb et Berth.  
*Vicia costae* A. Hans.  
*Vicia benghalensis* L.  
*Vicia sativa* L.  
*Vicia villosa* Roth ssp. *varia* (Host) Corb.  
*Vicia tenuissima* (Bieb.) Schinz et Thell.  
*Vicia benghalensis* L.  
*Vicia articulata* Hornem.  
*Vicia villosa* Roth ssp. *pseudocracca* (Bertol.) P. W. Bell  
*Vicia leptoclada* (Webb) Dandy  
*Bellis azorica* Hochst. ex Seub.  
*Catharanthus roseus* (L.) G. Don  
*Viola riviniana* Rchb.  
*Viola odorata* L. var. *maderensis* (Lowe) Webb  
*Viola riviniana* Rchb.  
*Viola riviniana* Rchb.  
*Viola cheiranthifolia* Humb. et Bonpl.  
*Vulpia muralis* (Kunth) Nees  
*Vulpia muralis* (Kunth) Nees  
*Vulpia membranacea* (L.) Dum.  
*Vulpia myurus* (L.) C. C. Gmel.  
*Vulpia membranacea* (L.) Dum.  
*Vulpia bromoides* (L.) S. F. Gray  
*Festuca agustini* Lindinger

## W

- Wahlenbergia erinus* (L.) Link  
*Wahlenbergia nutabunda* A. DC.  
*Wahlenbergia pendula* Schrad.  
*Waltheria americana* L.  
*Waltheria elliptica* Cav.  
*Webbia canariensis* (L.) Webb et Berth.  
*Webbia floribunda* (Ait.) Webb et Berth.  
*Webbia platysepala* Webb et Berth.  
*Wildpretina viscosa* (Sm.) O. Kuntze

- Campanula erinus* L.  
*Wahlenbergia lobelioides* (L.fil.) A. DC.  
*Wahlenbergia lobelioides* (L.fil.) A. DC.  
*Waltheria indica* L.  
*Waltheria indica* L.  
*Hypericum canariense* L.  
*Hypericum canariense* L. var. *floribundum* (Ait.) Bornm.  
*Hypericum canariense* L. var. *platysepalum* (Webb et Berth.) Ceb. et Ort.  
*Ixanthus viscosus* (Sm.) Griseb.

**X***Xanthium spinosum* L.*Acanthoxanthium spinosum* (L.) Fourr.**Y***Yervamora canariensis* O. Kuntze*Yervamora yervamora* (L.) Lindinger*Bosea yervamora* L.*Bosea yervamora* L.**Z***Ziziphus jujuba* Mill., non Lam.*Ziziphus orthacantha* DC.*Zollikoferia arborescens* Batt.*Zollikoferia nudicaulis* (L.) Boiss.*Zollikoferia spinosa* (Forssk.) Boiss.*Zygophyllum album* Link in Buch, non L.*Zygophyllum bollei* Webb*Zygophyllum portulacoides* Forssk.*Zygophyllum stellulatum* Chr. Sm.*Zygophyllum webbianum* Coss.*Ziziphus mauritanicus* Lam.*Ziziphus mauritanicus* Lam.*Launaea arborescens* (Batt.) Murb.*Launaea nudicaulis* (L.) Hook.fil.*Launaea arborescens* (Batt.) Murb.*Zygophyllum fontanesii* Webb et Berth.*Zygophyllum fontanesii* Webb et Berth.*Zygophyllum simplex* L.*Zygophyllum simplex* L.*Zygophyllum fontanesii* Webb et Berth.

## INDEX TO GENERIC NAMES

Generic names only quoted in the synonym list are not included.

<i>Abelmoschus</i>	67	<i>Ammophila</i>	94
<i>Abrus</i>	50	<i>Anacyclus</i>	18
<i>Abutilon</i>	67	<i>Anagallis</i>	75
<i>Acacia</i>	68	<i>Anagyris</i>	50
<i>Acalypha</i>	43	<i>Anchusa</i>	30
<i>Acanthospermum</i>	17	<i>Andrachne</i>	48
<i>Acanthoxanthium</i>	18	<i>Androcymbium</i>	92
<i>Acanthus</i>	13	<i>Andropogon</i>	94
<i>Acer</i>	13	<i>Andryala</i>	18
<i>Achillea</i>	18	<i>Anethum</i>	15
<i>Achyranthes</i>	13	<i>Annona</i>	14
<i>Acrachne</i>	94	<i>Anogramma</i>	10
<i>Actiniopteris</i>	8	<i>Anredera</i>	30
<i>Adenocarpus</i>	50	<i>Anthemis</i>	18
<i>Adiantum</i>	8	<i>Anthoxanthum</i>	94
<i>Adonis</i>	76	<i>Anthriscus</i>	15
<i>Aegilops</i>	94	<i>Anthyllis</i>	50
<i>Aeonium</i>	43	<i>Anticharis</i>	80
<i>Aerva</i>	13	<i>Antirrhinum</i>	80
<i>Aetheorhiza</i>	18	<i>Aphanes</i>	77
<i>Agapanthus</i>	91	<i>Apium</i>	15
<i>Agave</i>	86	<i>Apollonias</i>	66
<i>Ageratina</i>	18	<i>Aptenia</i>	13
<i>Ageratum</i>	18	<i>Aquilegia</i>	76
<i>Agrimonia</i>	77	<i>Arabidopsis</i>	32
<i>Agrostemma</i>	37	<i>Arabis</i>	32
<i>Agrostis</i>	94	<i>Araujia</i>	17
<i>Aichryson</i>	45	<i>Arbutus</i>	48
<i>Ailanthus</i>	82	<i>Arceuthobium</i>	66
<i>Aira</i>	94	<i>Arctium</i>	18
<i>Aizoon</i>	13	<i>Arctotis</i>	18
<i>Ajuga</i>	61	<i>Arenaria</i>	37
<i>Albizzia</i>	68	<i>Argemone</i>	71
<i>Alcea</i>	67	<i>Argyranthemum</i>	18
<i>Alisma</i>	86	<i>Arisarum</i>	87
<i>Allagopappus</i>	18	<i>Aristida</i>	94
<i>Allium</i>	91	<i>Aristolochia</i>	17
<i>Alnus</i>	30	<i>Armeria</i>	73
<i>Aloë</i>	92	<i>Arnebia</i>	30
<i>Alopecurus</i>	94	<i>Arrhenatherum</i>	94
<i>Alpinia</i>	102	<i>Artemisia</i>	19
<i>Alstroemeria</i>	87	<i>Arthraxon</i>	94
<i>Alternanthera</i>	13	<i>Arthrocnemum</i>	40
<i>Alysicarpus</i>	50	<i>Arum</i>	87
<i>Alyssum</i>	32	<i>Arundinaria</i>	94
<i>Amaranthus</i>	13	<i>Arundo</i>	94
<i>Ambrosia</i>	18	<i>Asarina</i>	80
<i>Ammania</i>	66	<i>Asclepias</i>	17
<i>Ammi</i>	15	<i>Asphaltium</i>	51
<i>Ammochloa</i>	94	<i>Asparagus</i>	92
<i>Ammodaucus</i>	15	<i>Asphodelus</i>	92

Asplenium	8	Brunsvigia	87
Aster	20	Bryaspis	51
Asteriscus	20	Bryonia	47
Asterolinon	75	Bryophyllum	46
Astragalus	51	Bufonia	37
Astydamia	15	Buglossoides	30
Asystasia	13	Bulbostylis	88
Athyrium	9	Bunium	15
Attractylis	20	Bupleurum	15
Atriplex	40	Buxus	35
Astrocyindropuntia	35	Bystropogon	61
Avellinia	95		
Avena	95	Caesalpinia	35
Avenula	95	Cajanus	51
Axonopus	95	Cakile	32
Azolla	9	Calamintha	61
Azorina	36	Calceolaria	80
Babcockia	20	Calendula	20
Baldellia	87	Calliandra	68
Ballota	61	Callitricha	36
Bambusa	95	Calluna	48
Barbarea	32	Calotropis	17
Barlia	93	Calystegia	42
Basella	30	Campanula	36
Bassia	40	Campylanthus	80
Begonia	30	Canarina	36
Bellardia	80	Canna	87
Bellis	20	Capnophyllum	15
Bencomia	77	Capparis	36
Berberis	30	Capraria	80
Beta	40	Capsella	32
Bidens	20	Capsicum	82
Bifora	15	Caralluma	17
Bilderdykia	74	Cardamine	33
Biscutella	32	Cardiospermum	80
Biserrula	51	Carduncellus	20
Blackstonia	59	Carduus	21
Blainvillea	20	Carex	88
Blechnum	9	Carica	37
Blepharis	13	Carlina	21
Blumea	20	Carpobrotus	13
Blutaparon	14	Carrichtera	33
Boerhavia	69	Carthamus	21
Bonamia	42	Cassia	36
Borago	30	Castanea	58
Borreria	78	Castellia	96
Bosea	14	Casuarina	40
Botriochloa	95	Catapodium	96
Botrychium	11	Catharanthus	16
Bougainvillea	69	Caylusea	76
Brachiaria	95	Ceballosia	30
Brachypodium	95	Cedronella	61
Brassica	32	Celosia	14
Briza	95	Celtis	84
Bromus	95	Cenchrus	96
		Centaurea	21

Centaureum	59	Convolvulus	42
Centranthus	85	Conyza	22
Centratherum	21	Corchorus	84
Centunculus	75	Corema	48
Cerastium	37	Coreopsis	22
Ceratonia	36	Coriandrum	15
Ceratophyllum	40	Coronilla	51
Ceropegia	17	Coronopus	33
Ceterach	9	Corrigiola	37
Chaerophyllum	15	Cortaderia	96
Chaetonychia	37	Corylus	43
Chamaecyparis	12	Cosmos	22
Chamaecytisus	51	Cotula	22
Chamaemeles	77	Crambe	33
Chamaemelum	21	Crassocephalum	22
Chamaenerion	70	Crassula	46
Chamomilla	21	Crataegus	77
Chasmanthe	90	Crepis	22
Cheilanthes	11	Cressa	43
Cheirolophus	21	Crithmum	15
Chelidonium	71	Crotalaria	51
Chenoleoides	40	Cryptomeria	12
Chenopodium	40	Cryptotaenia	15
Chloris	96	Cucumis	47
Chlorophytum	92	Cucurbita	47
Choisya	79	Culcita	10
Christella	12	Cupressus	12
Chrozophora	48	Cuscuta	43
Chrysanthemum	22	Cutandia	96
Cicca	48	Cymbosetaria	96
Cicendia	59	Cydonia	77
Cicer	51	Cymbalaria	80
Cichorium	22	Cymodocea	101
Cirsium	22	Cynanchum	17
Cistanche	71	Cynara	23
Cistus	41	Cynodon	96
Citrullus	47	Cynoglossum	30
Citrus	79	Cynomorium	30
Cladium	88	Cynosurus	96
Clematis	76	Cyperus	88
Cleome	36	Cyphomandra	82
Cleretum	13	Cyrtomium	8
Clerodendron	85	Cystopteris	9
Clethra	42	Cytinus	76
Clinopodium	61	Cytisus	51
Clitoria	51		
Cocculus	68	Daboecia	48
Coffea	78	Dactylis	96
Coix	96	Dactyloctenium	96
Coldenia	30	Dactylorhiza	93
Coleostephus	22	Dalechampia	48
Colocasia	87	Danthonia	96
Commelinia	37	Daphne	84
Commicarpus	69	Datura	82
Conium	15	Daucus	15
Consolida	76	Davallia	10

Delphinium	76	Emex	74
Dendriopoterium	77	Emilia	23
Deparia	9	Enneapogon	87
Deschampsia	96	Enteropogon	97
Descurainia	73	Ephedra	12
Desmanthus	68	Epilobium	70
Desmodium	51	Epimedium	30
Diascia	80	Equisetum	10
Dichanthium	96	Eragrostis	97
Dicheranthus	37	Eremopogon	97
Dichondra	43	Erica	48
Dichrostachys	68	Erigeron	23
Dicksonia	10	Eriobotrya	77
Dicliptera	13	Eriocaulon	90
Dientes	90	Eriochloa	97
Digitalis	80	Eritrichum	32
Digitaria	96	Erodium	59
Dipcadi	92	Eruca	33
Diphasium	10	Erucastrum	33
Diplazium	9	Erysimum	33
Diplotaxis	33	Escallonia	50
Dipsacus	47	Eschscholzia	71
Disphyma	13	Eucalyptus	69
Dittrichia	23	Eulophia	93
Dodonaea	80	Euphorbia	48
Dolichos	51	Euphrasia	80
Doodia	9	Evax	23
Draba	33	Evolvulus	43
Dracaena	86		
Dracocephalum	61	Fagonia	86
Dracunculus	87	Fagopyrum	74
Drimia	92	Ferraria	90
Drimiopsis	92	Ferula	16
Drosanthemum	13	Festuca	97
Drusa	16	Ficus	68
Dryopteris	8	Filago	23
Duchesnea	77	Filipendula	77
		Fimbristylis	89
Ebingeria	91	Flaveria	23
Ecballium	47	Foeniculum	16
Echinochloa	97	Forsskaolea	85
Echium	30	Fragaria	77
Eclipta	23	Frangula	77
Egeria	90	Frankenia	58
Ehrharta	97	Freesia	90
Eichhornia	101	Fuchsia	70
Einadia	41	Fumaria	58
Elaeagnus	48	Furcraea	86
Elaphoglossum	10		
Elatine	48	Gaillardia	23
Eleocharis	89	Galactites	23
Eleusine	97	Galinsoga	23
Eleutheranthera	23	Galium	78
Elionurus	97	Gastridium	97
Elvira	23	Gaudinia	97
Elytrigia	97	Gazania	23

Genista	51	Holcus	97
Gennaria	93	Homalanthus	50
Geranium	59	Hordeum	98
Gesnouinia	85	Hunnemannia	71
Gladiolus	90	Huperzia	10
Glaucium	71	Hydrangea	60
Glechoma	61	Hydrilla	90
Gleditsia	36	Hydrocotyle	16
Glinus	68	Hylocereus	35
Globularia	60	Hymenocallis	87
Glyceria	97	Hymenolobus	34
Glycine	51	Hymenophyllum	10
Gnaphalium	23	Hyoscyamus	82
Gnidia	84	Hyoseris	24
Gomphocarpus	17	Hyparrhenia	98
Gomphrena	14	Hypecoum	71
Gongrothamnus	23	Hypericum	60
Gonospermum	23	Hypochoeris	24
Goodyera	93	Hypodematum	9
Gossypium	67	Hypoestes	13
Grammitis	10	Hyptis	61
Greenovia	46		
Grevillea	75	Iberis	34
Grewia	84	Icacina	61
Guizotia	24	Ifloga	24
Cunnera	60	Ilex	17
Gymnocarpos	37	Illecebrum	38
Gymnosporia	40	Impatiens	30
Gymnostyles	24	Imperata	98
Gynandropsis	37	Imperatoria	16
Gypsophila	37	Indigofera	52
Habenaria	93	Ipomoea	43
Hackelochloa	97	Iresine	14
Hakea	75	Iris	90
Halimione	41	Isatis	34
Halophila	90	Isoëtes	10
Haynardia	97	Isoplexis	80
Hebe	80	Ixanthus	59
Heberdenia	69	Ixia	90
Hedera	17		
Hedychium	102	Jasione	36
Hedypnois	24	Jasminum	70
Heimia	69	Jatropha	50
Helianthemum	41	Juglans	61
Helianthus	24	Juncus	91
Helichrysum	24	Juniperus	12
Heliotropium	32	Justicia	13
Helminthotheca	24		
Hemarthria	97	Kickxia	80
Hemerocallis	92	Kleinia	24
Herniaria	38	Kochia	41
Heteropogon	97	Kohautia	78
Hibiscus	67	Kunkeliella	79
Hippocrepis	51	Kyllinga	89
Hirschfeldia	34	Lactuca	24


Lagurus	98	Macfadyena	30
Lamarckia	98	Maclura	69
Lamium	61	Macrotyloma	54
Lampranthus	13	Mairetis	32
Lantana	85	Malcolmia	34
Lapeirousia	90	Malope	67
Laportea	85	Malus	77
Lapsana	24	Malva	67
Lathyrus	52	Malvastrum	67
Launaea	24	Mantisalca	25
Laurus	66	Maretella	77
Lavandula	61	Mariscus	89
Lavatera	67	Marrubium	62
Leersia	98	Marsilea	11
Legousia	36	Matricaria	25
Lemna	91	Matthiola	34
Lens	52	Maytenus	40
Leontodon	25	Mazus	81
Leonurus	62	Medicago	54
Leopoldia	92	Melanoselinum	16
Lepidium	34	Melhania	84
Leptospermum	69	Melia	68
Leptothrix	98	Melianthus	68
Leucaena	68	Melica	98
Leucanthemum	25	Melilotus	54
Leucas	62	Melinis	98
Leycesteria	37	Melissa	62
Ligularia	25	Mentha	62
Ligustrum	70	Mentzelia	66
Lilium	92	Mercurialis	50
Limonium	73	Merremia	43
Linaria	81	Mesembryanthemum	13
Linum	66	Microlepia	10
Lippia	85	Micromeria	62
Littorella	72	Mimulus	81
Lobelia	66	Minuartia	38
Lobularia	34	Mirabilis	69
Loeflingia	38	Misopates	81
Logfia	25	Mitracarpus	79
Lolium	98	Modiola	67
Lonchocarpus	52	Moehringia	38
Lonicera	37	Mollugo	68
Lophochloa	98	Momordica	47
Lotononis	52	Monanthes	46
Lotus	52	Monizia	16
Ludwigia	70	Monsonia	59
Lugoa	25	Montanoa	25
Lunaria	34	Moricandia	34
Lupinus	54	Moringa	69
Luzula	91	Morus	69
Lycium	82	Mucuna	54
Lycopersicon	83	Muehlenbeckia	74
Lycopodiella	10	Musa	93
Lycopus	62	Musschia	36
Lysimachia	75	Myoporum	69
Lythrum	66		

<i>Myosotis</i>	32	<i>Pallenis</i>	25
<i>Myrica</i>	69	<i>Pancratium</i>	87
<i>Myriophyllum</i>	60	<i>Panicum</i>	98
<i>Myrsine</i>	69	<i>Papaver</i>	71
<i>Myrtus</i>	69	<i>Parapholis</i>	98
		<i>Parentucellia</i>	81
<i>Najas</i>	93	<i>Parietaria</i>	85
<i>Narcissus</i>	87	<i>Parkinsonia</i>	36
<i>Nardus</i>	98	<i>Parolinia</i>	34
<i>Nassella</i>	98	<i>Paronychia</i>	38
<i>Nasturtium</i>	34	<i>Parthenium</i>	25
<i>Neatostema</i>	32	<i>Parthenocissus</i>	86
<i>Nelsonia</i>	81	<i>Paspalidium</i>	99
<i>Neochamaelea</i>	42	<i>Paspalum</i>	99
<i>Neotinea</i>	93	<i>Passiflora</i>	72
<i>Nepeta</i>	64	<i>Patellifolia</i>	41
<i>Nephrolepis</i>	11	<i>Pegolettia</i>	25
<i>Nerine</i>	87	<i>Pelargonium</i>	59
<i>Nerium</i>	16	<i>Pellaea</i>	12
<i>Nervilia</i>	93	<i>Pelletiera</i>	75
<i>Nesaea</i>	66	<i>Pennisetum</i>	99
<i>Neurada</i>	69	<i>Pentodon</i>	79
<i>Nicandra</i>	83	<i>Peplis</i>	66
<i>Nicotiana</i>	83	<i>Pericallis</i>	25
<i>Nigella</i>	76	<i>Periploca</i>	17
<i>Nothoscordum</i>	92	<i>Peristrophe</i>	13
<i>Notobasis</i>	25	<i>Persea</i>	66
<i>Notoceras</i>	34	<i>Petasites</i>	26
<i>Nymphaea</i>	69	<i>Petrorhagia</i>	38
		<i>Petroselinum</i>	16
<i>Ocimum</i>	64	<i>Petunia</i>	83
<i>Ocotea</i>	66	<i>Phaedranthus</i>	30
<i>Odontites</i>	81	<i>Phagnalon</i>	26
<i>Oenanthe</i>	16	<i>Phalaris</i>	99
<i>Oenothera</i>	70	<i>Pharbitis</i>	43
<i>Olea</i>	70	<i>Phaseolus</i>	55
<i>Oldenlandia</i>	79	<i>Phillyrea</i>	70
<i>Oligomeris</i>	76	<i>Phlebodium</i>	11
<i>Ononis</i>	54	<i>Phleum</i>	99
<i>Onopordon</i>	25	<i>Phlomis</i>	64
<i>Onychium</i>	9	<i>Phoenix</i>	87
<i>Ophioglossum</i>	11	<i>Phormium</i>	92
<i>Ophrys</i>	93	<i>Phragmites</i>	99
<i>Oplismenus</i>	98	<i>Phyllanthus</i>	50
<i>Opuntia</i>	35	<i>Phyllis</i>	79
<i>Orchis</i>	93	<i>Phyllitis</i>	9
<i>Origanum</i>	64	<i>Physalis</i>	83
<i>Ornithogalum</i>	92	<i>Phytolacca</i>	72
<i>Ornithopus</i>	55	<i>Picconia</i>	70
<i>Orobanche</i>	71	<i>Picnomon</i>	26
<i>Oryza</i>	98	<i>Picris</i>	26
<i>Osmunda</i>	11	<i>Pimpinella</i>	16
<i>Osyris</i>	79	<i>Pinus</i>	12
<i>Otanthus</i>	25	<i>Piptatherum</i>	99
<i>Oxalis</i>	71	<i>Pisonia</i>	69
		<i>Pistacia</i>	14

Pisum	55	Rhododendron	48
Pittosporum	72	Rhus	14
Pityrogramma	10	Rhynchelytrum	100
Plantago	72	Rhynchosia	55
Platanthera	93	Ricinus	50
Platycapnos	59	Ridolfia	16
Plectranthus	64	Rivina	72
Pleiomeris	69	Robinia	55
Plocama	79	Rogeria	72
Pluchea	26	Romulea	90
Plumbago	74	Rosa	78
Plumeria	16	Rosmarinus	64
Poa	99	Rottboellia	100
Polycarpaea	38	Rubia	79
Polycarpon	38	Rubus	78
Polygala	74	Rumex	74
Polygonum	74	Ruppia	101
Polypodium	11	Ruscus	93
Polypogon	99	Ruta	79
Polystichum	8	Rutheopsis	16
Populus	79	Rytidosperma	100
Portulaca	75	Saccharum	100
Potamogeton	101	Sagina	38
Potentilla	77	Sagittaria	87
Prasium	64	Salix	79
Prenanthes	26	Salpichroa	83
Prosopis	68	Salsola	41
Prunella	64	Salvia	64
Prunus	77	Sambucus	37
Psidium	69	Samolus	75
Psilotum	11	Sanguisorba	78
Psoralea	55	Sanicula	16
Pteranthus	38	Sansevieria	86
Pteridium	10	Sapindus	80
Pteris	11	Saponaria	39
Pterocephalus	48	Sarcocornia	41
Puccinellia	100	Sarcostemma	17
Pulicaria	26	Saxifraga	80
Punica	76	Scabiosa	48
Pycreus	90	Scandix	16
Pyrostegia	30	Schinus	14
Pyrus	78	Schismus	100
Quamoclit	43	Schizogyne	26
Quercus	58	Schmidtia	100
Radiola	66	Schoenfeldia	100
Ranunculus	76	Scilla	93
Raphanus	35	Scirpus	90
Rapistrum	35	Scleranthus	39
Reichardia	26	Sclero carpus	26
Reinwardtia	66	Sclerocephalus	39
Reseda	76	Sclerophylax	83
Retama	55	Scolymus	27
Rhagadiolus	26	Scorpiurus	55
Rhamnus	77	Scorzoneroides	27
		Scrophularia	81

Scutellaria	64	Stictocardia	43
Secale	100	Stipa	101
Sechium	47	Stipagrostis	101
Sedum	47	Striga	82
Sehima	100	Stylosanthes	55
Selaginella	11	Suaeda	41
Semele	93	Succisa	48
Senecio	27	Succowia	35
Serapias	93	Sutera	82
Sesamoides	77	Sventenia	28
Sesamum	72	Symphytum	32
Sesbania	55	Synedrella	28
Seseli	16	Syzygium	69
Sesuvium	13		
Setaria	100	Taeckholmia	28
Setcreasea	87	Taeniametherum	101
Sherardia	79	Tagetes	29
Sibthorpia	82	Talinum	75
Sida	67	Tamarindus	36
Sidastrum	68	Tamarix	84
Sideritis	64	Tamus	90
Sideroxylon	80	Tanacetum	29
Sigesbeckia	27	Taraxacum	29
Silene	39	Taxus	12
Silybum	27	Tecomaria	30
Sinapidendron	35	Teesdalia	35
Sinapis	35	Teline	55
Sisymbrella	35	Tephrosia	56
Sisymbrium	35	Teramnus	56
Smilax	93	Terminalia	42
Smyrnium	16	Tetragonia	84
Solanum	83	Tetragonolobus	56
Soleirolia	85	Tetrapogon	101
Solenopsis	66	Teucrium	65
Solidago	27	Theligonum	84
Soliva	27	Thelypteris	12
Sonchus	27	Themeda	101
Sorbus	78	Thesium	79
Sorghum	100	Thevetia	17
Sparaxis	90	Thlaspi	35
Spartina	100	Thunbergia	13
Spartium	55	Thymus	66
Spartocytisus	55	Tigridia	90
Spergula	39	Tinantia	87
Spergularia	40	Tinguarra	16
Sphaeropteris	10	Tithonia	29
Sphenopus	100	Todaroa	16
Spinacia	41	Tolpis	29
Spondias	14	Torilis	16
Sporobolus	100	Tornabenea	16
Stachys	65	Trachelium	36
Stachytarpheta	85	Trachynia	101
Stegnogramma	12	Tradescantia	87
Stellaria	40	Tragandm	41
Stemmacantha	28	Tragopogon	29
Stenotaphrum	100	Tragus	101

Trianthema	13	Viburnum	37
Tribulus	86	Vicia	57
Trichodesma	32	Vicoa	29
Tricholaena	101	Vieraea	29
Trichomanes	10	Vigna	58
Trifolium	56	Vinca	17
Trigonella	57	Viola	86
Triplachne	101	Visnea	84
Tripogandra	88	Vitis	86
Tripogon	101	Volutaria	29
Trisetaria	101	Vulpia	101
Triticum	101		
Tritonia	90	Wahlenbergia	36
Triumfetta	84	Waltheria	84
Tropaeolum	84	Watsonia	91
Tuberaria	42	Weigela	37
Turbina	43	Wigandia	60
Typha	101	Wissadula	68
Ulex	57	Withania	84
Ulmus	85	Woodwardia	9
Umbilicus	47	Xanthium	29
Urena	68	Xanthosoma	87
Urospermum	29	Ximenia	70
Urtica	85	Zaleya	13
Vaccaria	40	Zannichellia	102
Vaccinium	48	Zantedeschia	87
Valantia	79	Zea	101
Valerianella	85	Zebrina	88
Verbascum	82	Zinnia	29
Verbena	85	Ziziphus	77
Verbesina	29	Zornia	58
Vernonia	29	Zostera	102
Veronica	82	Zygophyllum	86



INSTRUCTIONS TO AUTHORS:

SOMMERFELTIA accepts scientific papers of 32 printed pages or more, preferably in English, more rarely in Norwegian with an English summary (200-500 words). The abstract must be in English and not exceed 300 words. The author is responsible for ensuring that the English is linguistically correct. The editor reserves the right to transfer suitable manuscripts to Blyttia or the Nordic Journal of Botany.

Manuscripts to SOMMERFELTIA must not have been published or accepted for publication elsewhere.

Manuscripts will be examined by the editor, and a member of the editorial board will act as a referee. Manuscripts must be submitted in three typewritten copies with double spacing and a wide margin. The following must be typed on separate sheets: the title, the author's name and address, an abstract, legends to figures, headings to tables.

Figures (incl. line drawings) should preferably be 14.0 cm broad and not higher than 20.8 cm - the type area. Narrower and broader figures may be accepted. Tables must be typed in COURIER types on a typewriter with disposable ribbon - for direct reproduction.

The table headings should be typed with single spacing over the whole width of the table. An open line is left between the table heading and the table proper. Tables should be 14,0 cm broad. Tables over two pages, a left-hand and a right-hand page, can be accepted. Tables placed at right angles to normal text should be 20.8 cm broad. Tables divided on more pages can be accepted; on the second and later pages the table heading should be Table x, continued (Engl.) or Tabell x, fortsatt (Norw.).

Figures and tables should be numbered separately and consecutively with Arabic numerals. Black and white photographs can be included only after agreement with the editor. Coloured illustrations are normally accepted only when paid for by the author. Taxonomic keys should have right margins and be based on dichotomies. References should be written according to current practice in the Nordic Journal of Botany. SOMMERFELTIA permits abbreviations of titles to differ from the World List of Scientific Periodicals, but the abbreviations must be consistently used.

An author is supplied with ten copies free of charge. When there are more than one author, each receives eight copies free of charge. Additional copies may be ordered at subscription cost.

